

Revision Date 05-Feb-2024

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard (29 CFR 1910.1200)

Version 1

1. IDENTIFICATION

Product identifier Product Name

PX 5 MINUTE 6ML EPOXY SYRINGE RESIN

Other means of identification Product Code

Recommended use of the chemical and restrictions on useRecommended UseEpoxy resinUses advised againstNo information available

10500

Details of the supplier of the safety data sheet

Manufacturer Address ITW Permatex, Inc. 6875 Parkland Blvd. Solon, Ohio 44139 USA Telephone: 1-87-Permatex (866) 732-9502 May Also Be Distributed by: **ITW Permatex Canada** 101-2360 Bristol Circle Oakville, ON Canada L6H 6M5 Telephone: (800) 924-6994 **Company Phone Number** 866-732-9502 24-hour emergency phone number Chem-Tel: 800-255-3924 International Emergency: 00+1+ 813-248-0585 Contract Number: MIS0003453

E-mail address: mail@permatex.com

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1

Label elements

Emergency Overview

<u>Signal word</u> Warning		
Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction		
Appearance Paste	Physical state Liquid	Odor Mild Odor

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Avoid breathing dust/fume/gas/mist/vapors/spray Use personal protective equipment as required Contaminated work clothing must not be allowed out of the workplace

Precautionary Statements - Response

Get medical advice/attention if you feel unwell

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed Keep cool Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

Toxic to aquatic life with long lasting effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%
BISPHENOL A/EPICHLOROHYDRIN	25068-38-6	100%
BASED EPOXY RESIN		

4. FIRST AID MEASURES

Description of first aid measures	
General advice	Get medical advice/attention if you feel unwell.
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Skin contact	IF ON SKIN:. Wash skin with soap and water. If skin irritation persists, call a physician. Take off contaminated clothing and wash before reuse.
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician.
Ingestion	IF SWALLOWED:. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician.
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Most important symptoms and effe	cts, both acute and delayed
Symptoms	See section 2 for more information.
Indication of any immediate medica	al attention and special treatment needed
Note to physicians	Treat symptomatically.
	5. FIRE-FIGHTING MEASURES
<u>Suitable extinguishing media</u> Carbon dioxide (CO2), Use dry chem	cal, Foam
	cal, Foam In case of fire, use water spray, foam, dry chemical, or CO2.
Carbon dioxide (CO2), Use dry chem	
Carbon dioxide (CO2), Use dry chem Small Fire	In case of fire, use water spray, foam, dry chemical, or CO2.
Carbon dioxide (CO2), Use dry chem Small Fire Large Fire <u>Unsuitable extinguishing media</u>	In case of fire, use water spray, foam, dry chemical, or CO2. In case of fire, use water spray, foam, dry chemical, or CO2.
Carbon dioxide (CO2), Use dry chem Small Fire Large Fire <u>Unsuitable extinguishing media</u> None Specific hazards arising from the c	In case of fire, use water spray, foam, dry chemical, or CO2. In case of fire, use water spray, foam, dry chemical, or CO2.
Carbon dioxide (CO2), Use dry chem Small Fire Large Fire <u>Unsuitable extinguishing media</u> None Specific hazards arising from the c None in particular.	In case of fire, use water spray, foam, dry chemical, or CO2. In case of fire, use water spray, foam, dry chemical, or CO2.
Carbon dioxide (CO2), Use dry chem Small Fire Large Fire Unsuitable extinguishing media None Specific hazards arising from the c None in particular. Hazardous combustion product Explosion data Sensitivity to Mechanical Impact Sensitivity to Static Discharge Protective equipment and precautio	In case of fire, use water spray, foam, dry chemical, or CO2. In case of fire, use water spray, foam, dry chemical, or CO2. hemical s No information available. None. None.
Carbon dioxide (CO2), Use dry chem Small Fire Large Fire Unsuitable extinguishing media None Specific hazards arising from the c None in particular. Hazardous combustion product Explosion data Sensitivity to Mechanical Impact Sensitivity to Static Discharge Protective equipment and precaution As in any fire, wear self-contained bree	In case of fire, use water spray, foam, dry chemical, or CO2. In case of fire, use water spray, foam, dry chemical, or CO2. hemical s No information available. None. None. None. None.
Carbon dioxide (CO2), Use dry chem Small Fire Large Fire Unsuitable extinguishing media None Specific hazards arising from the c None in particular. Hazardous combustion product Explosion data Sensitivity to Mechanical Impact Sensitivity to Static Discharge Protective equipment and precaution As in any fire, wear self-contained bree protective gear.	In case of fire, use water spray, foam, dry chemical, or CO2. In case of fire, use water spray, foam, dry chemical, or CO2. hemical s No information available. None. None. base of firefighters water spray, foam, dry chemical, or CO2.

Description of first aid measures

Use personal protective equipment as required.

For emergency responders	Use personal protection recommended in Section 8.		
Environmental precautions			
Environmental precautions	See Section 12 for additional Ecological Information.		
Methods and material for containment and cleaning up			
Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Use personal protective equipment as required.		
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.		
7. HANDLING AND STORAGE			
Precautions for safe handling			
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse. Use personal protective equipment as required.		
Conditions for safe storage, including any incompatibilities			
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.		
Packaging materials	No information available.		
Incompatible materials	Strong oxidizing agents		
8. EXPOSURE CONTROLS/PERSONAL PROTECTION			

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

NIOSH IDLH Immediately Dangerous to Life or Health

Appropriate engineering controls

Engineering Controls	Showers	
	Eyewash stations	
	Ventilation systems	

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear protective natural rubber, nitrile rubber, Neoprene™ or PVC gloves.
Respiratory protection	Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment, work area and clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic	physical and chemical properties
Physical state	Liquid
Appearance	Paste

Odor Color Odor threshold

Property
рН
Melting point / freezing point
Boiling point / boiling range
Flash point
Evaporation rate
Flammability (solid, gas)
Flammability Limit in Air
Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density
Relative density
Water solubility
Solubility(ies)
Partition coefficient
Autoignition temperature
Hyphen
Kinematic viscosity
Dynamic viscosity
Explosive properties
Oxidizing properties

Other information Softening point Molecular weight **VOC content** Density **Bulk density** SADT (self-accelerating decomposition temperature)

Mild Odor Green No information available

Values No information available No information available No information available 264 °C / 507 °F No information available 1.16 No information available 0%

No information available No information available

No information available

Remarks • Method

CC (closed cup)

10. STABILITY AND REACTIVITY

Reactivity

No information available

Chemical stability

Stable under normal conditions

Possibility of hazardous reactions None under normal processing.

Hazardous polymerization No information available.

Conditions to avoid Excessive heat.

Incompatible materials Strong oxidizing agents

Hazardous decomposition products Carbon oxides

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure
--

Product Information	No Data Available
Inhalation	May cause irritation of respiratory tract.
Eye contact	Contact with eyes may cause irritation. May cause redness and tearing of the eyes.
Skin contact	May cause skin irritation and/or dermatitis.
Ingestion	Ingestion may cause irritation to mucous membranes.

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
BISPHENOL	= 11400 mg/kg (Rat)	-	-
A/EPICHLOROHYDRIN BASED			
EPOXY RESIN			
25068-38-6			

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.

The following values are calculated based on chapter 3.1 of the GHS document ATEmix (oral) 11400 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

0 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Persistence and degradability No information available.

no information available.

Bioaccumulation

No information available.

Mobility

No information available.

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods	
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.

US EPA Waste Number

Not applicable

14. TRANSPORT INFORMATION

DOT Proper shipping name	Not regulated
IATA_ Proper shipping name	Not regulated
IMDG Proper shipping name	Not regulated

15. REGULATORY INFORMATION

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECI	Complies
PICCS	Complies
AICS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories	
Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level

pertaining to releases of this material

US State Regulations

California Proposition 65 This product contains the following Proposition 65 chemicals: U.S. State Right-to-Know Regulations U.S. EPA Label Information EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

<u>NFPA</u>	Health hazards 1	Flammability 1	Instability 0	-
HMIS	Health hazards 1	Flammability 1	Physical hazards 0	Personal protection B

Revision Date 05-Feb-2024

Disclaimer

Illinois Tool Works Inc. believes the information contained in this data sheet is accurate as of the date compiled. However,Illinois Tool Works Inc. makes no warranty, express or implied, as to the accuracy, reliability or completeness of theinformation. User is responsible for evaluating whether such information or this product is fit for a particular purposeand suitable for a particular use or application. The information in this data sheet may not be valid if this product is usedin combination with other products or in processes for which it was not designed. Illinois Tool Works Inc. disclaims anyliability for consequential or incidental damages of any kind, including lost profits, arising from the sale or use of thisproduct. Ensure you have the most current version of this data sheet by contacting us or reviewing our web site.

End of Safety Data Sheet