



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Date 12-Mar-2024

Version 18

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code 24210
Product Name MEDIUM STRENGTH THREADLOCKER BLUE 10 ML

Other means of identification

Contains CUMENE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Adhesive
Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Manufacturer ITW Permatex, Inc. 6875 Parkland Blvd. Solon, Ohio 44139 USA Telephone: 1-87-Permatex (866) 732-9502	Only Representative (OR) ITW Permatex, Inc. Bay 150 Shannon Industrial Estate Co. Clare Ireland V14 DF82 353(61)771500 353(61)471285 customerservice.shannon@itwpp.com
---	--

For further information, please contact

Contact Point ITW Permatex, Inc.
6875 Parkland Blvd.
Solon, Ohio 44139 USA
Telephone: 1-87-Permatex
(866) 732-9502

E-mail address: mail@permatex.com

Non-Emergency Telephone Number 866-732-9502

1.4. Emergency telephone number

24-hour emergency phone number - §45 - (EC)1272/2008	
Europe	112
Austria	01 406 43 43
Belgium	070 245 245
Denmark	+ 45 8212 1212
Finland	0800 147 111/ 09 471 977
France	+33 (0)1 45 42 59 59
Germany	+49 228 192 40

Ireland	01 809 2166
Italy	0382-24444
Netherlands	+31 (0)88 755 8000
Norway	22 59 13 00
Poland	112
Portugal	+351 800 250 250
Slovenia	112
Spain	+34 91 562 04 20
Sweden	112
Switzerland	145
United Kingdom	111
Bulgaria	+359 2 9154 233
Croatia	+3851 2348 342
Cyprus	1401
Czech Republic	+420 224 919 293/ +420 224 915 402
Estonia	16662/ (+372) 7943 794
Greece	(003) 2107793777
Hungary	+36 80 201 199
Iceland	543 2222
Latvia	+371 67042473
Liechtenstein	01 406 43 43
Lithuania	+370 (85) 2362052
Luxembourg	(+352) 8002 5500
Romania	+40213183606
Slovakia	+421 2 5477 4166
Malta	112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Serious eye damage/eye irritation	Category 2 - (H319)
Carcinogenicity	Category 1B - (H350)
Specific target organ toxicity (single exposure)	Category 3 - (H335, H336)
Chronic aquatic toxicity	Category 2 - (H411)

2.2. Label elements

Contains CUMENE



Signal word

Danger

Hazard statements

H319 - Causes serious eye irritation

H335 + H336 - May cause respiratory irritation. May cause drowsiness or dizziness

H350 - May cause cancer

H411 - Toxic to aquatic life with long lasting effects

Precautionary Statements - EU (§28, 1272/2008)

P201 - Obtain special instructions before use.

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.

P273 - Avoid release to the environment.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P391 - Collect spillage.
P501 - Dispose of contents/ container to an approved waste disposal plant.

2.3. Other hazards

Causes mild skin irritation. Harmful to aquatic life.

Endocrine Disruptor Information

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	Weight-%	REACH registration No.	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
ETHYLENE GLYCOL 107-21-1	2.5 - <5%		(603-027-00-1) 203-473-3	Acute Tox. 4 (H302)	-	-	-
CUMENE HYDROPEROXIDE 80-15-9	1 - <2.5%		(617-002-00-8) 201-254-7	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 3 (H331) Skin Corr. 1B (H314) STOT RE 2 (H373) Aquatic Chronic 2 (H411) Org. Perox. E (H242)	Eye Dam. 1 :: 3%<=C<10% Eye Irrit. 2 :: 1%<=C<3% Skin Corr. 1B :: C>=10% Skin Irrit. 2 :: 3%<=C<10% STOT SE 3 :: C<10%	-	-
TITANIUM DIOXIDE 13463-67-7	0.1 - <0.5%	Registration no: 01-211948937 9-17-XXXX	(022-006-00-2) 236-675-5	Carc. 2 (H351i)	-	-	-
CUMENE 98-82-8	0.1 - <0.5%		(601-024-00-X) 202-704-5	Carc. 1B (H350) STOT SE 3 (H335) Asp. Tox. 1 (H304) Aquatic Chronic 2 (H411) Flam. Liq. 3 (H226)	-	-	-
2-BUTOXYETHANOL	0.001 -		(603-014-00-0)	Acute Tox. 4	-	-	-

111-76-2	<0.025%		203-905-0	(H302) Acute Tox. 3 (H331) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)			
----------	---------	--	-----------	---	--	--	--

Full text of H- and EUH-phrases: see section 16Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapor - mg/L	Inhalation LC50 - 4 hour - gas - ppm
ETHYLENE GLYCOL 107-21-1	4700	10600	3.75	No data available	No data available
CUMENE HYDROPEROXIDE 80-15-9	382	133.56	No data available	No data available	No data available
TITANIUM DIOXIDE 13463-67-7	10000	No data available	5.09	No data available	No data available
CUMENE 98-82-8	1400	10578	No data available	21.5355	No data available
2-BUTOXYETHANOL 111-76-2	1200+ 470	435	No data available	3+ 2.1749 2.3489	No data available

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance.
Inhalation	IF exposed or concerned: Get medical advice/attention. Remove to fresh air.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
Skin contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a physician.
Ingestion	Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms May cause redness and tearing of the eyes. Burning sensation. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

Effects of Exposure No information available.

Note to physicians Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Small Fire In case of fire, use water spray, foam, dry chemical, or CO2.
Large Fire In case of fire, use water spray, foam, dry chemical, or CO2.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical No information available.

Hazardous combustion products No information available.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice. Ensure adequate ventilation. Avoid breathing vapors or mists. In case of insufficient ventilation, wear suitable respiratory equipment.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Packaging materials No information available.

7.3. Specific end use(s)

Specific use(s)
Adhesive.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other Information
No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
ETHYLENE GLYCOL 107-21-1	TWA: 20 ppm TWA: 52 mg/m ³ STEL: 40 ppm STEL: 104 mg/m ³ *	TWA: 10 ppm TWA: 26 mg/m ³ STEL 20 ppm STEL 52 mg/m ³ H*	TWA: 20 ppm TWA: 52 mg/m ³ STEL: 40 ppm STEL: 104 mg/m ³ D*	STEL: 40 ppm STEL: 104 mg/m ³ TWA: 52 mg/m ³ TWA: 20 ppm K*	TWA: 20 ppm TWA: 52 mg/m ³ STEL: 40 ppm STEL: 104 mg/m ³ *
TITANIUM DIOXIDE 13463-67-7	-	TWA: 5 mg/m ³ STEL 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10.0 mg/m ³ TWA: 1.0 mg/m ³	TWA: 10 mg/m ³ TWA: 4 mg/m ³
CUMENE 98-82-8	* STEL: 250 mg/m ³ STEL: 50 ppm TWA: 50 mg/m ³ TWA: 10 ppm	TWA: 10 ppm TWA: 50 mg/m ³ STEL 50 ppm STEL 250 mg/m ³ H*	TWA: 10 ppm TWA: 50 mg/m ³ STEL: 50 ppm STEL: 250 mg/m ³ D*	STEL: 50 ppm STEL: 250 mg/m ³ TWA: 10 ppm TWA: 50 mg/m ³ K*	TWA: 10 ppm TWA: 50 mg/m ³ STEL: 50 ppm STEL: 250 mg/m ³ *
2-BUTOXYETHANOL 111-76-2	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ *	TWA: 20 ppm TWA: 98 mg/m ³ STEL 40 ppm STEL 200 mg/m ³ H*	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ D*	STEL: 50 ppm STEL: 246 mg/m ³ TWA: 20 ppm TWA: 98 mg/m ³ K*	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ *
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
ETHYLENE GLYCOL 107-21-1	* STEL: 40 ppm	TWA: 50 mg/m ³ Ceiling: 100 mg/m ³	TWA: 10 ppm TWA: 26 mg/m ³	TWA: 20 ppm TWA: 52 mg/m ³	TWA: 20 ppm TWA: 50 mg/m ³

	STEL: 104 mg/m ³ TWA: 20 ppm TWA: 52 mg/m ³	D*	TWA: 10 mg/m ³ H* STEL: 104 mg/m ³ STEL: 40 ppm STEL: 20 mg/m ³	STEL: 40 ppm STEL: 104 mg/m ³ A*	STEL: 40 ppm STEL: 100 mg/m ³ iho*
TITANIUM DIOXIDE 13463-67-7	-	-	TWA: 6 mg/m ³ STEL: 12 mg/m ³	TWA: 5 mg/m ³	-
CUMENE 98-82-8	* STEL: 50 ppm STEL: 250 mg/m ³ TWA: 10 ppm TWA: 50 mg/m ³	TWA: 100 mg/m ³ Ceiling: 250 mg/m ³ D*	TWA: 10 ppm TWA: 50 mg/m ³ H* STEL: 250 mg/m ³ STEL: 50 ppm	TWA: 10 ppm TWA: 50 mg/m ³ STEL: 50 ppm STEL: 250 mg/m ³ A*	TWA: 10 ppm TWA: 50 mg/m ³ STEL: 50 ppm STEL: 250 mg/m ³ iho*
2-BUTOXYETHANOL 111-76-2	* STEL: 50 ppm STEL: 246 mg/m ³ TWA: 20 ppm TWA: 98 mg/m ³	TWA: 100 mg/m ³ Ceiling: 200 mg/m ³ D*	TWA: 20 ppm TWA: 98 mg/m ³ H* STEL: 246 mg/m ³ STEL: 50 ppm	S+ TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ A*	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 250 mg/m ³ iho*
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
ETHYLENE GLYCOL 107-21-1	TWA: 20 ppm TWA: 52 mg/m ³ STEL: 40 ppm STEL: 104 mg/m ³ *	TWA: 10 ppm TWA: 26 mg/m ³ H*	TWA: 10 ppm TWA: 26 mg/m ³ Peak: 20 ppm Peak: 52 mg/m ³ *	TWA: 50 ppm TWA: 125 mg/m ³ STEL: 50 ppm STEL: 125 mg/m ³	TWA: 20 ppm TWA: 52 mg/m ³ STEL: 40 ppm STEL: 104 mg/m ³ b*
TITANIUM DIOXIDE 13463-67-7	TWA: 10 mg/m ³	TWA: 1.25 mg/m ³ TWA: 10 mg/m ³	TWA: 0.3 mg/m ³ Peak: 2.4 mg/m ³	TWA: 10 mg/m ³ TWA: 5 mg/m ³	-
CUMENE 98-82-8	TWA: 10 ppm TWA: 50 mg/m ³ TWA: 150 mg/m ³ TWA: 1000 mg/m ³ STEL: 50 ppm STEL: 250 mg/m ³ STEL: 1500 mg/m ³ *	TWA: 10 ppm TWA: 50 mg/m ³ H*	TWA: 10 ppm TWA: 50 mg/m ³ Peak: 40 ppm Peak: 200 mg/m ³ *	TWA: 10 ppm TWA: 50 mg/m ³ STEL: 50 ppm STEL: 250 mg/m ³ *	TWA: 50 mg/m ³ TWA: 10 ppm STEL: 250 mg/m ³ STEL: 50 ppm b*
2-BUTOXYETHANOL 111-76-2	TWA: 10 ppm TWA: 49 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ *	TWA: 10 ppm TWA: 49 mg/m ³ H*	TWA: 10 ppm TWA: 49 mg/m ³ Peak: 20 ppm Peak: 98 mg/m ³ *	TWA: 25 ppm TWA: 120 mg/m ³ *	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ b*
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
ETHYLENE GLYCOL 107-21-1	TWA: 20 ppm TWA: 52 mg/m ³ STEL: 40 ppm STEL: 104 mg/m ³ Sk*	TWA: 20 ppm TWA: 52 mg/m ³ STEL: 40 ppm STEL: 104 mg/m ³ cute*	TWA: 25 ppm STEL: 50 ppm STEL: 10 mg/m ³	TWA: 20 ppm TWA: 52 mg/m ³ STEL: 40 ppm STEL: 104 mg/m ³ Ada*	O* TWA: 10 ppm TWA: 25 mg/m ³ STEL: 20 ppm STEL: 50 mg/m ³
CUMENE HYDROPEROXIDE 80-15-9	-	-	-	TWA: 1 mg/m ³	O* TWA: 1 mg/m ³
TITANIUM DIOXIDE 13463-67-7	TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 30 mg/m ³ STEL: 12 mg/m ³	-	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 5 mg/m ³
CUMENE 98-82-8	TWA: 10 ppm TWA: 50 mg/m ³ STEL: 50 ppm STEL: 250 mg/m ³ Sk*	TWA: 10 ppm TWA: 50 mg/m ³ STEL: 50 ppm STEL: 250 mg/m ³ cute*	TWA: 50 ppm TWA: 246 mg/m ³	TWA: 10 ppm TWA: 50 mg/m ³ STEL: 50 ppm STEL: 250 mg/m ³ Ada*	O* TWA: 50 mg/m ³ TWA: 10 ppm STEL: 170 mg/m ³ STEL: 35 ppm
2-BUTOXYETHANOL 111-76-2	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm	TWA: 20 ppm TWA: 97 mg/m ³	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm	O* TWA: 10 ppm TWA: 50 mg/m ³

	STEL: 246 mg/m ³ Sk*	STEL: 246 mg/m ³ cute*		STEL: 246 mg/m ³ Ada*	STEL: 20 ppm STEL: 100 mg/m ³
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
ETHYLENE GLYCOL 107-21-1	Peau* STEL: 40 ppm STEL: 104 mg/m ³ TWA: 20 ppm TWA: 52 mg/m ³	skin* STEL: 40 ppm STEL: 104 mg/m ³ TWA: 20 ppm TWA: 52 mg/m ³	TWA: 52 mg/m ³ TWA: 10 mg/m ³ STEL: 40 ppm STEL: 104 mg/m ³ H*	TWA: 20 ppm TWA: 52 mg/m ³ STEL: 104 mg/m ³ STEL: 40 ppm H*	STEL: 50 mg/m ³ TWA: 15 mg/m ³ skóra*
TITANIUM DIOXIDE 13463-67-7	-	-	-	TWA: 5 mg/m ³ STEL: 10 mg/m ³	STEL: 30 mg/m ³ TWA: 10 mg/m ³
CUMENE 98-82-8	Peau* STEL: 50 ppm STEL: 250 mg/m ³ TWA: 10 ppm TWA: 50 mg/m ³	skin* STEL: 50 ppm STEL: 250 mg/m ³ TWA: 10 ppm TWA: 50 mg/m ³	TWA: 10 ppm TWA: 50 mg/m ³ STEL: 50 ppm STEL: 250 mg/m ³ H*	TWA: 50 mg/m ³ TWA: 10 ppm STEL: 250 mg/m ³ STEL: 50 ppm H*	STEL: 250 mg/m ³ TWA: 50 mg/m ³ skóra*
2-BUTOXYETHANOL 111-76-2	Peau* STEL: 50 ppm STEL: 246 mg/m ³ TWA: 20 ppm TWA: 98 mg/m ³	skin* STEL: 50 ppm STEL: 246 mg/m ³ TWA: 20 ppm TWA: 98 mg/m ³	TWA: 20.4 ppm TWA: 100 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ H*	TWA: 10 ppm TWA: 50 mg/m ³ STEL: 20 ppm STEL: 75 mg/m ³ H*	STEL: 200 mg/m ³ TWA: 98 mg/m ³ skóra*
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
ETHYLENE GLYCOL 107-21-1	TWA: 20 ppm TWA: 52 mg/m ³ STEL: 40 ppm STEL: 104 mg/m ³ Ceiling: 100 mg/m ³ Cutânea*	TWA: 20 ppm TWA: 52 mg/m ³ STEL: 40 ppm STEL: 104 mg/m ³ P*	TWA: 20 ppm TWA: 52 mg/m ³ K* Ceiling: 104 mg/m ³	TWA: 20 ppm TWA: 52 mg/m ³ STEL: 40 ppm STEL: 104 mg/m ³ K*	TWA: 20 ppm TWA: 52 mg/m ³ STEL: 40 ppm STEL: 104 mg/m ³ via dérmica*
TITANIUM DIOXIDE 13463-67-7	TWA: 10 mg/m ³	TWA: 10 mg/m ³ STEL: 15 mg/m ³	TWA: 5 mg/m ³	-	TWA: 10 mg/m ³
CUMENE 98-82-8	TWA: 10 ppm TWA: 50 mg/m ³ STEL: 50 ppm STEL: 250 mg/m ³ Cutânea*	TWA: 10 ppm TWA: 50 mg/m ³ STEL: 50 ppm STEL: 250 mg/m ³ P*	TWA: 20 ppm TWA: 500 mg/m ³ K* Ceiling: 250 mg/m ³	TWA: 10 ppm TWA: 50 mg/m ³ STEL: 50 ppm STEL: 250 mg/m ³ K*	TWA: 10 ppm TWA: 50 mg/m ³ STEL: 50 ppm STEL: 250 mg/m ³ via dérmica*
2-BUTOXYETHANOL 111-76-2	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ Cutânea*	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ P*	TWA: 20 ppm TWA: 98 mg/m ³ K* Ceiling: 246 mg/m ³	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ K*	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ via dérmica*
Chemical name	Sweden		Switzerland		United Kingdom
ETHYLENE GLYCOL 107-21-1	NGV: 10 ppm NGV: 25 mg/m ³ Bindande KGV: 40 ppm Bindande KGV: 104 mg/m ³ H*		TWA: 10 ppm TWA: 26 mg/m ³ STEL: 20 ppm STEL: 52 mg/m ³ H*		TWA: 10 mg/m ³ TWA: 20 ppm TWA: 52 mg/m ³ STEL: 40 ppm STEL: 104 mg/m ³ STEL: 30 mg/m ³ Sk*
TITANIUM DIOXIDE 13463-67-7	NGV: 5 mg/m ³		TWA: 3 mg/m ³ TWA: 10 mg/m ³		TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 30 mg/m ³ STEL: 12 mg/m ³
CUMENE 98-82-8	NGV: 10 ppm NGV: 50 mg/m ³ Bindande KGV: 50 ppm Bindande KGV: 250 mg/m ³ H*		TWA: 20 ppm TWA: 100 mg/m ³ STEL: 80 ppm STEL: 400 mg/m ³ H*		TWA: 25 ppm TWA: 125 mg/m ³ STEL: 50 ppm STEL: 250 mg/m ³ Sk*
2-BUTOXYETHANOL 111-76-2	NGV: 10 ppm NGV: 50 mg/m ³ Bindande KGV: 50 ppm Bindande KGV: 246 mg/m ³		TWA: 10 ppm TWA: 49 mg/m ³ STEL: 20 ppm STEL: 98 mg/m ³		TWA: 25 ppm TWA: 123 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³

	H*	H*	Sk*
--	----	----	-----

Biological occupational exposure limits

Chemical name	European Union	Austria	Bulgaria	Croatia	Czech Republic
CUMENE 98-82-8	-	-	7 mg/g Creatinine - urine (2-Phenol-2 propanol) - up to two hours after the end of work shift	-	-
2-BUTOXYETHANOL 111-76-2	-	-	-	-	200 mg/g Creatinine (urine - Butoxyacetic acid end of shift at end of workweek) 0.17 mmol/mmol Creatinine (urine - Butoxyacetic acid end of shift at end of workweek)
Chemical name	Denmark	Finland	France	Germany DFG	Germany TRGS
CUMENE 98-82-8	-	-	-	10 mg/g Creatinine (urine - 2-Phenyl-2-propanol (after hydrolysis) end of shift) 10 mg/g Creatinine - BAT (end of exposure or end of shift) urine	10 mg/g Creatinine (urine - 2-Phenyl-2-propanol (after hydrolysis) end of shift)
2-BUTOXYETHANOL 111-76-2	-	-	-	150 mg/g Creatinine (urine - Butoxyacetic acid (after hydrolysis) for long-term exposures: at the end of the shift after several shifts) 150 mg/g Creatinine (urine - Butoxyacetic acid (after hydrolysis) end of shift) 150 mg/g Creatinine - BAT (for long-term exposures: at the end of the shift after several shifts) urine	150 mg/g Creatinine (urine - Butoxyacetic acid (after hydrolysis) for long-term exposures: at the end of the shift after several shifts) 150 mg/g Creatinine (urine - Butoxyacetic acid (after hydrolysis) end of shift)
Chemical name	Hungary	Ireland	Italy MDLPS	Italy AIDII	
2-BUTOXYETHANOL 111-76-2	-	200 mg/g Creatinine (urine - end of shift)	-	200 mg/g Creatinine - urine (Butoxyacetic acid (with hydrolysis)) - end of shift	
Chemical name	Latvia	Luxembourg	Romania	Slovakia	
CUMENE 98-82-8	7 µg/g Creatinine - urine (Cumene) - no later than two hours after the end of the shift	-	-	10.6 mg/L (urine - 2-Phenylpropane end of exposure or work shift)	
Chemical name	Slovenia	Spain	Switzerland	United Kingdom	
CUMENE	10 mg/g Creatinine - urine	7 mg/g Creatinine (urine -	20 mg/g creatinine (urine -	-	

98-82-8	(2-Phenyl-2-propanol (after hydrolysis)) - at the end of the work shift	2-Phenyl-2-propanol end of shift)	2-Phenyl-2-propanol after hydrolysis end of shift) 16.6 µmol/mmol creatinine (urine - 2-Phenyl-2-propanol after hydrolysis end of shift)	
2-BUTOXYETHANOL 111-76-2	150 mg/g Creatinine - urine (Butoxyacetic acid (after hydrolysis)) - at the end of the work shift; for long-term exposure: at the end of the work shift after several consecutive workdays	200 mg/g Creatinine (urine - Butoxyacetic acid (with hydrolysis) end of shift)	150 mg/g creatinine (urine - 2-Butoxyacetic acid (after hydrolysis) end of shift, and after several shifts (for long-term exposures))	240 mmol/mol creatinine - urine (Butoxyacetic acid) - post shift

8.2. Exposure controls

Derived No Effect Level (DNEL) - Workers No information available

Derived No Effect Level (DNEL) - General Public No information available.

Predicted No Effect Concentration (PNEC) No information available.

Personal protective equipment

Eye/face protection If splashes are likely to occur, wear safety glasses with side-shields.

Hand protection Wear suitable gloves.

Skin and body protection Wear suitable protective clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Thermal hazards No information available.

Other protective equipment No information available.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Blue
Color	Blue
Odor	Mild
Odor threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Melting point / freezing point	No data available	None known
Boiling point / boiling range	> 200 °C	

Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability limit:	No data available	
Lower flammability limit:	No data available	
Flash point	131 °C	
Autoignition temperature	No data available	None known
Decomposition temperature		None known
pH	No data available	
pH (as aqueous solution)	No data available	No information available
Kinematic viscosity	No Data Available	None known
Dynamic viscosity	1,100 mPas @20°C (68°F)	
Water solubility	No data available	Immiscible in water
Solubility(ies)	No Data Available	None known
Partition coefficient	No Data Available	None known
Vapor pressure	No Data Available	
Relative density	1.01	
Bulk density	No data available	
Density	No data available	
Vapor density	No data available	
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	
VOC content	<3%	None known

9.2. Other information

Formula No information available

9.2.1. Information with regard to physical hazard classes
Not applicable

9.2.2. Other safety characteristics
No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

Remarks No Data Available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Hazardous polymerization No information available.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous Decomposition Products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract. May cause drowsiness or dizziness.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
Skin contact	Specific test data for the substance or mixture is not available. May cause irritation. Prolonged contact may cause redness and irritation.
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms May cause redness and tearing of the eyes. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	9,707.80 mg/kg
ATEmix (dermal)	48,152.00 mg/kg
ATEmix (inhalation-gas)	99,999.00 ppm
ATEmix (inhalation-dust/mist)	21.20 mg/l
ATEmix (inhalation-vapor)	99,999.00 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
ETHYLENE GLYCOL	= 4700 mg/kg (Rat)	= 10600 mg/kg (Rat)	> 2.5 mg/L (Rat) 6 h
CUMENE HYDROPEROXIDE	= 382 mg/kg (Rat)	= 0.126 mL/kg (Rabbit)	= 220 ppm (Rat) 4 h
TITANIUM DIOXIDE	> 10000 mg/kg (Rat)	-	= 5.09 mg/L (Rat) 4 h
CUMENE	= 1400 mg/kg (Rat)	= 12300 µL/kg (Rabbit)	> 3577 ppm (Rat) 6 h
2-BUTOXYETHANOL	= 470 mg/kg (Rat)	= 435 mg/kg (Rabbit)	= 450 ppm (Rat) 4 h = 486 ppm (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	May cause skin irritation.
Serious eye damage/eye irritation	Classification based on data available for ingredients. Causes serious eye irritation.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union
TITANIUM DIOXIDE	Carc. 2
CUMENE	Carc. 1B

Reproductive toxicity	No information available.
STOT - single exposure	May cause respiratory irritation. May cause drowsiness or dizziness.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
ETHYLENE GLYCOL	EC50: 6500 - 13000mg/L (96h, Pseudokirchneriella subcapitata)	LC50: =41000mg/L (96h, Oncorhynchus mykiss) LC50: 14 - 18mL/L (96h, Oncorhynchus mykiss) LC50: =27540mg/L (96h, Lepomis macrochirus) LC50: =40761mg/L (96h,	-	EC50: =46300mg/L (48h, Daphnia magna)

		Oncorhynchus mykiss) LC50: 40000 - 60000mg/L (96h, Pimephales promelas) LC50: =16000mg/L (96h, Poecilia reticulata)		
CUMENE HYDROPEROXIDE	-	LC50: =3.9mg/L (96h, Oncorhynchus mykiss)	-	-
CUMENE	EC50: =2.6mg/L (72h, Pseudokirchneriella subcapitata)	LC50: 6.04 - 6.61mg/L (96h, Pimephales promelas) LC50: =4.8mg/L (96h, Oncorhynchus mykiss) LC50: =2.7mg/L (96h, Oncorhynchus mykiss) LC50: =5.1mg/L (96h, Poecilia reticulata)	-	EC50: =0.6mg/L (48h, Daphnia magna) EC50: 7.9 - 14.1mg/L (48h, Daphnia magna)
2-BUTOXYETHANOL	-	LC50: =1490mg/L (96h, Lepomis macrochirus) LC50: =2950mg/L (96h, Lepomis macrochirus)	-	EC50: >1000mg/L (48h, Daphnia magna)

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient
ETHYLENE GLYCOL	-1.36
CUMENE HYDROPEROXIDE	1.6
CUMENE	3.55
2-BUTOXYETHANOL	0.81

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

Chemical name	PBT and vPvB assessment
ETHYLENE GLYCOL	The substance is not PBT / vPvB
CUMENE HYDROPEROXIDE	The substance is not PBT / vPvB
TITANIUM DIOXIDE	The substance is not PBT / vPvB
CUMENE	The substance is not PBT / vPvB
2-BUTOXYETHANOL	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.
Other Information	No information available.

SECTION 14: Transport information

IATA

14.1 UN number or ID number	Not regulated
14.2	
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazard	Not applicable
14.6 Special precautions for user	

IMDG

14.1 UN number or ID number	Not regulated
14.2	
14.3 Transport hazard class(es)	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental hazard	Not applicable
14.6 Special precautions for user	
14.7 Maritime transport in bulk according to IMO instruments	

RID

14.1 UN/ID No	Not regulated
14.2	
14.3 Transport hazard class(es)	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental hazard	Not applicable
14.6 Special precautions for user	

ADR

14.1 UN number or ID number	Not regulated
14.2	
14.3 Transport hazard class(es)	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental hazard	Not applicable
14.6 Special precautions for user	

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number
ETHYLENE GLYCOL - 107-21-1	RG 84
CUMENE - 98-82-8	RG 84

2-BUTOXYETHANOL - 111-76-2	RG 84
----------------------------	-------

Water hazard class (WGK) slightly hazardous to water (WGK 1)

Chemical name	Netherlands - List of Carcinogens	Netherlands - List of Mutagens	Netherlands - List of Reproductive Toxins
CUMENE	Present	-	-

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorizations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorization per REACH Annex XIV
CUMENE HYDROPEROXIDE - 80-15-9	75.	-
TITANIUM DIOXIDE - 13463-67-7	75.	-
CUMENE - 98-82-8	28. 75.	-
2-BUTOXYETHANOL - 111-76-2	75.	-

Persistent Organic Pollutants

Not applicable

Dangerous substance category per Seveso Directive (2012/18/EU)

E2 - Hazardous to the Aquatic Environment in Category Chronic 2

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

International Inventories

TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Does not comply
ENCS	Does not comply
IECSC	Complies
KECI	Complies
PICCS	Complies
AICS	Complies

Legend:

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

15.2. Chemical safety assessment

Chemical Safety Report No information available

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

- H226 - Flammable liquid and vapor
- H242 - Heating may cause a fire
- H302 - Harmful if swallowed
- H304 - May be fatal if swallowed and enters airways
- H312 - Harmful in contact with skin
- H314 - Causes severe skin burns and eye damage
- H315 - Causes skin irritation
- H319 - Causes serious eye irritation
- H331 - Toxic if inhaled
- H332 - Harmful if inhaled
- H335 - May cause respiratory irritation
- H350 - May cause cancer
- H351i - Suspected of causing cancer if inhaled
- H373 - May cause damage to organs through prolonged or repeated exposure
- H411 - Toxic to aquatic life with long lasting effects

Legend

- SVHC: Substances of Very High Concern for Authorization:
- PBT: Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
- vPvB: Very Persistent and very Bioaccumulative (vPvB) Chemicals

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)
- Ceiling Maximum limit value * Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapor	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitization	Calculation method
Skin sensitization	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

- Agency for Toxic Substances and Disease Registry (ATSDR)
- U.S. Environmental Protection Agency ChemView Database
- European Food Safety Authority (EFSA)
- Environmental Protection Agency
- Acute Exposure Guideline Level(s) (AEGl(s))
- U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
- U.S. Environmental Protection Agency High Production Volume Chemicals
- Food Research Journal
- Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)
 Japan GHS Classification
 Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
 NIOSH (National Institute for Occupational Safety and Health)
 National Library of Medicine's ChemID Plus (NLM CIP)
 National Library of Medicine's PubMed database (NLM PUBMED)
 U.S. National Toxicology Program (NTP)
 New Zealand's Chemical Classification and Information Database (CCID)
 Organization for Economic Co-operation and Development Environment, Health, and Safety Publications
 Organization for Economic Co-operation and Development High Production Volume Chemicals Program
 Organization for Economic Co-operation and Development Screening Information Data Set
 World Health Organization

Revision Date 12-Mar-2024

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

Illinois Tool Works Inc. believes the information contained in this data sheet is accurate as of the date compiled. However, Illinois Tool Works Inc. makes no warranty, express or implied, as to the accuracy, reliability or completeness of the information. User is responsible for evaluating whether such information or this product is fit for a particular purpose and suitable for a particular use or application. The information in this data sheet may not be valid if this product is used in combination with other products or in processes for which it was not designed. Illinois Tool Works Inc. disclaims any liability for consequential or incidental damages of any kind, including lost profits, arising from the sale or use of this product. Ensure you have the most current version of this data sheet by contacting us or reviewing our web site.

End of Safety Data Sheet

EU SDS version information - EGHS

UL release:
 GHS Revision 7
 2023 Q1

Europe

Partial process, including GHS Wizard, NO TW

Specific target organ toxicity (single exposure)	Category 3
--	------------

Full text of H-Statements referred to under section 3 H226 - Flammable liquid and vapor H242 - Heating may cause a fire H302 - Harmful if swallowed H304 - May be fatal if swallowed and enters airways H312 - Harmful in contact with skin H314 - Causes severe skin burns and eye damage H315 - Causes skin irritation H319 - Causes serious eye irritation H331 - Toxic if inhaled H332 - Harmful if inhaled H335 - May cause respiratory irritation H350 - May cause cancer H351i - Suspected of causing cancer if inhaled H373 - May cause damage to organs through prolonged or repeated exposure H411 - Toxic to aquatic life with long lasting effects

Chemical name	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)
ETHYLENE GLYCOL	Acute Tox. 4 (H302)	
CUMENE HYDROPEROXIDE	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 3 (H331) Skin Corr. 1B (H314) STOT RE 2 (H373) Aquatic Chronic 2 (H411) Org. Perox. E (H242)	Eye Dam. 1 :: 3%≤C<10% Eye Irrit. 2 :: 1%≤C<3% Skin Corr. 1B :: C≥10% Skin Irrit. 2 :: 3%≤C<10% STOT SE 3 :: C<10%
TITANIUM DIOXIDE	Carc. 2 (H351i)	
CUMENE	Carc. 1B (H350) STOT SE 3 (H335) Asp. Tox. 1 (H304) Aquatic Chronic 2 (H411) Flam. Liq. 3 (H226)	
2-BUTOXYETHANOL	Acute Tox. 4 (H302) Acute Tox. 3 (H331) Skin Irrit. 2 (H315)	

	Eye Irrit. 2 (H319)	
--	---------------------	--

Chemical name	CAS No.	French RG number
ETHYLENE GLYCOL	107-21-1	RG 84
CUMENE	98-82-8	RG 84
2-BUTOXYETHANOL	111-76-2	RG 84

VOC content