



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Date 09-Aug-2024

Version 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code 80065
Product Name HIGH TACK SPRAY-A-GASKET SEALANT 8 OZ.

Other means of identification

Contains N-HEXANE, SOLVENT NAPHTHA (PETROLEUM), LIGHT ALIPH., PETROLEUM GASES, LIQUEFIED, SWEETENED

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Sealant
Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Only Representative (OR)

ITW Performance Polymers
Bay 150
Shannon Industrial Estate
Co. Clare
Ireland
V14 DF82
353(61)771500
353(61)471285
customerservice.shannon@itwpp.com

For further information, please contact

Contact Point ITW Permatex
6875 Parkland Blvd.
Solon, Ohio 44139 USA
Telephone: 1-87-Permatex
(866) 732-9502

1.4. Emergency telephone number

24-hour emergency phone number - §45 - (EC)1272/2008	
Europe	112
Austria	01 406 43 43
Belgium	070 245 245
Denmark	+ 45 8212 1212
Finland	0800 147 111/ 09 471 977
France	+33 (0)1 45 42 59 59
Germany	+49 228 192 40
Ireland	01 809 2166
Italy	0382-24444

Netherlands	+31 (0)88 755 8000
Norway	22 59 13 00
Poland	112
Portugal	+351 800 250 250
Slovenia	112
Spain	+34 91 562 04 20
Sweden	112
Switzerland	145
United Kingdom	111
Bulgaria	+359 2 9154 233
Croatia	+3851 2348 342
Cyprus	1401
Czech Republic	+420 224 919 293/ +420 224 915 402
Estonia	16662/ (+372) 7943 794
Greece	(003) 2107793777
Hungary	+36 80 201 199
Iceland	543 2222
Latvia	+371 67042473
Liechtenstein	01 406 43 43
Lithuania	+370 (85) 2362052
Luxembourg	(+352) 8002 5500
Romania	+40213183606
Slovakia	+421 2 5477 4166
Malta	112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids - (H315) - (H319)	Category 2 - (H225)
Reproductive toxicity	Category 2 - (H361)
Specific target organ toxicity (single exposure) Category 3 Target organ effects: Respiratory irritation, Narcotic effects.	Category 3 - (H335,H336)
Specific target organ toxicity (repeated exposure)	Category 2 - (H373)
Aspiration hazard	Category 1 - (H304)
Chronic aquatic toxicity	Category 2 - (H411)

2.2. Label elements

Contains N-HEXANE, SOLVENT NAPHTHA (PETROLEUM), LIGHT ALIPH., PETROLEUM GASES, LIQUEFIED, SWEETENED



Signal word

Danger

Hazard statements

- H225 - Highly flammable liquid and vapor.
- H304 - May be fatal if swallowed and enters airways.
- H315 - Causes skin irritation.
- H319 - Causes serious eye irritation.
- H340 - May cause genetic defects.

H350 - May cause cancer.
 H361 - Suspected of damaging fertility or the unborn child.
 H373 - May cause damage to organs through prolonged or repeated exposure.
 H411 - Toxic to aquatic life with long lasting effects.
 H361f - Suspected of damaging fertility.
 H335 - May cause respiratory irritation.
 H336 - May cause drowsiness or dizziness.

Precautionary Statements - EU (§28, 1272/2008)

P321 - Specific treatment (see .? on this label).
 P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P201 - Obtain special instructions before use.
 P308 + P313 - IF exposed or concerned: Get medical advice/attention.
 P280 - Wear protective gloves/protective clothing/eye protection/face protection.
 P314 - Get medical advice/attention if you feel unwell.
 P501 - Dispose of contents/container to industrial incineration plant.
 P260 - Do not breathe dust/fume/gas/mist/vapors/spray.
 P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor.
 P331 - Do NOT induce vomiting.
 P370 + P378 - In case of fire: Use .? to extinguish.
 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P273 - Avoid release to the environment.
 100 % of the mixture consists of ingredient(s) of unknown acute toxicity.
 47.5 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.
 72.5 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.
 100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).
 75 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).
 100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Unknown aquatic toxicity

Contains 45 % of components with unknown hazards to the aquatic environment.

2.3. Other hazards

Other hazards May be harmful in contact with skin. Toxic to aquatic life.

PBT & vPvB The components in this formulation do not meet the criteria for classification as PBT or vPvB.

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors.

SECTION 3: Composition/information on ingredients

3.1. Substances

Chemical name	Weight-%	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)	Notes
ACETONE 67-64-1	25 - <50%	No data available	200-662-2 (606-001-00-8)	Flam. Liq. 2 (H225) Eye Irrit. 2 (H319) STOT SE 3 (H336) (EUH066)	-	-	-	-
PROPANE 74-98-6	10 - <20%	No data available	200-827-9 (601-003-00-5)	Flam. Gas 1 (H220) Press. Gas	-	-	-	U
N-HEXANE 110-54-3	10 - <20%	No data available	203-777-6 (601-037-00-0)	Flam. Liq. 2 (H225) Asp. Tox. 1 (H304) Skin Irrit. 2 (H315) STOT SE 3 (H336)	STOT RE 2 :: C>=5%	-	-	-

				Repr. 2 (H361f) STOT RE 2 (H373) Aquatic Chronic 2 (H411)				
ISO-HEXANE 107-83-5	10 - <20%	No data available	203-523-4 (601-007-00-7)	Flam. Liq. 2 (H225) Asp. Tox. 1 (H304) Skin Irrit. 2 (H315) STOT SE 3 (H336) Aquatic Chronic 2 (H411)	-	-	-	C
BUTANE 106-97-8	10 - <20%	No data available	203-448-7 (601-004-00-0) (601-004-01-8)	Carc. 1A (H350) Muta. 1B (H340) Flam. Gas 1 (H220) Press. Gas	-	-	-	C,U C,S,U
SOLVENT NAPHTHA (PETROLEUM), LIGHT ALIPH. 64742-89-8	1 - <2.5%	No data available	265-192-2 (649-267-00-0)	Muta. 1B (H340) Carc. 1B (H350) Asp. Tox. 1 (H304) Note P	-	-	-	P
ETHYL ACETATE 141-78-6	1 - <2.5%	No data available	205-500-4 (607-022-00-5)	Flam. Liq. 2 (H225) Eye Irrit. 2 (H319) STOT SE 3 (H336) (EUH066)	-	-	-	-
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT NAPHTHENIC 64742-53-6	0.5 - <1%	No data available	265-156-6 (649-466-00-2)	Carc. 1B (H350)	-	-	-	L

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate
No information available

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapor - mg/L	Inhalation LC50 - 4 hour - gas - ppm
ACETONE 67-64-1	5800	15700	100.2	No data available	No data available
PROPANE 74-98-6	No data available	No data available	No data available	No data available	200000
N-HEXANE 110-54-3	25000	3000	No data available	169.1681	No data available
BUTANE 106-97-8	No data available	No data available	No data available	No data available	276808.3276
SOLVENT NAPHTHA (PETROLEUM), LIGHT ALIPH. 64742-89-8	No data available	3000	No data available	No data available	No data available
ETHYL ACETATE 141-78-6	5620	18000	No data available	14.4131	No data available
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT NAPHTHENIC 64742-53-6	5000	2000	No data available	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59).

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Remove to fresh air.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a physician.
Ingestion	Rinse mouth.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	No information available.
Effects of Exposure	No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians	Treat symptomatically.
--------------------	------------------------

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
------------------------------	---

Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
--------------------------------	---

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	No information available.
--	---------------------------

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
--	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation.
For emergency responders	Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions	See Section 12 for additional Ecological Information.
---------------------------	---

6.3. Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
ACETONE 67-64-1	TWA: 500 ppm TWA: 1210 mg/m ³	TWA: 500 ppm TWA: 1200 mg/m ³ STEL 2000 ppm STEL 4800 mg/m ³	TWA: 246 ppm TWA: 594 mg/m ³ STEL: 492 ppm STEL: 1187 mg/m ³	TWA: 600 mg/m ³ STEL: 1400 mg/m ³	TWA: 500 ppm TWA: 1210 mg/m ³
PROPANE 74-98-6	-	TWA: 1000 ppm TWA: 1800 mg/m ³ STEL 2000 ppm STEL 3600 mg/m ³	TWA: 1000 ppm	TWA: 1800.0 mg/m ³	-
N-HEXANE 110-54-3	TWA: 20 ppm TWA: 72 mg/m ³	TWA: 20 ppm TWA: 72 mg/m ³ STEL 80 ppm STEL 288 mg/m ³	TWA: 20 ppm TWA: 72 mg/m ³	TWA: 20 ppm TWA: 72.0 mg/m ³	TWA: 20 ppm TWA: 72 mg/m ³ Sk*
ISO-HEXANE 107-83-5	-	TWA: 200 ppm TWA: 715 mg/m ³ STEL 800 ppm STEL 2860 mg/m ³	-	-	-
BUTANE 106-97-8	-	TWA: 800 ppm TWA: 1900 mg/m ³ STEL 1600 ppm STEL 3800 mg/m ³	TWA: 1000 ppm STEL: 980 ppm STEL: 2370 mg/m ³	TWA: 1900 mg/m ³	TWA: 600 ppm TWA: 1450 mg/m ³ TWA: 10 ppm TWA: 22 mg/m ³ STEL: 750 ppm STEL: 1810 mg/m ³
ETHYL ACETATE 141-78-6	TWA: 734 mg/m ³ TWA: 200 ppm STEL: 1468 mg/m ³ STEL: 400 ppm	TWA: 200 ppm TWA: 734 mg/m ³ STEL 400 ppm STEL 1468 mg/m ³	TWA: 200 ppm TWA: 734 mg/m ³ STEL: 400 ppm STEL: 1468 mg/m ³	TWA: 734 mg/m ³ TWA: 200 ppm STEL: 1468 mg/m ³ STEL: 400 ppm	TWA: 200 ppm TWA: 734 mg/m ³ STEL: 400 ppm STEL: 1468 mg/m ³
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
ACETONE 67-64-1	TWA: 500 ppm TWA: 1210 mg/m ³ Sk*	TWA: 800 mg/m ³ Ceiling: 1500 mg/m ³	TWA: 250 ppm TWA: 600 mg/m ³ STEL: 500 ppm	TWA: 500 ppm TWA: 1210 mg/m ³	TWA: 500 ppm TWA: 1200 mg/m ³ STEL: 630 ppm

			STEL: 1200 mg/m ³		STEL: 1500 mg/m ³
PROPANE 74-98-6	-	-	TWA: 1000 ppm TWA: 1800 mg/m ³ STEL: 2000 ppm STEL: 3600 mg/m ³	TWA: 1000 ppm TWA: 1800 mg/m ³	TWA: 800 ppm TWA: 1500 mg/m ³ STEL: 1100 ppm STEL: 2000 mg/m ³
N-HEXANE 110-54-3	TWA: 20 ppm TWA: 72 mg/m ³	TWA: 70 mg/m ³ Sk* Ceiling: 200 mg/m ³	TWA: 20 ppm TWA: 72 mg/m ³ STEL: 40 ppm STEL: 144 mg/m ³	TWA: 20 ppm TWA: 72 mg/m ³	TWA: 20 ppm TWA: 72 mg/m ³ Sk*
ISO-HEXANE 107-83-5	-	TWA: 1000 mg/m ³ Ceiling: 2000 mg/m ³	-	-	TWA: 500 ppm TWA: 1800 mg/m ³ STEL: 630 ppm STEL: 2300 mg/m ³
BUTANE 106-97-8	-	-	TWA: 500 ppm TWA: 1200 mg/m ³ STEL: 1000 ppm STEL: 2400 mg/m ³	TWA: 800 ppm TWA: 1500 mg/m ³	TWA: 800 ppm TWA: 1900 mg/m ³ STEL: 1000 ppm STEL: 2400 mg/m ³
ETHYL ACETATE 141-78-6	TWA: 734 mg/m ³ TWA: 200 ppm STEL: 1468 mg/m ³ STEL: 400 ppm	TWA: 700 mg/m ³ Ceiling: 900 mg/m ³	TWA: 150 ppm TWA: 540 mg/m ³ STEL: 1468 mg/m ³ STEL: 400 ppm	TWA: 150 ppm TWA: 500 mg/m ³ STEL: 300 ppm STEL: 1100 mg/m ³	TWA: 200 ppm TWA: 730 mg/m ³ STEL: 400 ppm STEL: 1470 mg/m ³
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
ACETONE 67-64-1	TWA: 500 ppm TWA: 1210 mg/m ³ STEL: 1000 ppm STEL: 2420 mg/m ³	TWA: 500 ppm TWA: 1200 mg/m ³	TWA: 500 ppm TWA: 1200 mg/m ³ Peak: 1000 ppm Peak: 2400 mg/m ³	TWA: 1780 mg/m ³ STEL: 3560 mg/m ³	TWA: 500 ppm TWA: 1210 mg/m ³
PROPANE 74-98-6	-	TWA: 1000 ppm TWA: 1800 mg/m ³	TWA: 1000 ppm TWA: 1800 mg/m ³ Peak: 4000 ppm Peak: 7200 mg/m ³	TWA: 1000 ppm TWA: 1800 mg/m ³	-
N-HEXANE 110-54-3	TWA: 20 ppm TWA: 72 mg/m ³ TWA: 1000 mg/m ³ STEL: 1500 mg/m ³	TWA: 50 ppm TWA: 180 mg/m ³	TWA: 50 ppm TWA: 180 mg/m ³ Peak: 400 ppm Peak: 1440 mg/m ³	TWA: 20 ppm TWA: 72 mg/m ³	TWA: 72 mg/m ³ TWA: 20 ppm Sk*
ISO-HEXANE 107-83-5	TWA: 1000 mg/m ³ STEL: 1500 mg/m ³	TWA: 500 ppm TWA: 1800 mg/m ³	TWA: 500 ppm TWA: 1800 mg/m ³ Peak: 1000 ppm Peak: 3600 mg/m ³	-	-
BUTANE 106-97-8	TWA: 800 ppm TWA: 1900 mg/m ³	TWA: 1000 ppm TWA: 2400 mg/m ³	TWA: 1000 ppm TWA: 2400 mg/m ³ Peak: 4000 ppm Peak: 9600 mg/m ³	TWA: 1000 ppm TWA: 2350 mg/m ³	TWA: 2350 mg/m ³ STEL: 9400 mg/m ³
ETHYL ACETATE 141-78-6	TWA: 200 ppm TWA: 734 mg/m ³ STEL: 400 ppm STEL: 1468 mg/m ³	TWA: 200 ppm TWA: 730 mg/m ³	TWA: 200 ppm TWA: 750 mg/m ³ Peak: 400 ppm Peak: 1500 mg/m ³	TWA: 200 ppm TWA: 734 mg/m ³ STEL: 400 ppm STEL: 1468 mg/m ³	TWA: 200 ppm TWA: 734 mg/m ³ STEL: 400 ppm STEL: 1468 mg/m ³ SZ+
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
ACETONE 67-64-1	TWA: 500 ppm TWA: 1210 mg/m ³ STEL: 1500 ppm STEL: 3630 mg/m ³	TWA: 500 ppm TWA: 1210 mg/m ³	TWA: 250 ppm TWA: 594 mg/m ³ STEL: 500 ppm STEL: 1187 mg/m ³	TWA: 500 ppm TWA: 1210 mg/m ³	TWA: 500 ppm TWA: 1210 mg/m ³ STEL: 1000 ppm STEL: 2420 mg/m ³
PROPANE 74-98-6	STEL: 3000 ppm Simple asphyxiant	-	: Simple asphyxiant	TWA: 1000 ppm TWA: 1800 mg/m ³ TWA: 100 mg/m ³ STEL: 300 mg/m ³	-
N-HEXANE 110-54-3	TWA: 20 ppm TWA: 72 mg/m ³ STEL: 60 ppm STEL: 216 mg/m ³	TWA: 20 ppm TWA: 72 mg/m ³	TWA: 50 ppm TWA: 176 mg/m ³ Sk*	TWA: 20 ppm TWA: 72 mg/m ³ TWA: 100 mg/m ³ STEL: 300 mg/m ³	TWA: 20 ppm TWA: 72 mg/m ³

	Sk*				
ISO-HEXANE 107-83-5	-	-	-	TWA: 100 mg/m ³ STEL: 300 mg/m ³	-
BUTANE 106-97-8	TWA: 1000 ppm STEL: 3000 ppm	-	STEL: 1000 ppm STEL: 2377 mg/m ³	TWA: 300 mg/m ³ TWA: 100 mg/m ³ STEL: 300 mg/m ³	-
ETHYL ACETATE 141-78-6	TWA: 734 mg/m ³ TWA: 200 ppm STEL: 1468 mg/m ³ STEL: 400 ppm	TWA: 734 mg/m ³ TWA: 200 ppm STEL: 1468 mg/m ³ STEL: 400 ppm	TWA: 400 ppm TWA: 1441 mg/m ³	TWA: 200 mg/m ³ TWA: 54 ppm STEL: 1468 mg/m ³ STEL: 400 ppm	TWA: 150 ppm TWA: 500 mg/m ³ Ceiling: 300 ppm Ceiling: 1100 mg/m ³
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
ACETONE 67-64-1	TWA: 500 ppm TWA: 1210 mg/m ³	TWA: 500 ppm TWA: 1210 mg/m ³	TWA: 500 ppm TWA: 1210 mg/m ³ STEL: 1 ppm STEL: 2420 mg/m ³	TWA: 125 ppm TWA: 295 mg/m ³ STEL: 156.25 ppm STEL: 368.75 mg/m ³	TWA: 600 mg/m ³ STEL: 1800 mg/m ³
PROPANE 74-98-6	-	-	-	TWA: 500 ppm TWA: 900 mg/m ³ TWA: 40 ppm TWA: 275 mg/m ³ STEL: 625 ppm STEL: 1125 mg/m ³ STEL: 60 ppm STEL: 343.75 mg/m ³	TWA: 1800 mg/m ³
N-HEXANE 110-54-3	TWA: 20 ppm TWA: 72 mg/m ³	TWA: 20 ppm TWA: 72 mg/m ³	TWA: 20 ppm TWA: 72 mg/m ³ STEL: 40 ppm STEL: 144 mg/m ³	TWA: 20 ppm TWA: 72 mg/m ³ TWA: 40 ppm TWA: 275 mg/m ³ STEL: 30 ppm STEL: 108 mg/m ³ STEL: 60 ppm STEL: 343.75 mg/m ³	TWA: 72 mg/m ³ Sk*
ISO-HEXANE 107-83-5	-	-	-	TWA: 40 ppm TWA: 275 mg/m ³ STEL: 60 ppm STEL: 343.75 mg/m ³	TWA: 400 mg/m ³ STEL: 1200 mg/m ³
BUTANE 106-97-8	-	-	-	TWA: 250 ppm TWA: 600 mg/m ³ TWA: 40 ppm TWA: 275 mg/m ³ STEL: 312.5 ppm STEL: 750 mg/m ³ STEL: 60 ppm STEL: 343.75 mg/m ³	TWA: 1900 mg/m ³ STEL: 3000 mg/m ³
ETHYL ACETATE 141-78-6	TWA: 734 mg/m ³ TWA: 200 ppm STEL: 1468 mg/m ³ STEL: 400 ppm	TWA: 200 ppm TWA: 734 mg/m ³ STEL: 400 ppm STEL: 1468 mg/m ³	TWA: 200 ppm TWA: 734 mg/m ³ STEL: 400 ppm STEL: 1468 mg/m ³	TWA: 200 ppm TWA: 734 mg/m ³ STEL: 400 ppm STEL: 1468 mg/m ³	TWA: 734 mg/m ³ STEL: 1468 mg/m ³
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
ACETONE 67-64-1	TWA: 500 ppm TWA: 1210 mg/m ³ STEL: 750 ppm	TWA: 500 ppm TWA: 1210 mg/m ³	TWA: 500 ppm TWA: 1210 mg/m ³	TWA: 500 ppm TWA: 1210 mg/m ³ STEL: 2420 mg/m ³ STEL: 1000 ppm	TWA: 500 ppm TWA: 1210 mg/m ³
PROPANE 74-98-6	TWA: 1000 ppm	TWA: 778 ppm TWA: 1400 mg/m ³ TWA: 700 mg/m ³ STEL: 1000 ppm STEL: 1800 mg/m ³ STEL: 1000 mg/m ³	-	TWA: 1000 ppm TWA: 1800 mg/m ³ STEL: 4000 ppm STEL: 7200 mg/m ³	TWA: 1000 ppm
N-HEXANE 110-54-3	TWA: 20 ppm TWA: 72 mg/m ³	TWA: 20 ppm TWA: 72 mg/m ³	TWA: 20 mg/m ³ TWA: 72 mg/m ³	TWA: 20 ppm TWA: 72 mg/m ³	TWA: 20 ppm TWA: 72 mg/m ³

	Sk*	TWA: 700 mg/m ³ STEL: 1000 mg/m ³	Ceiling: 140 mg/m ³	STEL: 576 mg/m ³ STEL: 160 ppm	
ISO-HEXANE 107-83-5	STEL: 1000 ppm	TWA: 700 mg/m ³ STEL: 1000 mg/m ³	-	TWA: 1800 mg/m ³ TWA: 500 ppm STEL: 1000 ppm STEL: 3600 mg/m ³	-
BUTANE 106-97-8	TWA: 1000 ppm STEL: 1000 ppm	TWA: 700 mg/m ³ STEL: 1000 mg/m ³	TWA: 1000 ppm TWA: 2400 mg/m ³ STEL: 5000 ppm STEL: 12000 mg/m ³	TWA: 1000 ppm TWA: 2400 mg/m ³ STEL: 4000 ppm STEL: 9600 mg/m ³	TWA: 1000 ppm
ETHYL ACETATE 141-78-6	TWA: 200 ppm TWA: 734 mg/m ³ STEL: 1468 mg/m ³ STEL: 400 ppm	TWA: 200 ppm TWA: 734 mg/m ³ STEL: 400 ppm STEL: 1468 mg/m ³	TWA: 200 ppm TWA: 734 mg/m ³ Ceiling: 1468 mg/m ³	TWA: 200 ppm TWA: 734 mg/m ³ STEL: 400 ppm STEL: 1468 mg/m ³	TWA: 200 ppm TWA: 734 mg/m ³ STEL: 400 ppm STEL: 1468 mg/m ³
Chemical name	Sweden		Switzerland	United Kingdom	
ACETONE 67-64-1	NGV: 250 ppm NGV: 600 mg/m ³ Vägledande KGV: 500 ppm Vägledande KGV: 1200 mg/m ³		TWA: 500 ppm TWA: 1200 mg/m ³ STEL: 1000 ppm STEL: 2400 mg/m ³	TWA: 500 ppm TWA: 1210 mg/m ³ STEL: 1500 ppm STEL: 3620 mg/m ³	
PROPANE 74-98-6	NGV: 350 mg/m ³		TWA: 1000 ppm TWA: 1800 mg/m ³ STEL: 4000 ppm STEL: 7200 mg/m ³	-	
N-HEXANE 110-54-3	NGV: 20 ppm NGV: 72 mg/m ³ NGV: 350 mg/m ³ Bindande KGV: 50 ppm Bindande KGV: 180 mg/m ³		TWA: 50 ppm TWA: 180 mg/m ³ STEL: 400 ppm STEL: 1440 mg/m ³ Sk*	TWA: 20 ppm TWA: 72 mg/m ³ STEL: 60 ppm STEL: 216 mg/m ³	
ISO-HEXANE 107-83-5	NGV: 200 ppm NGV: 700 mg/m ³ NGV: 350 mg/m ³ Vägledande KGV: 300 ppm Vägledande KGV: 1100 mg/m ³		TWA: 500 ppm TWA: 1800 mg/m ³ STEL: 1000 ppm STEL: 3600 mg/m ³	-	
BUTANE 106-97-8	NGV: 350 mg/m ³		TWA: 800 ppm TWA: 1900 mg/m ³ STEL: 3200 ppm STEL: 7600 mg/m ³	TWA: 600 ppm TWA: 1450 mg/m ³ STEL: 750 ppm STEL: 1810 mg/m ³	
ETHYL ACETATE 141-78-6	NGV: 150 ppm NGV: 550 mg/m ³ Bindande KGV: 300 ppm Bindande KGV: 1100 mg/m ³		TWA: 200 ppm TWA: 730 mg/m ³ STEL: 400 ppm STEL: 1460 mg/m ³	TWA: 734 mg/m ³ TWA: 200 ppm STEL: 1468 mg/m ³ STEL: 400 ppm	

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Chemical name	European Union	Austria	Bulgaria	Croatia	Czech Republic
ACETONE 67-64-1	-	-	80 mg/L - urine (Acetone) - at the end of exposure or end of work shift	20.0 mg/L - blood (Acetone) - at the end of the work shift 20.0 mg/g Creatinine - urine (Acetone) - at the end of the work shift	-
N-HEXANE 110-54-3	-	-	-	150 µg/L - blood (n-Hexane) - during exposure 40 ppm - final exhaled air (n-Hexane) - during	-

				exposure 0.20 mg/g Creatinine - urine (2-Hexanol) - at the end of the work shift 5.30 mg/g Creatinine - urine (2,5-Hexanedione) - at the end of the work shift	
Chemical name	Denmark	Finland	France	Germany DFG	Germany TRGS
ACETONE 67-64-1	-	-	- urine (Acetone) - end of shift	50 mg/L (urine - Acetone end of shift) 50 mg/L - BAT (end of exposure or end of shift) urine 2.5 mg/L - BAR (end of exposure or end of shift) urine	50 mg/L (urine - Acetone end of shift)
N-HEXANE 110-54-3	-	-	- urine () - end of shift	5 mg/L (urine - 2,5-Hexandione plus 4,5-Dihydroxy-2-hexanone (after hydrolysis) end of shift) 5 mg/L - BAT (end of exposure or end of shift) urine 5 mg/L - BAT (for long-term exposures: at the end of the shift after several shifts) urine	5 mg/L (urine - 2,5-Hexandione plus 4,5-Dihydroxy-2-hexanone (after hydrolysis) end of shift)
Chemical name	Hungary	Ireland	Italy MDLPS	Italy AIDII	
ACETONE 67-64-1	-	50 mg/L (urine - Acetone end of shift)	-	25 mg/L - urine (Acetone) - end of shift	
N-HEXANE 110-54-3	2 mg/L (urine - 2,5-Hexanedione (after hydrolysis) end of shift) 18 µmol/L (urine - 2,5-Hexanedione (after hydrolysis) end of shift)	0.4 mg/L (urine - 2,5-Hexanedione end of shift at end of workweek)	-	0.5 mg/L - urine (2,5-Hexanedione (without hydrolysis)) - end of shift at end of workweek	
Chemical name	Latvia	Luxembourg	Romania	Slovakia	
ACETONE 67-64-1	-	-	50 mg/L - urine (Acetone) - end of shift	80 mg/L (urine - Acetone end of exposure or work shift)	
N-HEXANE 110-54-3	-	-	5 mg/g Creatinine - urine (2,5-Hexandion) - end of shift	5 mg/L (urine - 2,5-Hexanedione end of exposure or work shift) 5 mg/L (urine - 4,5-Dihydroxy-2-hexanone end of exposure or work shift)	
Chemical name	Slovenia	Spain	Switzerland	United Kingdom	
ACETONE 67-64-1	80.0 mg/L - urine (Acetone) - at the end of the work shift	50 mg/L (urine - Acetone end of shift)	50 mg/L (urine - Acetone end of shift) 0.86 mmol/L (urine - Acetone end of shift)	-	
N-HEXANE 110-54-3	5 mg/L - urine (2,5-Hexandione and	0.2 mg/L (urine - 2,5-Hexanedione end of	5 mg/L (urine - 2,5-Hexanedione plus	-	

	4,5-Dihydroxy-2-hexanone (after hydrolysis) - at the end of the work shift	workweek)	4,5-Dihydroxy-2-hexanone end of shift)	
--	--	-----------	--	--

8.2. Exposure controls

Derived No Effect Level (DNEL) - Workers No information available

Derived No Effect Level (DNEL) - General Public No information available.

Predicted No Effect Concentration (PNEC) No information available.

Personal protective equipment

Eye/face protection No special protective equipment required.

Skin and body protection No special protective equipment required.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	No information available
Appearance	Red
Color	No information available
Odor	Solvent
Odor threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Melting point / freezing point	No data available	None known
Boiling point / boiling range	56 °C	
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability limit:	10%	
Lower flammability limit:	2.4%	
Flash point	-104 °C	Gives a flame projection at full valve opening or flashback at any degree of valve opening
Autoignition temperature	No data available	None known
Decomposition temperature		None known
pH	No data available	
pH (as aqueous solution)	No data available	No information available
Kinematic viscosity	No Data Available	None known
Dynamic viscosity	No data available	None known
Water solubility	No data available	
Solubility(ies)	No Data Available	None known
Partition coefficient	No Data Available	None known
Vapor pressure	50 psig @20C	

Relative density	0.76	
Bulk density	No data available	
Density	No data available	
Vapor density	No data available	None known
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	

9.2. Other information

VOC content 91.75

9.2.1. Information with regard to physical hazard classes
Not applicable

9.2.2. Other safety characteristics
No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.
Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous Decomposition Products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available.

Ingestion Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Acute toxicity Based on available data, the classification criteria are not met.

Numerical measures of toxicity No information available

The following values are calculated based on chapter 3.1 of the GHS document:

ATEmix (oral) 9,122.00
 ATEmix (dermal) 3,000.00
 ATEmix (inhalation-vapor) 48,000.00

47.5 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.
 72.5 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.
 100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).
 75 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).
 100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
ACETONE	= 5800 mg/kg (Rat)	> 15700 mg/kg (Rabbit)	= 50100 mg/m ³ (Rat) 8 h
PROPANE	-	-	> 800000 ppm (Rat) 15 min
N-HEXANE	= 25 g/kg (Rat)	= 3000 mg/kg (Rabbit)	= 48000 ppm (Rat) 4 h
BUTANE	-	-	= 658 g/m ³ (Rat) 4 h
SOLVENT NAPHTHA (PETROLEUM), LIGHT ALIPH.	-	= 3000 mg/kg (Rabbit)	-
ETHYL ACETATE	= 5620 mg/kg (Rat)	> 18000 mg/kg (Rabbit)	= 4000 ppm (Rat) 4 h
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT NAPHTHENIC	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 2180 mg/m ³ (Rat) 4 h

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Chemical name	European Union
BUTANE	Muta. 1B
SOLVENT NAPHTHA (PETROLEUM), LIGHT ALIPH.	Muta. 1B

Carcinogenicity Based on available data, the classification criteria are not met.

Chemical name	European Union
BUTANE	Carc. 1A
SOLVENT NAPHTHA (PETROLEUM), LIGHT ALIPH.	Carc. 1B
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT NAPHTHENIC	Carc. 1B

Reproductive toxicity Based on available data, the classification criteria are not met.

Chemical name	European Union
N-HEXANE	Repr. 2

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

H373 - May cause damage to the following organs through prolonged or repeated exposure: nervous system.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties Based on available data, the classification criteria are not met.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity The environmental impact of this product has not been fully investigated.

Unknown aquatic toxicity Contains 45 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
ACETONE	-	LC50: 4.74 - 6.33mL/L (96h, Oncorhynchus mykiss) LC50: 6210 - 8120mg/L (96h, Pimephales promelas) LC50: =8300mg/L (96h, Lepomis macrochirus)	-	EC50: 10294 - 17704mg/L (48h, Daphnia magna) EC50: 12600 - 12700mg/L (48h, Daphnia magna)
N-HEXANE	-	LC50: 2.1 - 2.98mg/L (96h, Pimephales promelas)	-	-
SOLVENT NAPHTHA (PETROLEUM), LIGHT ALIPH.	EC50: =4700mg/L (72h, Pseudokirchneriella subcapitata)	-	-	-
ETHYL ACETATE	-	LC50: 220 - 250mg/L (96h, Pimephales promelas) LC50: =484mg/L (96h, Oncorhynchus mykiss) LC50: 352 - 500mg/L (96h, Oncorhynchus mykiss)	-	EC50: =560mg/L (48h, Daphnia magna)
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT NAPHTHENIC	-	LC50: >5000mg/L (96h, Oncorhynchus mykiss)	-	EC50: >1000mg/L (48h, Daphnia magna)

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation No information available.

Chemical name	Partition coefficient
ACETONE	-0.24
PROPANE	1.09
N-HEXANE	4
BUTANE	2.31
ETHYL ACETATE	0.73

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment Based on available data, the classification criteria are not met.

Chemical name	PBT and vPvB assessment
ACETONE	The substance is not PBT / vPvB
PROPANE	The substance is not PBT / vPvB
N-HEXANE	The substance is not PBT / vPvB
BUTANE	The substance is not PBT / vPvB
SOLVENT NAPHTHA (PETROLEUM), LIGHT ALIPH.	The substance is not PBT / vPvB
ETHYL ACETATE	The substance is not PBT / vPvB
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT NAPHTHENIC	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties Based on available data, the classification criteria are not met.

12.7. Other adverse effects

Other adverse effects No information available.

PMT or vPvM properties Based on available data, the classification criteria are not met.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information

IATA

- 14.1 UN number or ID number ID 8000
- 14.2 UN proper shipping name Consumer Commodity
- 14.3 Transport hazard class(es) 9
- 14.4 Packing group Not regulated
- 14.5 Environmental hazards Not applicable
- 14.6 Special precautions for user

IMDG

- 14.1 UN number or ID number UN 1950
- 14.2 UN proper shipping name Aerosols, Limited Quantity (LQ)
- 14.3 Transport hazard class(es) 2.1
- 14.4 Packing group Not regulated
- 14.5 Environmental hazards Not applicable
- 14.6 Special precautions for user
- 14.7 Maritime transport in bulk according to IMO instruments

RID

- 14.1 UN number or ID number UN 1950
- 14.2
- 14.3 Transport hazard class(es) 2.1

14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	

ADR

14.1 UN number or ID number	UN 1950
14.2	
14.3 Transport hazard class(es)	2.1
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Chemical name	French RG number
ACETONE - 67-64-1	RG 84
N-HEXANE - 110-54-3	RG 59, RG 84
ETHYL ACETATE - 141-78-6	RG 84

Chemical name	Netherlands - List of Carcinogens	Netherlands - List of Mutagens	Netherlands - List of Reproductive Toxins
N-HEXANE	-	-	Fertility Category 2

Ordinance on the Incentive Tax on Volatile Organic Compounds (OVOC) SR 814.018 Not applicable
WPO (GSchV) SR 814.201; WPA (GSchG) SR 814.20 Not applicable

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorizations and/or restrictions on use:

This product does not contain substances subject to authorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorization per REACH Annex XIV
ACETONE - 67-64-1	75	-
N-HEXANE - 110-54-3	75	-
ISO-HEXANE - 107-83-5	75	-
BUTANE - 106-97-8	28 29 75	-
SOLVENT NAPHTHA (PETROLEUM), LIGHT ALIPH. - 64742-89-8	28 29 75	-
ETHYL ACETATE - 141-78-6	75	-
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT NAPHTHENIC - 64742-53-6	28 75	-

Persistent Organic Pollutants

Not applicable

Chemical name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
---------------	--------------------------------	--------------------------------

SOLVENT NAPHTHA (PETROLEUM), LIGHT ALIPH. - 64742-89-8	-	25000
--	---	-------

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

International Inventories

TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Not determined
ENCS	Not determined
IECSC	Not determined
KECI	Complies
PICCS	Complies
AICS	Complies
NZIoC	Complies
TCSI	Contact supplier for inventory compliance status

Legend:

- TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory
- DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List
- EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
- ENCS** - Japan Existing and New Chemical Substances
- IECSC** - China Inventory of Existing Chemical Substances
- KECL** - Korean Existing Chemicals Inventory
- PICCS** - Philippines Inventory of Chemicals and Chemical Substances
- AICS** - Australian Inventory of Chemical Substances
- NZIoC** - New Zealand Inventory of Chemicals
- TCSI** - Taiwan Chemical Substance Inventory

15.2. Chemical safety assessment

Chemical Safety Report No information available

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

- H315 - Causes skin irritation
- H361f - Suspected of damaging fertility
- H336 - May cause drowsiness or dizziness
- H373 - May cause damage to organs through prolonged or repeated exposure if inhaled
- H304 - May be fatal if swallowed and enters airways
- H411 - Toxic to aquatic life with long lasting effects
- H225 - Highly flammable liquid and vapor
- H319 - Causes serious eye irritation
- H340 - May cause genetic defects if inhaled
- H350 - May cause cancer if swallowed
- H220 - Extremely flammable gas
- EUH066 - Repeated exposure may cause skin dryness or cracking

Legend

- SVHC: Substances of Very High Concern for Authorization:
- PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
- vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT: Specific Target Organ Toxicity
ATE: Acute Toxicity Estimate
LC50: 50% Lethal Concentration
LD50: 50% Lethal Dose

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
+	Sensitizers		

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
U.S. Environmental Protection Agency ChemView Database
European Food Safety Authority (EFSA)
European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)
European Chemicals Agency (ECHA) (ECHA_API)
Environmental Protection Agency
Acute Exposure Guideline Level(s) (AEGl(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
National Institute of Technology and Evaluation (NITE)
Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
U.S. National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications
Organization for Economic Co-operation and Development High Production Volume Chemicals Program
Organization for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Revision Date 09-Aug-2024

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet