



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Date 07-May-2024

Version 11

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product Code 80078

Product Name 133K ANTI-SEIZE LUBRICANT 8OZ

Unique Formula Identifier (UFI) Code M5WH-T0N2-F000-6VNJ

#### Other means of identification

Contains CALCIUM OXIDE, ALUMINIUM POWDER, DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC, PARAFFIN OILS (PETROLEUM), CATALYTIC DEWAXED LIGHT

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Lubricant

Uses advised against No information available

### 1.3. Details of the supplier of the safety data sheet

#### Manufacturer

ITW Permatex, Inc.  
6875 Parkland Blvd.  
Solon, Ohio 44139 USA  
Telephone: 1-87-Permatex  
(866) 732-9502

#### Only Representative (OR)

ITW Permatex, Inc.  
Bay 150  
Shannon Industrial Estate  
Co. Clare  
Ireland  
V14 DF82  
353(61)771500  
353(61)471285  
customerservice.shannon@itwpp.com

#### For further information, please contact

Contact Point ITW Permatex, Inc.  
6875 Parkland Blvd.  
Solon, Ohio 44139 USA  
Telephone: 1-87-Permatex  
(866) 732-9502

E-mail address: mail@permatex.com

Non-Emergency Telephone Number 866-732-9502

### 1.4. Emergency telephone number

24-hour emergency phone number - \$45 - (EC)1272/2008	
Europe	112
Austria	01 406 43 43
Belgium	070 245 245
Denmark	+ 45 8212 1212
Finland	0800 147 111/ 09 471 977

France	+33 (0)1 45 42 59 59
Germany	+49 228 192 40
Ireland	01 809 2166
Italy	0382-24444
Netherlands	+31 (0)88 755 8000
Norway	22 59 13 00
Poland	112
Portugal	+351 800 250 250
Slovenia	112
Spain	+34 91 562 04 20
Sweden	112
Switzerland	145
United Kingdom	111
Bulgaria	+359 2 9154 233
Croatia	+3851 2348 342
Cyprus	1401
Czech Republic	+420 224 919 293/ +420 224 915 402
Estonia	16662/ (+372) 7943 794
Greece	(003) 2107793777
Hungary	+36 80 201 199
Iceland	543 2222
Latvia	+371 67042473
Liechtenstein	01 406 43 43
Lithuania	+370 (85) 2362052
Luxembourg	(+352) 8002 5500
Romania	+40213183606
Slovakia	+421 2 5477 4166
Malta	112

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Acute toxicity - Oral	Category 4 - (H302)
Acute toxicity - Inhalation (Dusts/Mists)	Category 4 - (H332)
Carcinogenicity	Category 1B - (H350)

### 2.2. Label elements

Contains CALCIUM OXIDE, ALUMINIUM POWDER, DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC, PARAFFIN OILS (PETROLEUM), CATALYTIC DEWAXED LIGHT



#### Signal word

Danger

#### Hazard statements

H302 - Harmful if swallowed. H332 - Harmful if inhaled. H350 - May cause cancer.

P201 - Obtain special instructions before use. P261 - Avoid breathing dust/fume/gas/mist/vapors/spray. P264 - Wash face, hands and any exposed skin thoroughly after handling. P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P312 - Call a POISON CENTER or doctor if you feel unwell. P501 - Dispose of contents/ container to an approved waste disposal plant.

**2.3. Other hazards**

Toxic to aquatic life. Note L: The classification as a carcinogen 1 does not apply. The substance contains less than 3 % DMSO extract as measured by IP 346. This note applies only to certain complex oil derived substances in Annex I. High viscosity.

**Endocrine Disruptor Information****SECTION 3: Composition/information on ingredients****3.1 Substances**

Chemical name	Weight-%	REACH registration No.	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Almandite-Ferric Aluminum Silicate 1302-62-1	25 - <50%		-	-	-	-	-
MINERAL OIL 8042-47-5	25 - <50%		232-455-8	-	-	-	-
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC 64742-52-5	10 - <20%	Registration no. 01-211946717 0-45-XXXX	(649-465-00-7) 265-155-0	Carc. 1B (H350) Note:L	-	-	-
ALUMINIUM POWDER 7429-90-5	5 - <10%		(013-002-00-1) (013-001-00-6) 231-072-3	Flam. Sol. 1 (H228) Water-react. 2 (H261)	-	-	-
GRAPHITE 7782-42-5	2.5 - <5%		231-955-3	-	-	-	-
PARAFFIN OILS (PETROLEUM), CATALYTIC DEWAXED LIGHT 64742-71-8	1 - <2.5%		(649-478-00-8) 265-176-5	Carc. 1B (H350)	-	-	-

**Full text of H- and EUH-phrases: see section 16**

Acute Toxicity Estimate

No information available

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapor - mg/L	Inhalation LC50 - 4 hour - gas - ppm
MINERAL OIL 8042-47-5	5000	No data available	No data available	No data available	No data available
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC 64742-52-5	5000	5000	No data available	No data available	No data available
ALUMINIUM POWDER 7429-90-5	No data available	No data available	0.888	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

<b>Inhalation</b>	Remove to fresh air.
<b>Eye contact</b>	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
<b>Skin contact</b>	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a physician.
<b>Ingestion</b>	Rinse mouth.

### 4.2. Most important symptoms and effects, both acute and delayed

<b>Symptoms</b>	No information available.
-----------------	---------------------------

### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Effects of Exposure</b>	No information available.
<b>Note to physicians</b>	Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

<b>Suitable Extinguishing Media</b>	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
<b>Small Fire</b>	In case of fire, use water spray, foam, dry chemical, or CO <sub>2</sub> .
<b>Large Fire</b>	In case of fire, use water spray, foam, dry chemical, or CO <sub>2</sub> .
<b>Unsuitable extinguishing media</b>	Do not scatter spilled material with high pressure water streams.

### 5.2. Special hazards arising from the substance or mixture

<b>Specific hazards arising from the chemical</b>	No information available.
<b>Hazardous combustion products</b>	No information available.

### 5.3. Advice for firefighters

<b>Special protective equipment and precautions for fire-fighters</b>	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
---	--

## SECTION 6: Accidental release measures

**6.1. Personal precautions, protective equipment and emergency procedures**

<b>Personal precautions</b>	Ensure adequate ventilation.
<b>For emergency responders</b>	Use personal protection recommended in Section 8.

**6.2. Environmental precautions**

<b>Environmental precautions</b>	See Section 12 for additional Ecological Information.
----------------------------------	---

**6.3. Methods and material for containment and cleaning up**

<b>Methods for containment</b>	Prevent further leakage or spillage if safe to do so.
<b>Methods for cleaning up</b>	Take up mechanically, placing in appropriate containers for disposal.
<b>Prevention of secondary hazards</b>	Clean contaminated objects and areas thoroughly observing environmental regulations.

**6.4. Reference to other sections**

<b>Reference to other sections</b>	See section 8 for more information. See section 13 for more information.
------------------------------------	--

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

<b>Advice on safe handling</b>	Ensure adequate ventilation.
<b>General hygiene considerations</b>	Handle in accordance with good industrial hygiene and safety practice.

**7.2. Conditions for safe storage, including any incompatibilities**

<b>Storage Conditions</b>	Keep container tightly closed in a dry and well-ventilated place.
---------------------------	---

**7.3. Specific end use(s)**

**Specific use(s)**  
Lubricant.

**Risk Management Methods (RMM)** The information required is contained in this Safety Data Sheet.

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters**

**Exposure Limits** This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
ALUMINIUM POWDER 7429-90-5	-	TWA: 10 mg/m <sup>3</sup> STEL 20 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	TWA: 10.0 mg/m <sup>3</sup> TWA: 1.5 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup>
GRAPHITE 7782-42-5	-	TWA: 5 mg/m <sup>3</sup> STEL 10 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	TWA: 5.0 mg/m <sup>3</sup>	TWA: 4 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup>
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
ALUMINIUM POWDER 7429-90-5	-	TWA: 10.0 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> TWA: 2 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup>	TWA: 1.5 mg/m <sup>3</sup>

GRAPHITE 7782-42-5	-	TWA: 2.0 mg/m <sup>3</sup>	STEL: 4 mg/m <sup>3</sup> TWA: 2.5 mg/m <sup>3</sup> STEL: 5 mg/m <sup>3</sup> natural	TWA: 5 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
MINERAL OIL 8042-47-5	-	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> Peak: 20 mg/m <sup>3</sup>	-	TWA: 5 mg/m <sup>3</sup>
ALUMINIUM POWDER 7429-90-5	TWA: 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	TWA: 1.25 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup>	TWA: 4 mg/m <sup>3</sup> TWA: 1.5 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>
GRAPHITE 7782-42-5	TWA: 2 mg/m <sup>3</sup>	TWA: 1.25 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup>	TWA: 0.3 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup> Peak: 2.4 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> TWA: 2 mg/m <sup>3</sup>
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
MINERAL OIL 8042-47-5	-	-	-	TWA: 5 mg/m <sup>3</sup>	-
ALUMINIUM POWDER 7429-90-5	TWA: 1 mg/m <sup>3</sup> STEL: 3 mg/m <sup>3</sup>	-	TWA: 1 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> TWA: 2 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>
GRAPHITE 7782-42-5	TWA: 2 mg/m <sup>3</sup> STEL: 6 mg/m <sup>3</sup>	-	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
ALUMINIUM POWDER 7429-90-5	-	-	-	TWA: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>	TWA: 2.5 mg/m <sup>3</sup> TWA: 1.2 mg/m <sup>3</sup>
GRAPHITE 7782-42-5	-	-	-	TWA: 5 mg/m <sup>3</sup> TWA: 2 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup> STEL: 4 mg/m <sup>3</sup> STEL: 20 mg/m <sup>3</sup> STEL: 8 mg/m <sup>3</sup>	TWA: 4.0 mg/m <sup>3</sup> TWA: 1.0 mg/m <sup>3</sup> TWA: 6 mg/m <sup>3</sup>
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
MINERAL OIL 8042-47-5	-	-	-	TWA: 5 mg/m <sup>3</sup> STEL: 20 mg/m <sup>3</sup>	-
ALUMINIUM POWDER 7429-90-5	TWA: 1 mg/m <sup>3</sup>	TWA: 3 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup> STEL: 3 mg/m <sup>3</sup>	TWA: 4 mg/m <sup>3</sup> TWA: 1.5 mg/m <sup>3</sup>	-	TWA: 1 mg/m <sup>3</sup>
GRAPHITE 7782-42-5	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> TWA: 2 mg/m <sup>3</sup>	-	TWA: 2 mg/m <sup>3</sup>
Chemical name	Sweden		Switzerland	United Kingdom	
MINERAL OIL 8042-47-5	-		TWA: 5 mg/m <sup>3</sup>	-	
ALUMINIUM POWDER 7429-90-5	NGV: 5 mg/m <sup>3</sup> NGV: 2 mg/m <sup>3</sup>		TWA: 3 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup> STEL: 12 mg/m <sup>3</sup>	
GRAPHITE 7782-42-5	-		TWA: 3 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup> STEL: 12 mg/m <sup>3</sup>	

**Biological occupational exposure limits**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Chemical name	European Union	Austria	Bulgaria	Croatia	Czech Republic
ALUMINIUM POWDER 7429-90-5	-	60 µg/g Creatinine (urine - Aluminum after end of work	-	200 µg/L - urine (Aluminum) - at the end of the work shift	-

Chemical name	Denmark	Finland	France	Germany DFG	Germany TRGS
ALUMINIUM POWDER 7429-90-5	-	-	-	50 µg/g Creatinine (urine - Aluminum for long-term exposures: at the end of the shift after several shifts) 50 µg/g Creatinine - BAT (for long-term exposures: at the end of the shift after several shifts) urine 15 µg/g Creatinine - BAR (for long-term exposures: at the end of the shift after several shifts) urine	50 µg/g Creatinine (urine - Aluminum for long-term exposures: at the end of the shift after several shifts)
Chemical name	Latvia	Luxembourg	Romania	Slovakia	
ALUMINIUM POWDER 7429-90-5	-	-	200 µg/L - urine (Aluminum) - end of shift	60 µg/g creatinine (urine - Aluminum not critical)	
Chemical name	Slovenia	Spain	Switzerland	United Kingdom	
ALUMINIUM POWDER 7429-90-5	50 µg/L - urine (Aluminum) - for long-term exposure: at the end of the work shift after several consecutive workdays	-	50 µg/g creatinine (urine - Aluminum after several shifts (for long-term exposures)) 0.21 µmol/mmol creatinine (urine - Aluminum after several shifts (for long-term exposures))	-	

## 8.2. Exposure controls

**Derived No Effect Level (DNEL) - Workers** No information available

Chemical name	Oral	Dermal	Inhalation
MINERAL OIL 8042-47-5	-	217.05 mg/kg bw/day [4] [6]	164.56 mg/m <sup>3</sup> [4] [6]
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC 64742-52-5	-	0.97 mg/kg bw/day [4] [6]	2.73 mg/m <sup>3</sup> [4] [6] 5.58 mg/m <sup>3</sup> [5] [6]
GRAPHITE 7782-42-5	-	-	1.2 mg/m <sup>3</sup> [4] [6] 1.2 mg/m <sup>3</sup> [5] [6]
PARAFFIN OILS (PETROLEUM), CATALYTIC DEWAXED LIGHT 64742-71-8	-	0.97 mg/kg bw/day [4] [6]	2.73 mg/m <sup>3</sup> [4] [6] 5.58 mg/m <sup>3</sup> [5] [6]

**Derived No Effect Level (DNEL) - General Public** No information available.

Chemical name	Oral	Dermal	Inhalation
MINERAL OIL 8042-47-5	25 mg/kg bw/day [4] [6]	-	34.78 mg/m <sup>3</sup> [4] [6]

Chemical name	Oral	Dermal	Inhalation
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC 64742-52-5	0.74 mg/kg bw/day [4] [6]	-	1.19 mg/m <sup>3</sup> [5] [6]
GRAPHITE 7782-42-5	813 mg/kg bw/day [4] [6]	-	0.3 mg/m <sup>3</sup> [5] [6]
PARAFFIN OILS (PETROLEUM), CATALYTIC DEWAXED LIGHT 64742-71-8	0.74 mg/kg bw/day [4] [6]	-	1.19 mg/m <sup>3</sup> [5] [6]

**Predicted No Effect Concentration (PNEC)** No information available.

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC 64742-52-5	-	-	-	-	9.33 mg/kg food
ALUMINIUM POWDER 7429-90-5	-	-	20 mg/L	-	-
PARAFFIN OILS (PETROLEUM), CATALYTIC DEWAXED LIGHT 64742-71-8	-	-	-	-	9.33 mg/kg food

#### Personal protective equipment

##### Eye/face protection

No special protective equipment required.

##### Skin and body protection

No special protective equipment required.

##### Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

##### Thermal hazards

No information available.

##### General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

##### Environmental exposure controls

No information available.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	Paste / Gel Liquid
Appearance	Silver
Color	Gray
Odor	Petroleum
Odor threshold	No information available



<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Melting point / freezing point	No data available	None known
Boiling point / boiling range	No data available	
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability limit:	No data available	
Lower flammability limit:	No data available	
Flash point	> 95 °C	Tag Closed Cup
Autoignition temperature	No data available	None known
Decomposition temperature		None known
pH	No data available	None known
pH (as aqueous solution)	No data available	No information available
Kinematic viscosity	No Data Available	None known
Dynamic viscosity	No data available	None known
Water solubility	No data available	Negligible None known
Solubility(ies)	No Data Available	None known
Partition coefficient	No Data Available	None known
Vapor pressure	<5 mm Hg	
Relative density	1.41-1.51	
Bulk density	자료 없음	
Density	No data available	
Vapor density	>1	Air = 1
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	

**9.2. Other information**

VOC content 0

9.2.1. Information with regard to physical hazard classes  
Not applicable

9.2.2. Other safety characteristics  
No information available < 1 Butyl acetate = 1

## SECTION 10: Stability and reactivity

**10.1. Reactivity**

Reactivity No information available.

**10.2. Chemical stability**

Stability Stable under normal conditions.

**Explosion data**

  Sensitivity to mechanical impact None.

  Sensitivity to static discharge None.

**10.3. Possibility of hazardous reactions**

Possibility of hazardous reactions None under normal processing.

Hazardous polymerization No information available.

**10.4. Conditions to avoid**

Conditions to avoid None known based on information supplied.

**10.5. Incompatible materials**

**Incompatible materials** None known based on information supplied.

#### 10.6. Hazardous decomposition products

**Hazardous Decomposition Products** None known based on information supplied.

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

##### Information on likely routes of exposure

##### Product Information

<b>Inhalation</b>	Specific test data for the substance or mixture is not available.
<b>Eye contact</b>	Specific test data for the substance or mixture is not available.
<b>Skin contact</b>	Specific test data for the substance or mixture is not available.
<b>Ingestion</b>	Specific test data for the substance or mixture is not available.

##### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** No information available.

##### Numerical measures of toxicity

##### Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

<b>ATEmix (oral)</b>	1,516.00 mg/kg
<b>ATEmix (dermal)</b>	5,155.60 mg/kg
<b>ATEmix (inhalation-dust/mist)</b>	2.0452 mg/l

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
MINERAL OIL	> 5000 mg/kg ( Rat )	-	-
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC	> 5000 mg/kg ( Rat )	> 5000 mg/kg ( Rabbit )	-
ALUMINIUM POWDER	-	-	> 0.888 mg/L ( Rat ) 4 h
GRAPHITE	-	-	> 2000 mg/m <sup>3</sup> ( Rat ) 4 h

##### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** No information available.

**Serious eye damage/eye irritation** No information available.

**Respiratory or skin sensitization** No information available.

**Germ cell mutagenicity** No information available.

**Carcinogenicity** No information available.

Chemical name	European Union
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC	Carc. 1B
PARAFFIN OILS (PETROLEUM), CATALYTIC DEWAXED LIGHT	Carc. 1B

**Reproductive toxicity** No information available.

**Developmental Toxicity** No information available.

**Teratogenicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Aspiration hazard** No information available.

## 11.2. Information on other hazards

### 11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

### 11.2.2. Other information

**Neurological effects** No information available.

**Other adverse effects** No information available.

## SECTION 12: Ecological information

### 12.1. Toxicity

**Ecotoxicity** The environmental impact of this product has not been fully investigated.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
MINERAL OIL	-	LC50: >10000mg/L (96h, <i>Lepomis macrochirus</i> )	-	-
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC	-	LC50: >5000mg/L (96h, <i>Oncorhynchus mykiss</i> )	-	EC50: >1000mg/L (48h, <i>Daphnia magna</i> )
GRAPHITE	-	LC50: >100mg/L (96h, <i>Danio rerio</i> )	-	-

### 12.2. Persistence and degradability

**Persistence and degradability** No information available.

### 12.3. Bioaccumulative potential

**Bioaccumulation** No information available.

Chemical name	Partition coefficient
MINERAL OIL	6

**12.4. Mobility in soil**

**Mobility in soil** No information available.

**12.5. Results of PBT and vPvB assessment**

**PBT and vPvB assessment** No information available.

Chemical name	PBT and vPvB assessment
MINERAL OIL	The substance is not PBT / vPvB
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC	The substance is not PBT / vPvB
ALUMINIUM POWDER	The substance is not PBT / vPvB
GRAPHITE	The substance is not PBT / vPvB
PARAFFIN OILS (PETROLEUM), CATALYTIC DEWAXED LIGHT	The substance is not PBT / vPvB

**12.6. Endocrine disrupting properties**

**Endocrine disrupting properties** No information available.

**12.7. Other adverse effects**

No information available.

## SECTION 13: Disposal considerations

**13.1. Waste treatment methods**

**Waste from residues/unused products** Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

## SECTION 14: Transport information

**IATA**

- 14.1 UN number or ID number Not regulated  
 14.2  
 14.3 Transport hazard class(es) Not regulated  
 14.4 Packing group Not regulated  
 14.5 Environmental hazard Not applicable  
 14.6 Special precautions for user

**IMDG**

- 14.1 UN number or ID number Not regulated  
 14.2 Proper shipping name Not regulated  
 14.3 Transport hazard class(es) Not regulated  
 14.4 Packing Group Not regulated  
 14.5 Environmental hazard Not applicable  
 14.6 Special precautions for user  
 14.7 Maritime transport in bulk according to IMO instruments

**RID**

- 14.1 UN/ID No Not regulated

- 14.2  
 14.3 **Transport hazard class(es)** Not regulated  
 14.4 **Packing Group** Not regulated  
 14.5 **Environmental hazard** Not applicable  
 14.6 **Special precautions for user**

**ADR**

- 14.1 **UN number or ID number** Not regulated  
 14.2  
 14.3 **Transport hazard class(es)** Not regulated  
 14.4 **Packing Group** Not regulated  
 14.5 **Environmental hazard** Not applicable  
 14.6 **Special precautions for user**

<b>SECTION 15: Regulatory information</b>
---

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Chemical name	French RG number
MINERAL OIL - 8042-47-5	RG 36bis
ALUMINIUM POWDER - 7429-90-5	RG 32 RG 16,RG 16bis
GRAPHITE - 7782-42-5	RG 16 RG 25

**European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

**Authorizations and/or restrictions on use:**

This product does not contain substances subject to authorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorization per REACH Annex XIV
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC - 64742-52-5	28. 75.	-
ALUMINIUM POWDER - 7429-90-5	75.	-
PARAFFIN OILS (PETROLEUM), CATALYTIC DEWAXED LIGHT - 64742-71-8	28. 75.	-

**Persistent Organic Pollutants**

Not applicable

Chemical name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC - 64742-52-5	-	25000

**Ozone-depleting substances (ODS) regulation (EC) 1005/2009**

Not applicable

Chemical name	EU - Plant Protection Products (1107/2009/EC)
MINERAL OIL - 8042-47-5	Plant protection agent

**International Inventories**

TSCA	Complies
DSL/NDL	Complies
EINECS/ELINCS	Complies
ENCS	Does not comply
IECSC	Complies
KECI	Complies
PICCS	Complies
AICS	Complies
NZIoC	Complies

**Legend:**

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**15.2. Chemical safety assessment**

**Chemical Safety Report** No information available

**SECTION 16: Other information****Key or legend to abbreviations and acronyms used in the safety data sheet****Full text of H-Statements referred to under section 3**

H319 - Causes serious eye irritation  
H350 - May cause cancer  
H400 - Very toxic to aquatic life  
H410 - Very toxic to aquatic life with long lasting effects

**Legend**

SVHC: Substances of Very High Concern for Authorization:  
vPvB: Very Persistent and very Bioaccumulative (vPvB) Chemicals

**Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapor	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitization	Calculation method
Skin sensitization	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method

**Key literature references and sources for data used to compile the SDS**

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database  
 European Food Safety Authority (EFSA)  
 Environmental Protection Agency  
 Acute Exposure Guideline Level(s) (AEGl(s))  
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
 U.S. Environmental Protection Agency High Production Volume Chemicals  
 Food Research Journal  
 Hazardous Substance Database  
 International Uniform Chemical Information Database (IUCLID)  
 Japan GHS Classification  
 Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
 NIOSH (National Institute for Occupational Safety and Health)  
 National Library of Medicine's ChemID Plus (NLM CIP)  
 National Library of Medicine's PubMed database (NLM PUBMED)  
 U.S. National Toxicology Program (NTP)  
 New Zealand's Chemical Classification and Information Database (CCID)  
 Organization for Economic Co-operation and Development Environment, Health, and Safety Publications  
 Organization for Economic Co-operation and Development High Production Volume Chemicals Program  
 Organization for Economic Co-operation and Development Screening Information Data Set  
 World Health Organization

Revision Date 07-May-2024

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

#### Disclaimer

Illinois Tool Works Inc. believes the information contained in this data sheet is accurate as of the date compiled. However, Illinois Tool Works Inc. makes no warranty, express or implied, as to the accuracy, reliability or completeness of the information. User is responsible for evaluating whether such information or this product is fit for a particular purpose and suitable for a particular use or application. The information in this data sheet may not be valid if this product is used in combination with other products or in processes for which it was not designed. Illinois Tool Works Inc. disclaims any liability for consequential or incidental damages of any kind, including lost profits, arising from the sale or use of this product. Ensure you have the most current version of this data sheet by contacting us or reviewing our web site.

**End of Safety Data Sheet**

#### EU SDS version information - EGHS

UL release:  
 GHS Revision 7  
 2023 Q1

Full text of H-Statements referred to under section 3 H319 - Causes serious eye irritation H350 - May cause cancer H400 - Very toxic to aquatic life H410 - Very toxic to aquatic life with long lasting effects

Chemical name	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC	Carc. 1B (H350) Note:L	
ALUMINIUM POWDER	Flam. Sol. 1 (H228) Water-react. 2 (H261)	
PARAFFIN OILS (PETROLEUM), CATALYTIC DEWAXED LIGHT	Carc. 1B (H350)	

Chemical name	CAS No.	French RG number
MINERAL OIL	8042-47-5	RG 36bis
ALUMINIUM POWDER	7429-90-5	RG 32 RG 16, RG 16bis
GRAPHITE	7782-42-5	RG 16 RG 25

VOC content