Permatex.

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Date 19-Jul-2024 Version 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code 81182

Product Name GEAR OIL RTV GASKET MAKER 3 OZ

Other means of identification

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Sealant

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Only Representative (OR)

ITW Performance Polymers Bay 150 Shannon Industrial Estate Co. Clare Ireland V14 DF82 353(61)771500 353(61)471285

customerservice.shannon@itwpp.com

For further information, please contact

Contact Point ITW Permatex

6875 Parkland Blvd. Solon, Ohio 44139 USA Telephone: 1-87-Permatex

(866) 732-9502

1.4. Emergency telephone number

24-hour emergency phor	24-hour emergency phone number - §45 - (EC)1272/2008				
Europe	112				
Austria	01 406 43 43				
Belgium	070 245 245				
Denmark	+ 45 8212 1212				
Finland	0800 147 111/ 09 471 977				
France	+33 (0)1 45 42 59 59				
Germany	+49 228 192 40				
Ireland	01 809 2166				
Italy	0382-24444				
Netherlands	+31 (0)88 755 8000	ľ			
Norway	22 59 13 00				

Poland	112
Portugal	+351 800 250 250
Slovenia	112
Spain	+34 91 562 04 20
Sweden	112
Switzerland	145
United Kingdom	111
Bulgaria	+359 2 9154 233
Croatia	+3851 2348 342
Cyprus	1401
Czech Republic	+420 224 919 293/ +420 224 915 402
Estonia	16662/ (+372) 7943 794
Greece	(003) 2107793777
Hungary	+36 80 201 199
Iceland	543 2222
Latvia	+371 67042473
Liechtenstein	01 406 43 43
Lithuania	+370 (85) 2362052
Luxembourg	(+352) 8002 5500
Romania	+40213183606
Slovakia	+421 2 5477 4166
Malta	112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Skin sensitization	Category 1 - (H317)
Carcinogenicity	Category 2 - (H351)

2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]



Signal word

Warning

Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP] H317 - May cause an allergic skin reaction. H351 - Suspected of causing cancer.

38.46 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.

58.26 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

59.36 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).

59.36 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).

59.36 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Unknown aquatic toxicity

Contains 59.36 % of components with unknown hazards to the aquatic environment.

2.3. Other hazards

No information available.

Endocrine Disruptor Information

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical name	Weight-%	REACH registration No.	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Almandite-Ferric Aluminum Silicate 1302-62-1	20 - <25%		-	-	-	1	-
DICYANODIAMIDE 461-58-5	5 - <10%		207-312-8	-	-	-	-
ALUMINIUM POWDER 7429-90-5	0.5 - <1%		(013-002-00-1) (013-001-00-6) 231-072-3		-	-	-
2-BUTANONE OXIME 96-29-7	0.1 - <0.5%		(616-014-00-0) 202-496-6	Acute Tox. 3 (H301) Acute Tox. 4 (H312) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Carc. 1B (H350) STOT SE 3 (H336) STOT SE 1 (H370) STOT RE 2 (H373)	-	-	-

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate No information available

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4	Inhalation LC50 - 4	Inhalation LC50 - 4
			hour - dust/mist - mg/L	hour - vapor - mg/L	hour - gas - ppm
			<u> </u>		
DICYANODIAMIDE	No data available	2000	No data available	No data available	No data available
461-58-5					
ALUMINIUM POWDER	No data available	No data available	0.888	No data available	No data available
7429-90-5					
2-BUTANONE OXIME	100+	1100+	No data available	No data available	No data available
96-29-7	930	1000			

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contactWash skin with soap and water. In the case of skin irritation or allergic reactions see a

physician.

Ingestion Rinse mouth.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Effects of ExposureNo information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing mediaDo not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

No information available.

5.3. Advice for firefighters

Special protective equipment and

precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

6.2. Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning upTake up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sectionsSee section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
ALUMINIUM POWDER	-	TWA: 10 mg/m ³	TWA: 1 mg/m ³	TWA: 10.0 mg/m ³	TWA: 10 mg/m ³
7429-90-5		STEL 20 mg/m ³		TWA: 1.5 mg/m ³	TWA: 4 mg/m ³
2-BUTANONE OXIME 96-29-7	-	Sh+	-	•	•
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
ALUMINIUM POWDER	-	TWA: 10.0 mg/m ³	TWA: 5 mg/m ³	TWA: 10 mg/m ³	TWA: 1.5 mg/m ³
7429-90-5			TWA: 2 mg/m ³	TWA: 4 mg/m ³	
			STEL: 10 mg/m ³		
			STEL: 4 mg/m ³		
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
ALUMINIUM POWDER	TWA: 10 mg/m ³	TWA: 1.25 mg/m ³	TWA: 4 mg/m ³	TWA: 10 mg/m ³	TWA: 1 mg/m ³
7429-90-5	TWA: 5 mg/m ³	TWA: 10 mg/m ³	TWA: 1.5 mg/m ³	TWA: 5 mg/m ³	
2-BUTANONE OXIME	-	TWA: 0.3 ppm	*	-	-
96-29-7		TWA: 1 mg/m ³	skin sensitizer		
		Sh+			
		H*			
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania

ALUMINIUM POWDER 7429-90-5		A: 1 mg/m³ EL: 3 mg/m³	-	TWA: 1 mg/m ³	TWA:	2 mg/m³	TWA: 5 mg/m ³ TWA: 2 mg/m ³ TWA: 1 mg/m ³
2-BUTANONE OXIME 96-29-7	TWA STE	VA: 3 ppm A: 10 mg/m³ EL: 10 ppm L: 33 mg/m³ Sens+	-	-		-	-
Chemical name	Lu	xembourg	Malta	Netherlands	No	orway	Poland
ALUMINIUM POWDER 7429-90-5		-	-	-	1	5 mg/m ³ 10 mg/m ³	TWA: 2.5 mg/m ³ TWA: 1.2 mg/m ³
Chemical name	F	Portugal	Romania	Slovakia	Slo	ovenia	Spain
ALUMINIUM POWDER 7429-90-5	TW	A: 1 mg/m ³	TWA: 3 mg/m ³ TWA: 1 mg/m ³ STEL: 10 mg/m ³ STEL: 3 mg/m ³	TWA: 4 mg/m ³ TWA: 1.5 mg/m ³		-	TWA: 1 mg/m ³
2-BUTANONE OXIME 96-29-7		1	-	-	TWA:	1 mg/m ³ 0.3 ppm : 2.4 ppm : 8 mg/m ³ K*	-
Chemical name Sv		weden	Switzerland		Uni	ted Kingdom	
ALUMINIUM POWDER 7429-90-5		NGV: 5 mg/m³ NGV: 2 mg/m³		TWA: 3 mg/m³ TW TWA: 10 mg/m³ TV ST		/A: 10 mg/m³ VA: 4 mg/m³ EL: 30 mg/m³ EL: 12 mg/m³	

Biological occupational exposure limitsThis product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Chemical name	European Union	Austria	Bulg	garia	Croatia		Czech Republic
ALUMINIUM POWDER	-	60 μg/g Creatinine		-	200 μg/L - uri		-
7429-90-5		(urine - Aluminum			(Aluminum) - at		
		after end of work			end of the work	shift	
		day, at the end of a					
		work week/end of					
		the shift)					
	D 1	(-)			0 55	_	O TD00
Chemical name	Denmark	Finland	Fra	nce	Germany DF	$\overline{}$	Germany TRGS
ALUMINIUM POWDER	-	-	-	-	50 μg/g Creatir		50 μg/g Creatinine
7429-90-5					,	m for	(urine - Aluminum for
					long-term		long-term
					exposures: at		exposures: at the
							end of the shift after
					several shifts		several shifts)
					50 μg/g Creatin BAT (for long-to		
					exposures: at		
					end of the shift		
					several shifts)		
					15 µg/g Creatin		
					BAR (for long-to		
					exposures: at		
					end of the shift		
					several shifts) u	ırine	
Chemical name	Latvia	Luxemb	ourg	R	omania		Slovakia
ALUMINIUM POWDER	-	-		200 µ	ıg/L - urine	60 µg	/g creatinine (urine -
7429-90-5					n) - end of shift		minum not critical)
Chemical name	Slovenia	Spair	า	Sw	itzerland	Į	Jnited Kingdom
ALUMINIUM POWDER	50 μg/L - urine	-		50 μg/g cr	eatinine (urine -		-

7429-90-5	(Aluminum) - for long-term	Aluminum after several	
	exposure: at the end of	shifts (for long-term	
	the work shift after	exposures))	
	several consecutive	0.21 µmol/mmol	
	workdays	creatinine (urine -	
		Aluminum after several	
		shifts (for long-term	
		exposures))	

8.2. Exposure controls

Derived No Effect Level (DNEL) - Workers No information available

Chemical name	Oral	Dermal	Inhalation
2-BUTANONE OXIME	-	1.3 mg/kg bw/day [4] [6]	9 mg/m³ [4] [6]
96-29-7		2.5 mg/kg bw/day [4] [7]	3.33 mg/m³ [5] [6]

Derived No Effect Level (DNEL) - General Public No information available.

Chemical name	Oral	Dermal	Inhalation
2-BUTANONE OXIME	-	1.5 mg/kg bw/day [4] [6]	2.7 mg/m³ [4] [6]
96-29-7		1.5 mg/kg bw/day [4] [7]	2 mg/m³ [5] [6]

Predicted No Effect Concentration (PNEC) No information available.

ĺ	Chemical name	Freshwater	Freshwater	Marine water	Marine water	Air
			(intermittent release)		(intermittent release)	
	2-BUTANONE OXIME	0.256 mg/L	0.118 mg/L	-	-	-
	96-29-7					

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
2-BUTANONE OXIME 96-29-7	-	-	177 mg/L	-	-

Personal protective equipment

Eye/face protection No special protective equipment required.

Skin and body protectionNo special protective equipment required.

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Paste / Gel Liquid

Appearance Gray

Color No information available

Odor Mild

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Melting point / freezing pointNo data availableNone knownBoiling point / boiling rangeNo data availablePolymerizationFlammability (solid, gas)No data availableNone knownFlammability Limit in AirNone known

Upper flammability limit: No data available Lower flammability limit: No data available

Flash point > 93 °C Tag Closed Cup

Autoignition temperatureNo data availableNone knownDecomposition temperatureNone known

pH No data available None known pH (as aqueous solution) No data available No information available

Kinematic viscosityNo Data AvailableNone knownDynamic viscosityNo data availableNone knownWater solubilityNo data availableNot applicablePolymerization

Solubility No data available Not applicable Polymerization
No Data Available None known
No Data Available None known
None known

Vapor pressure <5 mm Hg Relative density 1.45

Bulk density

Density

No data available

No data available

Vapor density >1 Air = 1

Particle characteristics

Particle Size No information available Particle Size Distribution No information available

9.2. Other information

VOC content <3%

9.2.1. Information with regard to physical hazard classes Not applicable

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions
None under normal processing.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous Decomposition Products Carbon oxides. Nitrogen oxides (NOx). Formaldehyde. May release 2-butanone oxime

(ethyl methyl ketoxime) at elevated temperature.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eve contact Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available.

Specific test data for the substance or mixture is not available. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics

No information available. **Symptoms**

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document 18,992.00 mg/kg

ATEmix (oral)

38.46 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.

58.26 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

59.36 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).

59.36 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).

59.36 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
DICYANODIAMIDE	-	> 2000 mg/kg (Rabbit)	1
ALUMINIUM POWDER	-	-	> 0.888 mg/L (Rat) 4 h
2-BUTANONE OXIME	= 930 mg/kg (Rat)	1000 - 1800 mg/kg (Rabbit)	> 4.83 mg/L (Rat)4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation No information available. Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Chemical name	European Union	
2-BUTANONE OXIME	Carc. 1B	

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity The environmental impact of this product has not been fully investigated.

Unknown aquatic toxicityContains 59.36 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
2-BUTANONE OXIME	EC50: =83mg/L (72h, Desmodesmus subspicatus)	LC50: 777 - 914mg/L (96h, Pimephales promelas) LC50: =760mg/L (96h, Poecilia reticulata)	<u>-</u>	EC50: =750mg/L (48h, Daphnia magna)

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation No information available.

Chemical name	Partition coefficient	
DICYANODIAMIDE	-0.46	
2-BUTANONE OXIME	0.65	

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

Chemical name	PBT and vPvB assessment
DICYANODIAMIDE	The substance is not PBT / vPvB
ALUMINIUM POWDER	The substance is not PBT / vPvB
2-BUTANONE OXIME	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information

IATA

14.1 UN number or ID number Not regulated

14.2

14.3 Transport hazard class(es)
 14.4 Packing group
 14.5 Environmental hazard
 Not regulated Not regulated Not applicable

14.6 Special precautions for user

IMDG

14.1 UN number or ID number Not regulated

14.2

14.3 Transport hazard class(es)
 14.4 Packing Group
 14.5 Environmental hazard
 Not regulated Not applicable

14.6 Special precautions for user14.7 Maritime transport in bulk

according to IMO instruments

RID

14.1 UN/ID No Not regulated

14.2

14.3 Transport hazard class(es)
 14.4 Packing Group
 14.5 Environmental hazard
 Not regulated Not applicable

14.6 Special precautions for user

ADR

14.1 UN number or ID number Not regulated

14.2

14.3 Transport hazard class(es)
 14.4 Packing Group
 14.5 Environmental hazard
 Not regulated Not applicable

14.6 Special precautions for user

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemical name	French RG number
ALUMINIUM POWDER - 7429-90-5	RG 32
	RG 16,RG 16bis

Chemical name	Netherlands - List of	Netherlands - List of	Netherlands - List of
	Carcinogens	Mutagens	Reproductive Toxins
2-BUTANONE OXIME	Present	-	-

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorizations and/or restrictions on use:

This product does not contain substances subject to authorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name		Restricted substance per REACH	Substance subject to authorization per
		Annex XVII	REACH Annex XIV
Ī	ALUMINIUM POWDER - 7429-90-5	75.	-
Ī	2-BUTANONE OXIME - 96-29-7	75.	-
		28.	

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

International Inventories

TSCA Complies
DSL/NDSL Complies
EINECS/ELINCS Not determined
ENCS Not determined

Revision Date 19-Jul-2024

IECSCNot determinedKECINot determinedPICCSNot determinedAICSNot determined

Legend:

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

15.2. Chemical safety assessment

Chemical Safety Report No information available

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H312 - Harmful in contact with skin

H318 - Causes serious eye damage

H317 - May cause an allergic skin reaction

H351 - Suspected of causing cancer if inhaled

H228 - Flammable solid

H261 - In contact with water releases flammable gas

Legend

SVHC: Substances of Very High Concern for Authorization:

vPvB: Very Persistent and very Bioaccumulative (vPvB) Chemicals

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision Date 19-Jul-2024

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 Disclaimer

Illinois Tool Works Inc. believes the information contained in this data sheet is accurate as of the date compiled.

However, Illinois Tool Works Inc. makes no warranty, express or implied, as to the accuracy, reliability or completeness of theinformation. User is responsible for evaluating whether such information or this product is fit for a particular purposeand suitable for a particular use or application. The information in this data sheet may not be valid if this product is usedin combination with other products or in processes for which it was not designed. Illinois Tool Works Inc. disclaims anyliability for consequential or incidental damages of any kind, including lost profits, arising from the sale or use of thisproduct. Ensure you have the most current version of this data sheet by contacting us or reviewing our web site.

End of Safety Data Sheet

EU SDS version information - EGHS

UL release: **GHS** Revision 7 2023 Q1

section 3

Full text of H-Statements referred to under H312 - Harmful in contact with skin H318 - Causes serious eye damage H317 - May cause an allergic skin reaction H351 - Suspected of causing cancer if inhaled H228 - Flammable solid H261 - In contact with water releases flammable gas

Chemical name	Classification according to Regulation (EC)	Specific concentration limit (SCL)
	No. 1272/2008 [CLP]	
ALUMINIUM POWDER	Flam. Sol. 1 (H228)	
	Water-react. 2 (H261)	
2-BUTANONE OXIME	Acute Tox. 3 (H301)	
	Acute Tox. 4 (H312)	
	Skin Irrit. 2 (H315)	
	Eye Dam. 1 (H318)	
	Skin Sens. 1 (H317)	
	Carc. 1B (H350)	
	STOT SE 3 (H336)	
	STOT SE 1 (H370)	
	STOT RE 2 (H373)	

Chemical name	CAS No.	French RG number
ALUMINIUM POWDER	7429-90-5	RG 32
		RG 16,RG 16bis

VOC content