

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 as amended by Regulation (EU) No. 2020/878, and Regulation (EC) No. 1272/2008

Revision Date 15-Oct-2024 Version 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code PTX194319X

Product Name 81844 REARVIEW MIRROR ADHESIVE KIT PART 1

Other means of identification

Unique Formula Identifier (UFI) RYSH-303D-300Q-R835

Mixture. Contains Acrylic acid; CUMENE HYDROPEROXIDE; 2-Hydroxyethyl methacrylate

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Adhesive

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Manufacturer Only Representative (OR)

ITW Permatex, Inc. ITW Permatex, Inc.

6875 Parkland Blvd. Bay 150

Solon, Ohio 44139 USA Shannon Industrial Estate

Telephone: 1-87-Permatex Co. Clare (866) 732-9502 Ireland

V14 DF82 353(61)771500 353(61)471285

customerservice.shannon@itwpp.com

For further information, please contact

Contact Point ITW Permatex, Inc.

6875 Parkland Blvd. Solon, Ohio 44139 USA Telephone: 1-87-Permatex

(866) 732-9502

E-mail address: mail@permatex.com

Non-Emergency Telephone Number 866-732-9502

1.4. Emergency telephone number

24-hour emergency phone number EU Member States information as follows:

24-hour emergency phone number	- §45 - (EC)1272/2008
Europe	112
Austria	01 406 43 43

Belgium	070 245 245
Bulgaria	+359 2 9154 233
Croatia	+3851 2348 342
Cyprus	1401
Czech Republic	+420 224 919 293/ +420 224 915 402
Denmark	+ 45 8212 1212
Estonia	16662/ (+372) 7943 794
Finland	0800 147 111/ 09 471 977
France	+33 (0)1 45 42 59 59
Germany	+49 228 192 40
Greece	(003) 2107793777
Hungary	+36 80 201 199
Iceland	543 2222
Ireland	01 809 2166
Italy	0382-24444
Latvia	+371 67042473
Liechtenstein	01 406 43 43
Lithuania	+370 (85) 2362052
Luxembourg	(+352) 8002 5500
Malta	112
Netherlands	+31 (0)88 755 8000
Norway	22 59 13 00
Poland	112
Portugal	+351 800 250 250
Romania	+40213183606
Slovakia	+421 2 5477 4166
Slovenia	112
Spain	+34 91 562 04 20
Sweden	112
Switzerland	145
United Kingdom	111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixtureClassification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity - Inhalation (Dusts/Mists)	Category 4 - (H332)
Skin corrosion	Category 1 Sub-category A - (H314)
Serious eye damage	Category 1 - (H318)
Skin sensitization	Category 1 - (H317)
Specific target organ toxicity (single exposure)	Category 3 - (H335)
Category 3 Target organ effects: Respiratory irritation.	·
Acute aquatic toxicity	Category 1 - (H400)
Chronic aquatic toxicity	Category 1 - (H410)

2.2. Label elementsContains Acrylic acid; CUMENE HYDROPEROXIDE; 2-Hydroxyethyl methacrylate





Signal word

Danger

Hazard statements

H314 - Causes severe skin burns and eye damage.

H317 - May cause an allergic skin reaction.

H332 - Harmful if inhaled.

H335 - May cause respiratory irritation.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary Statements - EU (§28, 1272/2008)

P260 - Do not breathe dust/fume/gas/mist/vapors/spray.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing and eye/face protection.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER or doctor.

P391 - Collect spillage.

Unknown acute toxicity

97 % of the mixture consists of ingredient(s) of unknown acute toxicity.

1.5 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.

50.87 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

97 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).

97 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).

87.03 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Unknown aquatic toxicity

Contains 0 % of components with unknown hazards to the aquatic environment.

Additional information

This product requires child resistant fastenings if supplied to the general public. This product requires tactile warnings if supplied to the general public.

2.3. Other hazards

Other hazards No information available.

PBT & vPvB The components in this formulation do not meet the criteria for classification as PBT or

vPvB.

Endocrine Disruptor InformationThis product does not contain any known or suspected endocrine disruptors.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical name	Weight-%	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-ter m)	Notes
Acrylic acid 79-10-7	5-10%	No data available	201-177-9 (607-061-00-8)	Flam. Liq. 3 (H226) Acute Tox. 4 (H302) Acute Tox. 4 (H312) Skin Corr. 1A (H314) Acute Tox. 4 (H332) Aquatic Acute 1 (H400)	STOT SE 3 :: C>=1%	-	-	D
CUMENE HYDROPEROXIDE 80-15-9	1-5%	No data available	201-254-7 (617-002-00-8)	Org. Perox. E (H242) Acute Tox. 4 (H302) Acute Tox. 4 (H312) Skin Corr. 1B (H314) Acute Tox. 3 (H331) STOT RE 2 (H373) Aquatic Chronic 2 (H411)	Skin Corr. 1B		-	-
2-Hydroxyethyl methacrylate 868-77-9	1-5%	No data available	212-782-2 (607-124-00-X)	Skin Irrit. 2 (H315) Skin Sens. 1 (H317) Eye Irrit. 2 (H319)	-	-	-	D
PROPYLENE GLYCOL 57-55-6	0.1-1%	No data available	200-338-0	No data available	-	-	-	-
1-ACETYL-2-PHENY LHYDRAZINE 114-83-0	0.1-1%	No data available	204-055-3	No data available	-	-	-	-
1,4-NAPHTHOQUIN ONE 130-15-4	<0.1%	No data available	204-977-6	No data available	-	-	-	-

Note D - Certain substances which are susceptible to spontaneous polymerization or decomposition are generally placed on the market in a stabilized form. It is in this form that they are listed in Part 3 of Annex VI to Regulation (EC) No 1272/2008. However, such substances are sometimes placed on the market in a non-stabilized form. In this case, the supplier who places such a substance on the market must state on the label the name of the substance followed by the words "non-stabilized".

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg		Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapor - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Acrylic acid 79-10-7	193	2000	3.6 2.775	No data available	No data available
CUMENE HYDROPEROXIDE 80-15-9	382	133.56	No data available	No data available	No data available
2-Hydroxyethyl methacrylate 868-77-9	5564	5000	No data available	No data available	No data available
PROPYLENE GLYCOL	20000	20800	No data available	No data available	No data available

Chemical name	Oral LD50 mg/kg	Dermal LD50	Inhalation LC50 - 4	Inhalation LC50 - 4	Inhalation LC50 - 4
		mg/kg	hour - dust/mist - mg/L	hour - vapor - mg/L	hour - gas - ppm
57-55-6					
1,4-NAPHTHOQUINONE 130-15-4	190	No data available	No data available	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59).

Section 4: First aid measures

4.1. Description of first aid measures

General advice Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

Inhalation Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical

attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel

should) give oxygen. Delayed pulmonary edema may occur.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present

and easy to do. Continue rinsing. Get immediate medical attention.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes. Get immediate medical attention. May cause an allergic skin reaction.

Ingestion Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. Get immediate medical attention.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Avoid breathing vapors or mists. Use personal protective equipment as required. See

section 8 for more information.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation. Itching. Rashes. Hives. Coughing and/ or wheezing. Difficulty in

breathing.

Effects of Exposure No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. May cause

sensitization in susceptible persons. Treat symptomatically.

Section 5: Firefighting measures

Revision Date 15-Oct-2024

5.1. Extinguishing media

surrounding environment.

Small Fire In case of fire, use water spray, foam, dry chemical, or CO2. **Large Fire** In case of fire, use water spray, foam, dry chemical, or CO2.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. Product is or contains a sensitizer. May

cause sensitization by skin contact.

Hazardous combustion products No information available

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate

ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Avoid breathing vapors or mists.

Other information Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Should not be released into the

environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before

reuse. Avoid breathing vapors or mists.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from

moisture. Store locked up. Keep out of the reach of children. Store away from other

materials.

Packaging materials No information available.

Storage class (TRGS 510) Storage class 8A.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other Information

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Acrylic acid 79-10-7	TWA: 29 mg/m ³ TWA: 10 ppm	TWA: 10 ppm TWA: 29 mg/m ³	TWA: 2 ppm TWA: 6.0 mg/m ³	TWA: 29 mg/m ³ TWA: 10 ppm	TWA: 10 ppm TWA: 29 mg/m ³
	STEL: 59 mg/m³ STEL: 20 ppm	STEL 20 ppm STEL 59 mg/m ³	STEL: 20 ppm STEL: 59 mg/m³ Sk*	STEL: 59 mg/m ³ STEL: 20 ppm	STEL: 20 ppm STEL: 59 mg/m ³
PROPYLENE GLYCOL 57-55-6	-	-	-	-	TWA: 150 ppm TWA: 474 mg/m ³ TWA: 10 mg/m ³
1,4-NAPHTHOQUINONE 130-15-4	-	-	-	TWA: 0.1 mg/m ³	-
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Chemical name Acrylic acid 79-10-7	Cyprus TWA: 29 mg/m³ TWA: 10 ppm STEL: 59 mg/m³ STEL: 20 ppm	Czech Republic TWA: 30 mg/m³ Ceiling: 60 mg/m³	Denmark TWA: 2 ppm TWA: 5.9 mg/m³ STEL: 20 ppm 1 minute STEL: 59 mg/m³ 1 minute Sk*	Estonia TWA: 10 ppm TWA: 29 mg/m³ STEL: 20 ppm STEL: 59 mg/m³	Finland TWA: 2 ppm TWA: 6 mg/m³ Ceiling: 15 ppm Ceiling: 45 mg/m³
Acrylic acid	TWA: 29 mg/m ³ TWA: 10 ppm STEL: 59 mg/m ³	TWA: 30 mg/m ³	TWA: 2 ppm TWA: 5.9 mg/m³ STEL: 20 ppm 1 minute STEL: 59 mg/m³ 1 minute	TWA: 10 ppm TWA: 29 mg/m³ STEL: 20 ppm	TWA: 2 ppm TWA: 6 mg/m³ Ceiling: 15 ppm
Acrylic acid 79-10-7	TWA: 29 mg/m³ TWA: 10 ppm STEL: 59 mg/m³ STEL: 20 ppm	TWA: 30 mg/m ³ Ceiling: 60 mg/m ³	TWA: 2 ppm TWA: 5.9 mg/m³ STEL: 20 ppm 1 minute STEL: 59 mg/m³ 1 minute Sk*	TWA: 10 ppm TWA: 29 mg/m³ STEL: 20 ppm STEL: 59 mg/m³	TWA: 2 ppm TWA: 6 mg/m ³ Ceiling: 15 ppm Ceiling: 45 mg/m ³

PTX194319X - 81844 REARVIEW MIRROR ADHESIVE KIT PART 1

	STEL: 20			Peak: 10 ppm	STEL: 2	20 ppm	STEL: 20 ppm
2-Hydroxyethyl	STEL: 59	mg/m ³	_	Peak: 30 mg/m ³ skin sensitizer	STEL: 59	a mg/m ³	STEL: 59 mg/m ³
methacrylate				31111 30113111201			_
868-77-9							
Chemical name	Irelar		Italy MDLPS	Italy AIDII	Lat		Lithuania
Acrylic acid	TWA: 10		TWA: 29 ppm	TWA: 2 ppm	TWA: 5		TWA: 10 ppm
79-10-7	TWA: 29 STEL: 20		TWA: 10 mg/m³ STEL: 59 ppm	TWA: 6 mg/m³ Sk*	TWA: 1 STEL: 59		TWA: 29 mg/m ³ Ceiling: 59 mg/m ³
	STEL: 59		STEL: 20 mg/m ³	OK .	STEL: 2		Ceiling: 20 ppm
			Sk*				
CUMENE	-		-	-	TWA: 1	mg/m³	TWA: 1 mg/m ³
HYDROPEROXIDE 80-15-9							Sk*
2-Hydroxyethyl	_		-	-	_		TWA: 20 mg/m ³
methacrylate							J+
868-77-9							
PROPYLENE GLYCOL	TWA: 10		-	-	TWA: 7	mg/m³	TWA: 7 mg/m ³
57-55-6	TWA: 150 TWA: 470						
	STEL: 1410						
	STEL: 30						
4 AOET// O DUEN// LIV	STEL: 45	0 ppm					TMA 0.040 / 3
1-ACETYL-2-PHENYLHY DRAZINE	-		-	-	-		TWA: 0.013 mg/m ³ TWA: 0.01 ppm
114-83-0							Sk*
							J+
1,4-NAPHTHOQUINONE 130-15-4	-		-	-	TWA: 0.	1 mg/m ³	TWA: 0.1 mg/m³ Sk*
Chemical name	Luxemb		Malta	Netherlands	Norv		Poland
Acrylic acid	TWA: 29	mg/m³	TWA: 10 ppm	TWA: 10 ppm	TWA: 1	0 ppm	TWA: 10 mg/m ³
	TWA: 29 TWA: 10	mg/m³) ppm	TWA: 10 ppm TWA: 29 mg/m ³	TWA: 10 ppm TWA: 29 mg/m ³	TWA: 1 TWA: 29	0 ppm 0 mg/m ³	TWA: 10 mg/m ³ STEL: 29.5 mg/m ³
Acrylic acid	TWA: 29 TWA: 10 STEL: 59	mg/m³) ppm mg/m³	TWA: 10 ppm TWA: 29 mg/m³ STEL: 20 ppm	TWA: 10 ppm TWA: 29 mg/m³ STEL: 202 ppm	TWA: 1 TWA: 29 STEL: 2	0 ppm 0 mg/m³ 20 ppm	TWA: 10 mg/m ³
Acrylic acid 79-10-7	TWA: 29 TWA: 10	mg/m³) ppm mg/m³	TWA: 10 ppm TWA: 29 mg/m ³	TWA: 10 ppm TWA: 29 mg/m ³	TWA: 1 TWA: 29 STEL: 29 STEL: 59	0 ppm 0 mg/m ³ 20 ppm 0 mg/m ³ +	TWA: 10 mg/m ³ STEL: 29.5 mg/m ³
Acrylic acid 79-10-7 2-Hydroxyethyl	TWA: 29 TWA: 10 STEL: 59	mg/m³) ppm mg/m³	TWA: 10 ppm TWA: 29 mg/m³ STEL: 20 ppm	TWA: 10 ppm TWA: 29 mg/m³ STEL: 202 ppm	TWA: 1 TWA: 29 STEL: 2 STEL: 59 A- TWA: 2	0 ppm 0 mg/m ³ 20 ppm 0 mg/m ³ + 2 ppm	TWA: 10 mg/m ³ STEL: 29.5 mg/m ³
Acrylic acid 79-10-7 2-Hydroxyethyl methacrylate	TWA: 29 TWA: 10 STEL: 59	mg/m³) ppm mg/m³	TWA: 10 ppm TWA: 29 mg/m³ STEL: 20 ppm	TWA: 10 ppm TWA: 29 mg/m³ STEL: 202 ppm	TWA: 1 TWA: 29 STEL: 2 STEL: 59 A- TWA: 1	0 ppm 0 mg/m ³ 20 ppm 0 mg/m ³ + 2 ppm mg/m ³	TWA: 10 mg/m ³ STEL: 29.5 mg/m ³
Acrylic acid 79-10-7 2-Hydroxyethyl	TWA: 29 TWA: 10 STEL: 59	mg/m³) ppm mg/m³	TWA: 10 ppm TWA: 29 mg/m³ STEL: 20 ppm	TWA: 10 ppm TWA: 29 mg/m³ STEL: 202 ppm	TWA: 1 TWA: 29 STEL: 2 STEL: 59 A: TWA: 2 TWA: 11 STEL:	0 ppm 0 mg/m ³ 20 ppm 0 mg/m ³ + 2 ppm mg/m ³ 4 ppm	TWA: 10 mg/m ³ STEL: 29.5 mg/m ³
Acrylic acid 79-10-7 2-Hydroxyethyl methacrylate 868-77-9	TWA: 29 TWA: 10 STEL: 59	mg/m³) ppm mg/m³	TWA: 10 ppm TWA: 29 mg/m³ STEL: 20 ppm	TWA: 10 ppm TWA: 29 mg/m³ STEL: 202 ppm	TWA: 1 TWA: 29 STEL: 29 STEL: 59 A: TWA: 21 TWA: 11 STEL: STEL: 16	0 ppm 0 mg/m³ 20 ppm 0 mg/m³ + 2 ppm mg/m³ 4 ppm .5 mg/m³ +	TWA: 10 mg/m³ STEL: 29.5 mg/m³ Sk*
Acrylic acid 79-10-7 2-Hydroxyethyl methacrylate 868-77-9 PROPYLENE GLYCOL	TWA: 29 TWA: 10 STEL: 59	mg/m³) ppm mg/m³	TWA: 10 ppm TWA: 29 mg/m³ STEL: 20 ppm	TWA: 10 ppm TWA: 29 mg/m³ STEL: 202 ppm	TWA: 1 TWA: 29 STEL: 29 STEL: 59 A: TWA: 21 STEL: 4 STEL: 46 A: TWA: 2	0 ppm 9 mg/m³ 20 ppm 9 mg/m³ + 2 ppm mg/m³ 4 ppm -5 mg/m³ +	TWA: 10 mg/m ³ STEL: 29.5 mg/m ³
Acrylic acid 79-10-7 2-Hydroxyethyl methacrylate 868-77-9	TWA: 29 TWA: 10 STEL: 59	mg/m³) ppm mg/m³	TWA: 10 ppm TWA: 29 mg/m³ STEL: 20 ppm	TWA: 10 ppm TWA: 29 mg/m³ STEL: 202 ppm	TWA: 1 TWA: 29 STEL: 59 A- TWA: 2 TWA: 11 STEL: 5 STEL: 16 A- TWA: 2 TWA: 79	0 ppm 0 mg/m³ 20 ppm 0 mg/m³ + 2 ppm 1 mg/m³ 4 ppm 5 mg/m³ 1 mg/m³	TWA: 10 mg/m³ STEL: 29.5 mg/m³ Sk*
Acrylic acid 79-10-7 2-Hydroxyethyl methacrylate 868-77-9 PROPYLENE GLYCOL	TWA: 29 TWA: 10 STEL: 59	mg/m³) ppm mg/m³	TWA: 10 ppm TWA: 29 mg/m³ STEL: 20 ppm	TWA: 10 ppm TWA: 29 mg/m³ STEL: 202 ppm	TWA: 1 TWA: 29 STEL: 59 A- TWA: 2 TWA: 11 STEL: 4 STEL: 16 A- TWA: 2 TWA: 79 STEL: 3	0 ppm 0 mg/m ³ 20 ppm 0 mg/m ³ + 2 ppm mg/m ³ 4 ppm .5 mg/m ³ + 5 ppm 0 mg/m ³ 7.5 ppm	TWA: 10 mg/m³ STEL: 29.5 mg/m³ Sk*
Acrylic acid 79-10-7 2-Hydroxyethyl methacrylate 868-77-9 PROPYLENE GLYCOL	TWA: 29 TWA: 10 STEL: 59	mg/m ³) ppm mg/m ³) ppm	TWA: 10 ppm TWA: 29 mg/m³ STEL: 20 ppm	TWA: 10 ppm TWA: 29 mg/m³ STEL: 202 ppm	TWA: 1 TWA: 29 STEL: 59 A- TWA: 2 TWA: 11 STEL: 5 STEL: 16 A- TWA: 2 TWA: 79	0 ppm 9 mg/m³ 20 ppm 9 mg/m³ + 2 ppm mg/m³ 4 ppm .5 mg/m³ + 5 ppm 0 mg/m³ 7.5 ppm 8.5 mg/m³	TWA: 10 mg/m³ STEL: 29.5 mg/m³ Sk*
Acrylic acid 79-10-7 2-Hydroxyethyl methacrylate 868-77-9 PROPYLENE GLYCOL 57-55-6 Chemical name Acrylic acid	TWA: 29 TWA: 10 STEL: 59 STEL: 20	mg/m ³) ppm mg/m ³) ppm) ppm	TWA: 10 ppm TWA: 29 mg/m³ STEL: 20 ppm STEL: 59 mg/m³ Romania TWA: 10 ppm	TWA: 10 ppm TWA: 29 mg/m³ STEL: 202 ppm STEL: 59 mg/m³ Slovakia TWA: 10 ppm	TWA: 1 TWA: 29 STEL: 25 STEL: 59 AA TWA: 11 STEL: 16 AB TWA: 22 TWA: 79 STEL: 31 STEL: 118 Slove TWA: 29	0 ppm 9 mg/m³ 20 ppm 9 mg/m³ + 2 ppm mg/m³ 4 ppm .5 mg/m³ + 5 ppm 9 mg/m³ 7.5 ppm 8.5 mg/m³ enia 9 mg/m³	TWA: 10 mg/m³ STEL: 29.5 mg/m³ Sk* - TWA: 100 mg/m³ Spain TWA: 10 ppm
Acrylic acid 79-10-7 2-Hydroxyethyl methacrylate 868-77-9 PROPYLENE GLYCOL 57-55-6 Chemical name	TWA: 29 TWA: 10 STEL: 59 STEL: 20 - - Portug TWA: 10 TWA: 29	mg/m ³) ppm mg/m ³) ppm) ppm gal) ppm mg/m ³	TWA: 10 ppm TWA: 29 mg/m³ STEL: 20 ppm STEL: 59 mg/m³ - Romania TWA: 10 ppm TWA: 29 mg/m³	TWA: 10 ppm TWA: 29 mg/m³ STEL: 202 ppm STEL: 59 mg/m³ - Slovakia TWA: 10 ppm TWA: 29 mg/m³	TWA: 1 TWA: 29 STEL: 29 STEL: 59 AA TWA: 11 STEL: 16 AB TWA: 29 TWA: 79 STEL: 31 STEL: 118 Slove TWA: 29 TWA: 29	0 ppm 9 mg/m³ 20 ppm 9 mg/m³ + 2 ppm mg/m³ 4 ppm .5 mg/m³ + 5 ppm 9 mg/m³ 7.5 ppm 8.5 mg/m³ enia 9 mg/m³ 0 ppm	TWA: 10 mg/m³ STEL: 29.5 mg/m³ Sk* - TWA: 100 mg/m³ Spain TWA: 10 ppm TWA: 29 mg/m³
Acrylic acid 79-10-7 2-Hydroxyethyl methacrylate 868-77-9 PROPYLENE GLYCOL 57-55-6 Chemical name Acrylic acid	Portug TWA: 29 TWA: 10 STEL: 59 STEL: 20 TWA: 10 TWA: 29 STEL: 59	mg/m³) ppm mg/m³) ppm gal) ppm mg/m³ mg/m³	TWA: 10 ppm TWA: 29 mg/m³ STEL: 20 ppm STEL: 59 mg/m³ - Romania TWA: 10 ppm TWA: 29 mg/m³ STEL: 20 ppm	TWA: 10 ppm TWA: 29 mg/m³ STEL: 202 ppm STEL: 59 mg/m³ Slovakia TWA: 10 ppm	TWA: 1 TWA: 29 STEL: 25 STEL: 59 AA TWA: 11 STEL: 16 AA TWA: 22 TWA: 79 STEL: 31 STEL: 118 Slowe TWA: 29 TWA: 1 STEL: 2	0 ppm 0 mg/m³ 20 ppm 9 mg/m³ + 2 ppm mg/m³ 4 ppm .5 mg/m³ + 5 ppm 0 mg/m³ 7.5 ppm 8.5 mg/m³ enia 0 mg/m³ 0 ppm 20 ppm	TWA: 10 mg/m³ STEL: 29.5 mg/m³ Sk* - TWA: 100 mg/m³ Spain TWA: 10 ppm TWA: 29 mg/m³ STEL: 20 ppm
Acrylic acid 79-10-7 2-Hydroxyethyl methacrylate 868-77-9 PROPYLENE GLYCOL 57-55-6 Chemical name Acrylic acid	TWA: 29 TWA: 10 STEL: 59 STEL: 20 - - Portug TWA: 10 TWA: 29	mg/m³) ppm mg/m³) ppm gal) ppm mg/m³ mg/m³) ppm	TWA: 10 ppm TWA: 29 mg/m³ STEL: 20 ppm STEL: 59 mg/m³ - Romania TWA: 10 ppm TWA: 29 mg/m³	TWA: 10 ppm TWA: 29 mg/m³ STEL: 202 ppm STEL: 59 mg/m³ - Slovakia TWA: 10 ppm TWA: 29 mg/m³	TWA: 1 TWA: 29 STEL: 29 STEL: 59 A: TWA: 11 STEL: 16 A: TWA: 79 STEL: 37 STEL: 118 Slow TWA: 29 TWA: 1 STEL: 2 STEL: 2 STEL: 5	0 ppm 0 mg/m³ 20 ppm 9 mg/m³ + 2 ppm mg/m³ 4 ppm 5 mg/m³ + 5 ppm 0 mg/m³ 7.5 ppm 8.5 mg/m³ o mg/m³ 0 ppm 20 ppm 9 mg/m³	TWA: 10 mg/m³ STEL: 29.5 mg/m³ Sk* - TWA: 100 mg/m³ Spain TWA: 10 ppm TWA: 29 mg/m³
Acrylic acid 79-10-7 2-Hydroxyethyl methacrylate 868-77-9 PROPYLENE GLYCOL 57-55-6 Chemical name Acrylic acid 79-10-7 Chemical name	Portug TWA: 29 TWA: 10 STEL: 59 STEL: 20 TWA: 10 TWA: 29 STEL: 59 STEL: 20 Sk*	gal) ppm gal) ppm mg/m³) ppm mg/m³ mg/m³) ppm	TWA: 10 ppm TWA: 29 mg/m³ STEL: 20 ppm STEL: 59 mg/m³ - Romania TWA: 10 ppm TWA: 29 mg/m³ STEL: 20 ppm STEL: 59 mg/m³ STEL: 59 mg/m³ STEL: 59 mg/m³	TWA: 10 ppm TWA: 29 mg/m³ STEL: 202 ppm STEL: 59 mg/m³ - Slovakia TWA: 10 ppm TWA: 29 mg/m³ Ceiling: 59 mg/m³ Switzerlar	TWA: 1 TWA: 29 STEL: 29 STEL: 59 A: TWA: 11 STEL: 16 A: TWA: 79 STEL: 37 STEL: 118 Slove TWA: 1 STEL: 2 STEL: 2 STEL: 5	0 ppm 0 mg/m³ 20 ppm 9 mg/m³ + 2 ppm mg/m³ 4 ppm .5 mg/m³ + 5 ppm 0 mg/m³ 7.5 ppm 8.5 mg/m³ enia 0 ppm 20 ppm 9 mg/m³ 5 mg/m³	TWA: 10 mg/m³ STEL: 29.5 mg/m³ Sk* - TWA: 100 mg/m³ TWA: 100 ppm TWA: 29 mg/m³ STEL: 20 ppm STEL: 59 mg/m³ Sk* iited Kingdom
2-Hydroxyethyl methacrylate 868-77-9 PROPYLENE GLYCOL 57-55-6 Chemical name Acrylic acid 79-10-7 Chemical name Acrylic acid	Portug TWA: 29 TWA: 10 STEL: 59 STEL: 20 TWA: 10 TWA: 29 STEL: 59 STEL: 20 Sk*	gal) ppm mg/m³) ppm) ppm mg/m³ mg/m³) ppm	TWA: 10 ppm TWA: 29 mg/m³ STEL: 20 ppm STEL: 59 mg/m³ - Romania TWA: 10 ppm TWA: 29 mg/m³ STEL: 20 ppm STEL: 59 mg/m³ STEL: 59 mg/m³ STEL: 10 ppm	TWA: 10 ppm TWA: 29 mg/m³ STEL: 202 ppm STEL: 59 mg/m³ - Slovakia TWA: 10 ppm TWA: 29 mg/m³ Ceiling: 59 mg/m³ Switzerlar TWA: 10 pp	TWA: 1 TWA: 29 STEL: 29 STEL: 59 A: TWA: 11 STEL: 16 A: TWA: 79 STEL: 33 STEL: 118 Slove TWA: 1 STEL: 2 STEL: 2 STEL: 5 Skend	0 ppm 0 mg/m³ 20 ppm 9 mg/m³ + 2 ppm mg/m³ 4 ppm .5 mg/m³ + 5 ppm 0 mg/m³ 7.5 ppm 8.5 mg/m³ enia 0 ppm 20 ppm 20 ppm 3 mg/m³ 5 mg/m³ Coppm 3 mg/m³ 6 mg/m³	TWA: 10 mg/m³ STEL: 29.5 mg/m³ Sk* - TWA: 100 mg/m³ TWA: 10 ppm TWA: 29 mg/m³ STEL: 20 ppm STEL: 59 mg/m³ Sk* sited Kingdom WA: 10 ppm
Acrylic acid 79-10-7 2-Hydroxyethyl methacrylate 868-77-9 PROPYLENE GLYCOL 57-55-6 Chemical name Acrylic acid 79-10-7 Chemical name	Portug TWA: 29 TWA: 10 STEL: 59 STEL: 20 TWA: 10 TWA: 29 STEL: 59 STEL: 20 Sk*	mg/m³) ppm mg/m³) ppm) ppm mg/m³ mg/m³) ppm mg/m³	TWA: 10 ppm TWA: 29 mg/m³ STEL: 20 ppm STEL: 59 mg/m³ - Romania TWA: 10 ppm TWA: 29 mg/m³ STEL: 20 ppm STEL: 59 mg/m³ STEL: 59 mg/m³ STEL: 20 ppm STEL: 59 mg/m³	TWA: 10 ppm TWA: 29 mg/m³ STEL: 202 ppm STEL: 59 mg/m³ - Slovakia TWA: 10 ppm TWA: 29 mg/m³ Ceiling: 59 mg/m³ Switzerlar TWA: 10 pp TWA: 29 mg/m³	TWA: 1 TWA: 29 STEL: 29 STEL: 59 A: TWA: 11 STEL: 16 A: TWA: 29 TWA: 79 STEL: 33 STEL: 118 Slove TWA: 29 TWA: 1 STEL: 2 STEL: 5 Skell om g/m³	0 ppm 0 mg/m³ 20 ppm 9 mg/m³ + 2 ppm mg/m³ 4 ppm .5 mg/m³ + 5 ppm 0 mg/m³ 7.5 ppm 3.5 mg/m³ enia 0 ppm 20 ppm 20 ppm 3 mg/m³ * Un	TWA: 10 mg/m³ STEL: 29.5 mg/m³ Sk* - TWA: 100 mg/m³ TWA: 10 ppm TWA: 29 mg/m³ STEL: 20 ppm STEL: 59 mg/m³ SK* iited Kingdom WA: 10 ppm VA: 29 mg/m³
2-Hydroxyethyl methacrylate 868-77-9 PROPYLENE GLYCOL 57-55-6 Chemical name Acrylic acid 79-10-7 Chemical name Acrylic acid	Portug TWA: 29 TWA: 10 STEL: 59 STEL: 20 TWA: 10 TWA: 29 STEL: 59 STEL: 20 Sk*	mg/m³) ppm mg/m³) ppm) ppm mg/m³ mg/m³) ppm mg/m³ Binda	TWA: 10 ppm TWA: 29 mg/m³ STEL: 20 ppm STEL: 59 mg/m³ - Romania TWA: 10 ppm TWA: 29 mg/m³ STEL: 20 ppm STEL: 59 mg/m³ STEL: 20 ppm STEL: 59 mg/m³ ande KGV: 20 ppm	TWA: 10 ppm TWA: 29 mg/m³ STEL: 202 ppm STEL: 59 mg/m³ - Slovakia TWA: 10 ppm TWA: 29 mg/m³ Ceiling: 59 mg/m³ Switzerlar TWA: 10 pp TWA: 29 mg STEL: 20 p	TWA: 1 TWA: 29 STEL: 29 STEL: 59 A: TWA: 11 STEL: 16 A: TWA: 29 TWA: 79 STEL: 31 STEL: 118 Slove TWA: 29 TWA: 1 STEL: 2 STEL: 5 Skeet om g/m³ pm	0 ppm 0 mg/m³ 20 ppm 9 mg/m³ + 2 ppm mg/m³ 4 ppm 5 mg/m³ + 5 ppm 8.5 mg/m³ 7.5 ppm 8.5 mg/m³ 0 ppm 20 ppm 9 mg/m³ ** Try Si	TWA: 10 mg/m³ STEL: 29.5 mg/m³ Sk* - TWA: 100 mg/m³ TWA: 10 ppm TWA: 29 mg/m³ STEL: 20 ppm STEL: 59 mg/m³ Sk* sited Kingdom WA: 10 ppm VA: 29 mg/m³ TEL: 20 ppm
2-Hydroxyethyl methacrylate 868-77-9 PROPYLENE GLYCOL 57-55-6 Chemical name Acrylic acid 79-10-7 Chemical name Acrylic acid	Portug TWA: 29 TWA: 10 STEL: 59 STEL: 20 TWA: 10 TWA: 29 STEL: 59 STEL: 20 Sk*	mg/m³) ppm mg/m³) ppm) ppm mg/m³ mg/m³) ppm mg/m³ Binda	TWA: 10 ppm TWA: 29 mg/m³ STEL: 20 ppm STEL: 59 mg/m³ - Romania TWA: 10 ppm TWA: 29 mg/m³ STEL: 20 ppm STEL: 59 mg/m³ STEL: 59 mg/m³ STEL: 20 ppm STEL: 59 mg/m³	TWA: 10 ppm TWA: 29 mg/m³ STEL: 202 ppm STEL: 59 mg/m³ - Slovakia TWA: 10 ppm TWA: 29 mg/m³ Ceiling: 59 mg/m³ Switzerlar TWA: 10 pp TWA: 29 mg/m³	TWA: 1 TWA: 29 STEL: 29 STEL: 59 A: TWA: 11 STEL: 16 A: TWA: 29 TWA: 79 STEL: 31 STEL: 118 Slove TWA: 29 TWA: 1 STEL: 2 STEL: 5 Skeet om g/m³ pm	0 ppm 0 mg/m³ 20 ppm 9 mg/m³ + 2 ppm mg/m³ 4 ppm 5 mg/m³ + 5 ppm 8.5 mg/m³ 7.5 ppm 8.5 mg/m³ 0 ppm 20 ppm 9 mg/m³ ** Try Si	TWA: 10 mg/m³ STEL: 29.5 mg/m³ Sk* - TWA: 100 mg/m³ TWA: 100 ppm TWA: 29 mg/m³ STEL: 20 ppm STEL: 59 mg/m³ Sk* sited Kingdom WA: 10 ppm VA: 29 mg/m³
2-Hydroxyethyl methacrylate 868-77-9 PROPYLENE GLYCOL 57-55-6 Chemical name Acrylic acid 79-10-7 Chemical name Acrylic acid	Portug TWA: 29 TWA: 10 STEL: 59 STEL: 20 TWA: 10 TWA: 10 TWA: 29 STEL: 59 STEL: 20 Sk*	mg/m³) ppm mg/m³) ppm) ppm mg/m³ mg/m³) ppm mg/m³ Binda	TWA: 10 ppm TWA: 29 mg/m³ STEL: 20 ppm STEL: 59 mg/m³ - Romania TWA: 10 ppm TWA: 29 mg/m³ STEL: 20 ppm STEL: 59 mg/m³ STEL: 20 ppm STEL: 59 mg/m³ ande KGV: 20 ppm	TWA: 10 ppm TWA: 29 mg/m³ STEL: 202 ppm STEL: 59 mg/m³ - Slovakia TWA: 10 ppm TWA: 29 mg/m³ Ceiling: 59 mg/m³ Switzerlar TWA: 10 pp TWA: 29 mg STEL: 20 p STEL: 59 mg	TWA: 1 TWA: 29 STEL: 29 STEL: 59 A: TWA: 11 STEL: 16 A: TWA: 29 TWA: 79 STEL: 31 STEL: 118 Slove TWA: 29 TWA: 1 STEL: 2 STEL: 5 Skeet om g/m³ pm	0 ppm 0 mg/m³ 20 ppm 9 mg/m³ + 2 ppm mg/m³ 4 ppm 5 mg/m³ + 5 ppm 8.5 mg/m³ 7.5 ppm 8.5 mg/m³ 0 ppm 20 ppm 9 mg/m³ ** Try Si	TWA: 10 mg/m³ STEL: 29.5 mg/m³ Sk* - TWA: 100 mg/m³ TWA: 10 ppm TWA: 29 mg/m³ STEL: 20 ppm STEL: 59 mg/m³ Sk* sited Kingdom WA: 10 ppm VA: 29 mg/m³ TEL: 20 ppm

Revision Date	15-Oct-2024
---------------	-------------

PROPYLENE GLYCOL	-	-	TWA: 150 ppm
57-55-6			TWA: 474 mg/m ³
			TWA: 10 mg/m ³
			STEL: 450 ppm
			STEL: 1422 mg/m ³
			STEL: 30 mg/m ³

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
ALIPHATIC URETHANE METHACRYLATE 3290-92-4	-	42 mg/kg bw/day [4] [6] 9.33 mg/cm2 [5] [6]	14.81 mg/m³ [4] [6]
HYDROXYALKYL METHACRYLATE 27813-02-1	-	4.2 mg/kg bw/day [4] [6]	14.7 mg/m³ [4] [6]
Acrylic acid 79-10-7	-	1 mg/cm2 [5] [6] 1 mg/cm2 [5] [7]	30 mg/m³ [4] [6] 30 mg/m³ [4] [7] 30 mg/m³ [5] [6] 30 mg/m³ [5] [7]
CUMENE HYDROPEROXIDE 80-15-9	-	-	6 mg/m³ [4] [6]
2-Hydroxyethyl methacrylate 868-77-9	-	1.3 mg/kg bw/day [4] [6]	4.9 mg/m³ [4] [6]
SACCHARIN 81-07-2	-	18.75 mg/kg bw/day [4] [6]	131.3 mg/m³ [4] [6]
PROPYLENE GLYCOL 57-55-6	-	-	168 mg/m³ [4] [6] 10 mg/m³ [5] [6]
1,4-NAPHTHOQUINONE 130-15-4	-	-	0.0329 mg/m³ [4] [6]

Notes

[7]

[4] Systemic health effects.[5] Local health effects.[6] Long term.

Short term.

Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
ALIPHATIC URETHANE METHACRYLATE 3290-92-4	1.5 mg/kg bw/day [4] [6]	4.67 mg/cm2 [5] [6]	2.6 mg/m³ [4] [6]
HYDROXYALKYL METHACRYLATE 27813-02-1	2.5 mg/kg bw/day [4] [6]	-	8.8 mg/m³ [4] [6]
Acrylic acid 79-10-7	-	1 mg/cm2 [5] [6] 1 mg/cm2 [5] [7]	3.6 mg/m³ [4] [6] 3.6 mg/m³ [4] [7] 3.6 mg/m³ [5] [6] 3.6 mg/m³ [5] [7]
2-Hydroxyethyl methacrylate 868-77-9	0.83 mg/kg bw/day [4] [6]	-	2.9 mg/m³ [4] [6]
SACCHARIN 81-07-2	12.5 mg/kg bw/day [4] [6]	-	50 mg/m³ [4] [6]

PTX194319X - 81844 REARVIEW MIRROR ADHESIVE KIT PART 1

Chemical name	Oral	Dermal	Inhalation
PROPYLENE GLYCOL	-	-	50 mg/m³ [4] [6]
57-55-6			10 mg/m³ [5] [6]

Notes

[4] Systemic health effects.
[5] Local health effects.
[6] Long term.
[7] Short term.

Predicted No Effect Concentration (PNEC)

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
ALIPHATIC URETHANE METHACRYLATE 3290-92-4	2.76 μg/L	20 μg/L	0.276 μg/L	-	-
HYDROXYALKYL METHACRYLATE 27813-02-1	0.904 mg/L	0.972 mg/L	0.904 mg/L	0.972 mg/L	-
Acrylic acid 79-10-7	0.003 mg/L	0.0013 mg/L	0.0003 mg/L	-	-
CUMENE HYDROPEROXIDE 80-15-9	0.0031 mg/L	0.031 mg/L	0.00031 mg/L	-	-
2-Hydroxyethyl methacrylate 868-77-9	0.482 mg/L	1 mg/L	0.482 mg/L	1 mg/L	-
SACCHARIN 81-07-2	5 mg/L	50 mg/L	0.5 mg/L	-	-
GAMMA-AMINOPROPYL TRIMETHOXYSILANE 13822-56-5	0.5 mg/L	2.05 mg/L	0.05 mg/L	-	-
PROPYLENE GLYCOL 57-55-6	260 mg/L	183 mg/L	26 mg/L	-	-
1,4-NAPHTHOQUINONE 130-15-4	26.1 ng/L	261 ng/L	2.61 ng/L	26.1 ng/L	-

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
ALIPHATIC URETHANE METHACRYLATE 3290-92-4	0.4951 mg/kg sediment dw	0.04951 mg/kg sediment dw	10 mg/L	0.0974 mg/kg soil dw	-
HYDROXYALKYL METHACRYLATE 27813-02-1	6.28 mg/kg sediment dw	6.28 mg/kg sediment dw	10 mg/L	0.727 mg/kg soil dw	-
Acrylic acid 79-10-7	0.0236 mg/kg sediment dw	0.002346 mg/kg sediment dw	0.9 mg/L	1 mg/kg soil dw	0.03 g/kg food
CUMENE HYDROPEROXIDE 80-15-9	0.023 mg/kg sediment dw	0.0023 mg/kg sediment dw	0.35 mg/L	0.0029 mg/kg soil dw	-
2-Hydroxyethyl methacrylate	3.79 mg/kg sediment dw	3.79 mg/kg sediment dw	10 mg/L	0.476 mg/kg soil dw	-

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
868-77-9					
SACCHARIN 81-07-2	104.403 mg/kg sediment dw	104.403 mg/kg sediment dw	50 mg/L	29.024034 mg/kg soil dw	-
GAMMA-AMINOPROPYL TRIMETHOXYSILANE 13822-56-5	1.8 mg/kg sediment dw	0.18 mg/kg sediment dw	0.81 mg/L	0.069 mg/kg soil dw	11.1 mg/kg food
PROPYLENE GLYCOL 57-55-6	572 mg/kg sediment dw	57.2 mg/kg sediment dw	20000 mg/L	50 mg/kg soil dw	-
1,4-NAPHTHOQUINONE 130-15-4	321 ng/kg sediment dw	32.1 ng/kg sediment dw	0.172 mg/L	49 ng/kg soil dw	-

8.2. Exposure controls

Engineering controls No information available.

Personal protective equipment

Eye/face protection Tight sealing safety goggles. Face protection shield.

Hand protection Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Respiratory protection Appropriate respiratory protection should be selected and used according to the chemical

nature, hazards and use of this product and safety requirements of the local jurisdiction. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be

required.

Thermal hazards No information available.

Other protective equipment No information available.

Environmental exposure controls No information available.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid Color Clear

Flammability Limit in Air

Odor No information available.
Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Melting point / freezing pointNo data availableEstimated

Boiling point / boiling range > 150 °C

Flammability (solid, gas)

No data available

Flammable in the presence of the following materials

or conditions: open flames, sparks and static

discharge.

None known

Upper flammability limit: No data available Lower flammability limit: No data available

Flash point > 95 °C Cleveland Open Cup

Autoignition temperature No data available Estimated

PTX194319X - 81844 REARVIEW MIRROR ADHESIVE KIT PART 1

Decomposition temperature

Remarks: Self-Accelerating decomposition temperature (SADT): 50 °C SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a

which the tested package size will undergout self-accelerating decomposition reaction.

pH No data available

pH (as aqueous solution)

Kinematic viscosity

Dynamic viscosity

No data available

No data available

Kinematic viscosity at 100 degrees C Remarks: Self-Accelerating decomposition

temperature (SADT): 50 °C SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.

Water solubility No data available Insoluble

Solubility(ies)

Partition coefficient
Vapor pressure
Relative density
Bulk density
Density

No Data Available

None known None known

Air = 1

None known

Vapor density >1

Particle characteristics

Particle Size No information available Particle Size Distribution No information available

9.2. Other information

VOC content 10.9

9.2.1. Information with regard to physical hazard classes Not applicable

9.2.2. Other safety characteristics

No information available < 1 Butyl acetate = 1

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions
None under normal processing.

Hazardous polymerizationNo information available.

10.4. Conditions to avoid

Conditions to avoid Exposure to air or moisture over prolonged periods. Excessive heat.

10.5. Incompatible materials

KIT PART 1

Acids. Bases. Oxidizing agent. Incompatible materials

10.6. Hazardous decomposition products

Hazardous Decomposition Products None known based on information supplied.

Section 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Inhalation Specific test data for the substance or mixture is not available. Corrosive by inhalation.

> (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal. May cause irritation of respiratory tract. Harmful by

inhalation.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye damage.

(based on components). Corrosive to the eyes and may cause severe damage including

blindness. May cause irreversible damage to eyes.

Skin contact Specific test data for the substance or mixture is not available. Corrosive. (based on

components). Causes burns. May cause sensitization by skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

Ingestion Specific test data for the substance or mixture is not available. Causes burns. (based on

> components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung

damage if swallowed. May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. Burning. May cause blindness. Coughing and/ or wheezing. Itching. Rashes.

Hives.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Harmful by inhalation. **Acute toxicity**

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document:

ATEmix (oral) 3,014.20 mg/kg ATEmix (dermal) 3,758.20 mg/kg ATEmix (inhalation-gas) 99,999.00 ppm ATEmix (inhalation-vapor) 99,999.00 mg/l ATEmix (inhalation-dust/mist) 1.30 mg/l

Unknown acute toxicity

1.5 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.

50.87 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

97 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).

PTX194319X - 81844 REARVIEW MIRROR ADHESIVE KIT PART 1

97 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor). 87.03 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Acrylic acid	= 193 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 3.6 mg/L (Rat) 4 h
			= 11.1 mg/L (Rat) 1 h
CUMENE HYDROPEROXIDE	= 382 mg/kg (Rat)	= 0.126 mL/kg (Rabbit)	= 220 ppm (Rat) 4 h
2-Hydroxyethyl methacrylate	= 5564 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-
PROPYLENE GLYCOL	= 20 g/kg (Rat)	= 20800 mg/kg (Rabbit)	-
1,4-NAPHTHOQUINONE	= 190 mg/kg (Rat)	-	-

Skin corrosion/irritation Classification based on data available for ingredients. Causes severe skin burns and eye

damage.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye damage. Causes

burns.

Respiratory or skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure May cause respiratory irritation.

STOT - repeated exposureBased on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties Based on available data, the classification criteria are not met.

11.2.2. Other information

Other adverse effects No information available.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity Very toxic to aquatic life with long lasting effects.

Unknown aquatic toxicityContains 0 % of components with unknown hazards to the aquatic environment.

2:	1			
Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Acrylic acid	EC50: =0.17mg/L (96h,	LC50: =222mg/L (96h,	-	EC50: =95mg/L (48h,
	Pseudokirchneriella	Brachydanio rerio)		Daphnia magna)
	subcapitata)			
	EC50: =0.04mg/L (72h,			
	Desmodesmus			
	subspicatus)			
CUMENE HYDROPEROXIDE	· <u>-</u>	LC50: =3.9mg/L (96h,	-	-
		Oncorhynchus mykiss)		
2-Hydroxyethyl methacrylate	-	LC50: 213 - 242mg/L	-	-
		(96h, Pimephales		
		promelas)		
		LC50: =227mg/L (96h,		
		Pimephales promelas)		
PROPYLENE GLYCOL	EC50: =19000mg/L	LC50: =51600mg/L	-	EC50: >1000mg/L (48h,
	(96h,	(96h, Oncorhynchus		Daphnia magna)
	Pseudokirchneriella	mykiss)		
	subcapitata)	LC50: 41 - 47mL/L (96h,		
	. ,	Oncorhynchus mykiss)		
		LC50: =51400mg/L		
		(96h, Pimephales		
		promelas)		
		LC50: =710mg/L (96h,		
		Pimephales promelas)		

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation

Chemical name	Partition coefficient
Acrylic acid	0.46
CUMENE HYDROPEROXIDE	1.6
2-Hydroxyethyl methacrylate	0.42
PROPYLENE GLYCOL	-1.07
1,4-NAPHTHOQUINONE	1.78

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

Based on available data, the classification criteria are not met.

Chemical name	PBT and vPvB assessment
Acrylic acid	The substance is not PBT / vPvB
CUMENE HYDROPEROXIDE	The substance is not PBT / vPvB
2-Hydroxyethyl methacrylate	The substance is not PBT / vPvB
PROPYLENE GLYCOL	The substance is not PBT / vPvB
1,4-NAPHTHOQUINONE	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties Based on available data, the classification criteria are not met.

12.7. Other adverse effects

Other adverse effects No information available.

PMT or vPvM properties Based on available data, the classification criteria are not met.

Section 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

Section 14: Transport information

IATA

14.1 UN number or ID number ID8000

14.2 UN proper shipping name Consumer Commodity

14.3 Transport hazard class(es) 9

14.4 Packing group Not regulated14.5 Environmental hazards Not applicable

14.6 Special precautions for user

Special Provisions A112 ERG Code 9L

IMDG

14.1 UN number or ID number UN3082

14.2 UN proper shipping name Environmentally hazardous substance, liquid, n.o.s. (Acrylic acid, CUMENE

HYDROPEROXIDE)

Not applicable

9

14.3 Transport hazard class(es)

14.4 Packing group

DescriptionUN3082, Environmentally hazardous substance, liquid, n.o.s.(Acrylic acid, CUMENE

HYDROPEROXIDE), 9, III, Limited Quantity (LQ)

14.5 Environmental hazards

14.6 Special precautions for user

Special Provisions 274, 335, 969 **EmS-No.** F-A, S-F

14.7 Maritime transport in bulk No information available

according to IMO instruments

RID

14.1 UN number or ID number UN3082

14.2 UN proper shipping name Environmentally hazardous substance, liquid, n.o.s. (Acrylic acid, CUMENE

HYDROPEROXIDE)

14.3 Transport hazard class(es)

14.4 Packing group

Description UN3082, Environmentally hazardous substance, liquid, n.o.s.(Acrylic acid, CUMENE

HYDROPEROXIDE), 9, III, Limited Quantity (LQ)

14.5 Environmental hazards

Special Provisions

14.6 Special precautions for user

Not applicable . 274, 335, 375, 601

Classification code M6

ADR

14.1 UN number or ID number UN3082

14.2 UN proper shipping name Environmentally hazardous substance, liquid, n.o.s. (Acrylic acid, CUMENE

HYDROPEROXIDE)

Not applicable

14.3 Transport hazard class(es) 9
14.4 Packing group ||||

Description UN3082, Environmentally hazardous substance, liquid, n.o.s.(Acrylic acid, CUMENE

HYDROPEROXIDE), 9, III, (-), Limited Quantity (LQ)

14.5 Environmental hazards

14.6 Special precautions for user

Special Provisions 274, 335, 601, 375

Classification code M6
Tunnel restriction code (-)

ADN

14.1 UN number or ID number UN3082

14.2 UN proper shipping name Environmentally hazardous substance, liquid, n.o.s. (Acrylic acid, CUMENE

HYDROPEROXIDE)

14.3 Transport hazard class(es)914.4 Packing groupIII

Description UN3082, Environmentally hazardous substance, liquid, n.o.s.(Acrylic acid, CUMENE

HYDROPEROXIDE), 9, III, Limited Quantity (LQ)

14.5 Environmental hazard Yes

14.6 Special precautions for user

Special Provisions 274, 335, 375, 601

Classification code M6
Equipment Requirements PP

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number
2-Hydroxyethyl methacrylate - 868-77-9	RG 65
PROPYLENE GLYCOL - 57-55-6	RG 84

Germany

Water hazard class (WGK) obviously hazardous to water (WGK 2)

TA Luft (German Air Pollution Control Regulation)

Chemical name	Number	Class
Acrylic acid	5.2.5	Class I

Ordinance on the Incentive Tax on Volatile Organic Compounds (OVOC) SR 814.018 Not applicable SC 8 Storage of Hazardous Material WPO (GSchV) SR 814.201; WPA (GSchG) SR 814.20 Class B

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorizations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

- 1			, , ,
	Chemical name	Restricted substance per REACH	Substance subject to authorization per
		Annex XVII	REACH Annex XIV
	Acrylic acid - 79-10-7	75	-
	CUMENE HYDROPEROXIDE - 80-15-9	75	-
	2-Hydroxyethyl methacrylate - 868-77-9	75	-

Persistent Organic Pollutants

Not applicable

Dangerous substance category per Seveso Directive (2012/18/EU)

E1 - Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

International Inventories

TSCA Complies Complies **DSL/NDSL** Does not comply **EINECS/ELINCS** Complies **ENCS IECSC** Complies Complies **KECI** Complies **PICCS** Complies **AICS**

Complies Contact supplier for inventory compliance status **TCSI**

Legend:

NZIoC

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing Chemicals Inventory

PTX194319X - 81844 REARVIEW MIRROR ADHESIVE KIT PART 1

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

TCSI - Taiwan Chemical Substance Inventory

15.2. Chemical safety assessment

Chemical Safety Report No information available

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H226 - Flammable liquid and vapor

H242 - Heating may cause a fire

H302 - Harmful if swallowed

H312 - Harmful in contact with skin

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H331 - Toxic if inhaled

H332 - Harmful if inhaled

H373 - May cause damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H411 - Toxic to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorization:
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT: Specific Target Organ Toxicity

ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration

LD50: 50% Lethal Dose

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

+ Sensitizers

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapor	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitization	Calculation method
Skin sensitization	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method

PTX194319X - 81844 REARVIEW MIRROR ADHESIVE KIT PART 1

STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)

European Chemicals Agency (ECHA) (ECHA_API)

Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision Date 15-Oct-2024

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 as amended by Regulation (EU) No. 2020/878, and Regulation (EC) No. 1272/2008

Revision Date 09-Oct-2024 Version 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code PTX394319X

Product Name 81844 REARVIEW MIRROR ADHESIVE KIT PART 2

Other means of identification

Unique Formula Identifier (UFI) U2TH-K0SS-E006-DKP7

Mixture. Contains 2-PROPANOL; MINERAL SPIRITS; ORGANO-COPPER COMPOUND

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Activator

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Manufacturer Only Representative (OR)

ITW Permatex, Inc. ITW Permatex, Inc.

6875 Parkland Blvd. Bay 150

Solon, Ohio 44139 USA Shannon Industrial Estate

Telephone: 1-87-Permatex Co. Clare (866) 732-9502 Ireland

V14 DF82 353(61)771500 353(61)471285

customerservice.shannon@itwpp.com

For further information, please contact

Contact Point ITW Permatex, Inc.

6875 Parkland Blvd. Solon, Ohio 44139 USA Telephone: 1-87-Permatex

(866) 732-9502

E-mail address: mail@permatex.com

Non-Emergency Telephone Number 866-732-9502

1.4. Emergency telephone number

24-hour emergency phone number EU Member States information as follows:

24-hour emergency phone number - §45 - (EC)1272/2008					
Europe	112				
Austria	01 406 43 43				

PTX394319X - 81844 REARVIEW MIRROR ADHESIVE KIT PART 2

Belgium	070 245 245					
Bulgaria	+359 2 9154 233					
Croatia	+3851 2348 342					
Cyprus	1401					
Czech Republic	+420 224 919 293/ +420 224 915 402					
Denmark	+ 45 8212 1212					
Estonia	16662/ (+372) 7943 794					
Finland	0800 147 111/ 09 471 977					
France	+33 (0)1 45 42 59 59					
Germany	+49 228 192 40					
Greece	(003) 2107793777					
Hungary	+36 80 201 199					
Iceland	543 2222					
Ireland	01 809 2166					
Italy	0382-24444					
Latvia	+371 67042473					
Liechtenstein	01 406 43 43					
Lithuania	+370 (85) 2362052					
Luxembourg	(+352) 8002 5500					
Malta	112					
Netherlands	+31 (0)88 755 8000					
Norway	22 59 13 00					
Poland	112					
Portugal	+351 800 250 250					
Romania	+40213183606					
Slovakia	+421 2 5477 4166					
Slovenia	112					
Spain	+34 91 562 04 20					
Sweden	112					
Switzerland	145					
United Kingdom	111					

SECTION 2: Hazards identification

2.1. Classification of the substance or mixtureClassification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids	Category 2 - (H225)
Eye irritation	Category 2 - (H319)
Germ cell mutagenicity	Category 1B - (H340)
Carcinogenicity	Category 1B - (H350)
Reproductive toxicity	Category 1B - (H360D)
Specific target organ toxicity (single exposure)	Category 3 - (H336)
Category 3 Target organ effects: Narcotic effects.	

2.2. Label elements

Contains 2-PROPANOL; MINERAL SPIRITS; ORGANO-COPPER COMPOUND



PTX394319X - 81844 REARVIEW MIRROR ADHESIVE KIT PART 2

Signal word

Danger

Hazard statements

H225 - Highly flammable liquid and vapor.

H319 - Causes serious eye irritation.

H336 - May cause drowsiness or dizziness.

H340 - May cause genetic defects.

H350 - May cause cancer.

H360D - May damage the unborn child.

Precautionary Statements - EU (§28, 1272/2008)

P201 - Obtain special instructions before use.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P370 + P378 - In case of fire: Use dry chemical, CO2, water spray or alcohol-resistant foam to extinguish.

P501 - Dispose of contents/ container to an approved waste disposal plant.

98.7 % of the mixture consists of ingredient(s) of unknown acute toxicity.

2.2 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.

2.2 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

98.7 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).

2.2 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).

98.7 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Unknown aquatic toxicity

Contains 2.2 % of components with unknown hazards to the aquatic environment.

Additional information

This product requires tactile warnings if supplied to the general public.

2.3. Other hazards

Other hazards No information available.

PBT & vPvB The components in this formulation do not meet the criteria for classification as PBT or

vPvB.

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical name	Weight-%	REACH registration number	EC No (EU Index No)	Regulation (EC) No.	concentration		M-Factor (long-ter m)	Notes
2-PROPANOL 67-63-0	80-100%	No data available	200-661-7 (603-117-00-0)	1272/2008 [CLP] Flam. Liq. 2 (H225) Eye Irrit. 2 (H319) STOT SE 3 (H336)	-	-	-	-
MINERAL SPIRITS 8052-41-3	0.1-1%	No data available	232-489-3 (649-345-00-4)	Asp. Tox. 1 (H304) Muta. 1B (H340)	-	-	-	Р

				Carc. 1B (H350) STOT RE 1 (H372)				
ORGANO-COPPER COMPOUND 22221-10-9	0.1-1%	No data available	244-846-0 (607-230-00-6)	Repr. 1B (H360D)	-	-	-	A,X,12

Note A - Without prejudice to Article 17(2) of Regulation (EC) No 1272/2008, the name of the substance must appear on the label in the form of one of the designations given in Part 3 of Annex VI to that Regulation. In that Part, use is sometimes made of a general description such as "... compounds" or "... salts". In this case, the supplier who places such a substance on the market is required to state on the label the correct name, due account being taken of Section 1.1.1.4 of Annex VI to Regulation (EC) No 1272/2008. Note P - The harmonized classification as a carcinogen or mutagen applies unless it can be shown that the substance contains less than 0.1 % w/w benzene (Einecs No 200-753-7), in which case a classification in accordance with Title II of this Regulation shall be

performed also for those hazard classes. Where the substance is not classified as a carcinogen or mutagen, at least the precautionary statements (P102-)P260-P262-P301 + P310-P331 shall apply.

Note X - The classification for the hazard class(es) in this entry is based only on the hazardous properties of the part of the substance which is common to all substances in the entry. The hazardous properties of any substances in the entry also depend on the properties of the part of the substance which is not common to all substances in the group. The latter must be evaluated to assess whether more severe classification(s) (i.e. a higher category) or a broader scope of the same classification (additional differentiation, target organs and/or hazard statements) might apply for the hazard class(es) in the entry.

Note 12 - The classification of mixtures as reproductive toxicant is necessary if the sum of the concentrations of individual substances covered by this entry in the mixture as placed on the market is equal to, or above, the applicable generic concentration limit for the assigned category, or a specific concentration limit given in this entry.

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

	Chemical name	Oral LD50 mg/kg		Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapor - mg/L	Inhalation LC50 - 4 hour - gas - ppm
İ	2-PROPANOL 67-63-0	1870	4059	No data available	30.1002	No data available
ĺ	MINERAL SPIRITS 8052-41-3	No data available	3000	5.5	No data available	No data available
	ORGANO-COPPER COMPOUND 22221-10-9	No data available	2000	No data available	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59).

Section 4: First aid measures

4.1. Description of first aid measures

Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get General advice

medical advice/attention.

Inhalation Remove to fresh air. IF exposed or concerned: Get medical advice/attention.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes.

Ingestion Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. Call a physician.

Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid

contact with skin, eyes or clothing.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms May cause redness and tearing of the eyes. Burning sensation. Inhalation of high vapor

concentrations may cause symptoms like headache, dizziness, tiredness, nausea and

vomiting.

Effects of Exposure May cause cancer. May cause adverse reproductive effects - such as birth defect,

miscarriages, or infertility. Mutagenic effects.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physiciansTreat symptomatically.

Section 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Small Fire In case of fire, use water spray, foam, dry chemical, or CO2. **Large Fire** In case of fire, use water spray, foam, dry chemical, or CO2.

Unsuitable extinguishing mediaDo not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire

extinguishing water must be disposed of in accordance with local regulations.

Hazardous combustion products No information available

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See

section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take

precautionary measures against static discharges. All equipment used when handling the

product must be grounded. Do not touch or walk through spilled material.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Environmental precautions Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if

safe to do so. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor

suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other

non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labeled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sectionsSee section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. In case of insufficient ventilation, wear suitable

respiratory equipment.

General hygiene considerations Do not eat, drink or smoke when using this product. Contaminated work clothing should not

be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat,

sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national

regulations. Store in accordance with local regulations. Store locked up.

Packaging materials No information available.

Storage class (TRGS 510) Storage class 3.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other Information

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

67-63-0 TWA: 500 mg/m³ TWA: 500 mg/m³ STEL: 1225.0 mg/m³ TWA	A: 400 ppm : 999 mg/m ³
CTEL 000 mmm	
	L: 500 ppm
	: 1250 mg/m ³
MINERAL SPIRITS - TWA: 100 ppm -	-
8052-41-3 TWA: 533 mg/m ³	
ORGANO-COPPER - TWA: 1 mg/m ³	-
COMPOUND TWA: 0.1 mg/m³	
22221-10-9 STEL 4 mg/m ³	
STEL 0.4 mg/m ³	E
	Finland
	A: 200 ppm
67-63-0 Sk* TWA: 490 mg/m³ TWA: 350 mg/m³ TWA Ceiling: 1000 mg/m³ STEL: 400 ppm STEL: 250 ppm STE	: 500 mg/m³ L: 250 ppm
Ceiling: 1000 mg/m³ STEL: 400 ppm STEL: 250 ppm STEL STEL: 980 mg/m³ STEL: 600 mg/m³ STEL:	L. 250 ppm .: 620 mg/m ³
MINERAL SPIRITS - TWA: 200 mg/m³ TWA: 25 ppm TWA: 50 ppm	020 mg/m²
8052-41-3 TWA: 200 mg/m³ TWA: 25 ppm TWA: 300 mg/m³ TWA: 300 mg/m³	-
STEL: 50 ppm STEL: 100 ppm	
=<20% Aromatic STEL: 600 mg/m ³	
compounds	
STEL: 290 mg/m ³	
=<20% Aromatic	
compounds	
ORGANO-COPPER TWA:	0.02 mg/m ³
COMPOUND	
22221-10-9	
	lungary
	: 500 mg/m ³
	A: 200 ppm
	1000 mg/m ³
Peak: 1000 mg/m³ STEL: 1225 mg/m³ STE	L: 400 ppm
MINERAL ORIGINA	Sk*
MINERAL SPIRITS TWA: 100 ppm	-
8052-41-3 TWA: 575 mg/m ³	
STEL: 125 ppm STEL: 720 mg/m³	
	: 0.1 mg/m ³
	.: 0.1 mg/m ³
22221-10-9	ا ۱۱۱g/۱۱۱ ^۳ د.
	ithuania
	A: 150 ppm
	: 350 mg/m ³

	0	<u>.</u>	T	0.751 400			0.751 0.50	
	Sk	•		STEL: 400 ppm			STEL: 250 ppm	
				STEL: 983 mg/m ³			STEL: 600 mg/m ³	
MINERAL SPIRITS	TWA: 10		-	TWA: 100 ppm	-		TWA: 50 ppm	
8052-41-3	TWA: 573	mg/m ³		TWA: 573 mg/m ³			TWA: 300 mg/m ³	
							STEL: 600 mg/m ³	
							STEL: 100 ppm	
ORGANO-COPPER	-		-	TWA: 1 mg/m ³	TWA: 0.	5 mg/m³	-	
COMPOUND								
22221-10-9								
Chemical name	Luxemb	ourg	Malta	Netherlands	Nor		Poland	
2-PROPANOL	-		-	-	TWA: 10		TWA: 900 mg/m ³	
67-63-0					TWA: 24		STEL: 1200 mg/m ³	
					STEL: 1	50 ppm	Sk*	
					STEL: 306	.25 mg/m ³		
MINERAL SPIRITS	-		-	-	_		TWA: 300 mg/m ³	
8052-41-3							STEL: 900 mg/m ³	
Chemical name	Portugal		Romania	Slovakia	Slov	enia	Spain	
2-PROPANOL	TWA: 200 ppm		TWA: 81 ppm	TWA: 200 ppm	TWA: 200 ppm		TWA: 200 ppm	
67-63-0	STEL: 400 ppm		TWA: 200 mg/m ³	TWA: 500 mg/m ³	TWA: 500 mg/m ³		TWA: 500 mg/m ³	
			STEL: 203 ppm	Ceiling: 1000 mg/m ³	STEL: 400 ppm		STEL: 400 ppm	
			STEL: 500 mg/m ³		STEL: 1000 mg/m ³		STEL: 1000 mg/m ³	
MINERAL SPIRITS	TWA: 10	0 ppm	-	-	-		-	
8052-41-3		• •						
ORGANO-COPPER	_		-	_	_		TWA: 0.01 mg/m ³	
COMPOUND								
22221-10-9								
Chemical name			Sweden	Switzerland		Ur	ited Kingdom	
2-PROPANOL		N	NGV: 150 ppm	TWA: 200 p			TWA: 400 ppm	
67-63-0			GV: 350 mg/m ³				WA: 999 mg/m ³	
0.000		Vägledande KGV: 250 ppm		STEL: 400 ppm		STEL: 500 ppm		
		Vägledande KGV: 600 mg/m ³				STEL: 1250 mg/m ³		
MINERAL SPIRIT	S	NGV: 300 mg/m ³						
8052-41-3		NGV: 500 mg/m ^o						
0002 TI 0		NGV: 175 mg/m ³						
			NGV: 30 ppm					
			ande KGV: 100 ppm					
			ande KGV: 600 mg/m	3				
			dande KGV: 60 ppm					
			ande KGV: 350 mg/m	3				
		vagicua	Sk*					
ORGANO-COPPER COM	MPOLIND			 		T	WA: 1 mg/m³	
22221-10-9	VII COIND		-	1			ΓEL: 2 mg/m ³	
22221-10-9		I		1		<u> </u>	ı LL. Z IIIY/III	

Biological occupational exposure limits

Chemical name	European Union	Austria	Bulgaria	Croatia	Czech Republic
2-PROPANOL	-	-	- 50 mg/L - blood -		-
67-63-0				(Acetone) - at the	
				end of the work shift	
			50 mg/L - urine		
			(Acetone) - at the		
				end of the work shift	
Chemical name	Denmark	Finland	France	Germany DFG Germany TR	
2-PROPANOL	-	-	-	25 mg/L (whole	25 mg/L (whole
67-63-0				blood - Acetone end blood - Acetone e	
				of shift)	of shift)
				25 mg/L (urine -	25 mg/L (urine -

			25 mg/L - BAT (of exposure or early of shift) urine 25 mg/L - BAT (of exposure or early of exposure or early or	end end end
Chemical name	Hungary	Ireland	of shift) blood	Italy AIDII
2-PROPANOL 67-63-0	-	40 mg/L (urine - Acetone end of shift at end of workweek)	-	40 mg/L - urine (Acetone) - end of shift at end of workweek
Chemical name	Latvia	Luxembourg	Romania	Slovakia
2-PROPANOL 67-63-0	-	- 50 mg/L - urine (Acetone) - end of sh		-
Chemical name	Slovenia	Spain	Switzerland	United Kingdom
2-PROPANOL 67-63-0	25 mg/L - blood (Acetone) - at the end of the work shift 25 mg/L - urine (Acetone) - at the end of the work shift	workweek)	25 mg/L (urine - Acetone end of shift) 0.4 mmol/L (urine - Acetone end of shift) 25 mg/L (whole blood - Acetone end of shift) 0.4 mmol/L (whole blood - Acetone end of shift)	-

Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
2-PROPANOL 67-63-0	-	888 mg/kg bw/day [4] [6]	500 mg/m³ [4] [6]
MINERAL SPIRITS 8052-41-3	-	80 mg/kg bw/day [4] [6] 30 mg/kg bw/day [4] [7] 7.56 mg/cm2 [5] [6]	44 mg/m³ [4] [6] 55 mg/m³ [4] [7] 44 mg/m³ [5] [6] 55 mg/m³ [5] [7]
ORGANO-COPPER COMPOUND 22221-10-9	-	0.39 mg/kg bw/day [4] [6]	0.69 mg/m³ [4] [6]

Notes

[4] Systemic health effects.
[5] Local health effects.
[6] Long term.
[7] Short term.

Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
2-PROPANOL 67-63-0	26 mg/kg bw/day [4] [6]	-	89 mg/m³ [4] [6]
MINERAL SPIRITS 8052-41-3	10.56 mg/kg bw/day [4] [6] 50 mg/kg bw/day [4] [7]	60 mg/kg bw/day [4] [6] 60 mg/kg bw/day [4] [7] 3.78 mg/cm2 [5] [6]	22 mg/m³ [4] [6] 55 mg/m³ [4] [7] 22 mg/m³ [5] [6] 55 mg/m³ [5] [7]
ORGANO-COPPER COMPOUND 22221-10-9	0.2 mg/kg bw/day [4] [6]	-	0.17 mg/m³ [4] [6]

Notes

PTX394319X - 81844 REARVIEW MIRROR ADHESIVE KIT PART 2

[4] Systemic health effects.[5] Local health effects.[6] Long term.

[7] Short term.

Predicted No Effect Concentration (PNEC)

Chemical name	Freshwater	Freshwater	Marine water	Marine water	Air
		(intermittent release)		(intermittent release)	
2-PROPANOL 67-63-0	140.9 mg/L	140.9 mg/L	140.9 mg/L	-	-
MINERAL SPIRITS 8052-41-3	0.14 mg/L	0.014 mg/L	0.35 mg/L	-	10 mg/m³

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
2-PROPANOL 67-63-0	552 mg/kg sediment dw	552 mg/kg sediment dw	2251 mg/L	28 mg/kg soil dw	160 mg/kg food
MINERAL SPIRITS 8052-41-3	1.14 mg/kg sediment dw	0.14 mg/kg sediment dw	-	-	-

8.2. Exposure controls

Engineering controls No information available.

Personal protective equipment

Eye/face protection Tight sealing safety goggles.

Hand protection Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Antistatic boots.

Respiratory protection Appropriate respiratory protection should be selected and used according to the chemical

nature, hazards and use of this product and safety requirements of the local jurisdiction. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be

required.

Thermal hazards No information available.

Other protective equipment No information available.

Environmental exposure controls No information available.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid
Color Bluish Green

Odor No information available.

PTX394319X - 81844 REARVIEW MIRROR ADHESIVE KIT PART 2

No information available **Odor threshold**

Property Values No data available Melting point / freezing point

Boiling point / boiling range 82 °C

Flammability (solid, gas) No data available

Flammable in the presence of the following materials

or conditions: open flames, sparks and static

Remarks • Method

Estimated

Tag Closed Cup

None known

None known

Air = 1

discharge. Flammability Limit in Air None known

Upper flammability limit: 12.0% Lower flammability limit: 2.0%

12 °C Flash point

Autoignition temperature Decomposition temperature No data available Estimated Remarks: Self-Accelerating decomposition

temperature (SADT): 50 °C SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.

No data available No data available pH (as aqueous solution)

Kinematic viscosity No Data Available Dynamic viscosity No data available

None known Kinematic viscosity at 100 degrees C Remarks: Self-Accelerating decomposition temperature (SADT): 50 °C SADT-Self Accelerating

Decomposition Temperature, Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.

No data available Soluble in water Water solubility

No Data Available Solubility(ies) **Partition coefficient** No Data Available Vapor pressure 32 mm Hg @ 68°F Relative density 0.79 @ 77°F No data available **Bulk density** No data available Density

Vapor density 2.1

Particle characteristics

Particle Size No information available **Particle Size Distribution** No information available

9.2. Other information

VOC content 96.5

9.2.1. Information with regard to physical hazard classes Not applicable

9.2.2. Other safety characteristics

No information available 7.7 Butyl acetate = 1

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stable under normal conditions. Stability

Explosion data

Sensitivity to mechanical impact None.

Page 11 / 19

Sensitivity to static discharge Yes.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Hazardous polymerization No information available.

10.4. Conditions to avoid

Conditions to avoid Heat, flames and sparks.

10.5. Incompatible materials

Incompatible materialsNone known based on information supplied.

10.6. Hazardous decomposition products

Hazardous Decomposition Products None known based on information supplied.

Section 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract. May cause drowsiness or dizziness.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components). May cause redness, itching, and pain.

Skin contact Specific test data for the substance or mixture is not available. May cause irritation.

Prolonged contact may cause redness and irritation.

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms May cause redness and tearing of the eyes. Inhalation of high vapor concentrations may

cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Acute toxicity Based on available data, the classification criteria are not met.

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document:

ATEmix (oral) 5,233.20 mg/kg ATEmix (dermal) 13,264.20 mg/kg ATEmix (inhalation-gas) 99,999.00 ppm ATEmix (inhalation-vapor) 31.20 mg/l ATEmix (inhalation-dust/mist) 99,999.00 mg/l

2.2 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.

2.2 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

PTX394319X - 81844 REARVIEW MIRROR ADHESIVE KIT PART 2

98.7 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).

2.2 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).

98.7 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
2-PROPANOL	5050 mg/kg	12800 mg/kg	> 10000 ppm (Rat) 6 h
MINERAL SPIRITS	-	> 3000 mg/kg (Rabbit)	> 5.5 mg/L (Rat) 4 h
ORGANO-COPPER COMPOUND	-	> 2000 mg/kg (Rat)	-

Skin corrosion/irritationBased on available data, the classification criteria are not met.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity Contains a known or suspected mutagen. Classification based on data available for

ingredients. May cause genetic defects.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as mutagenic.

Chemical name	European Union	
MINERAL SPIRITS	Muta. 1B	

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for

ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

	The table below indicates whether each agency has noted any ingredient as a carolinegen.		
Chemical name		European Union	
	MINERAL SPIRITS	Carc. 1B	

Reproductive toxicityClassification based on data available for ingredients. May damage fertility or the unborn

child.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as reproductive toxins.

Chemical name	European Union
ORGANO-COPPER COMPOUND	Repr. 1B

STOT - single exposure May cause drowsiness or dizziness.

STOT - repeated exposureBased on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties Based on available data, the classification criteria are not met.

11.2.2. Other information

Other adverse effects No information available.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity

Unknown aquatic toxicity

Contains 2.2 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
2-PROPANOL	EC50: >1000mg/L (96h,	LC50: =9640mg/L (96h,	-	EC50: =13299mg/L
	Desmodesmus	Pimephales promelas)		(48h, Daphnia magna)
	subspicatus)	LC50: =11130mg/L		
	EC50: >1000mg/L (72h,	(96h, Pimephales		
	Desmodesmus	promelas)		
	subspicatus)	LC50: >1400000µg/L		
		(96h, Lepomis		
		macrochirus)		

12.2. Persistence and degradability

Persistence and degradability

No information available.

12.3. Bioaccumulative potential

Bioaccumulation

Chemical name	Partition coefficient	
2-PROPANOL	0.05	
MINERAL SPIRITS	6.4	

12.4. Mobility in soil

Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

Based on available data, the classification criteria are not met.

Chemical name	PBT and vPvB assessment
2-PROPANOL	The substance is not PBT / vPvB
MINERAL SPIRITS	The substance is not PBT / vPvB
ORGANO-COPPER COMPOUND	PBT assessment does not apply

12.6. Endocrine disrupting properties

Endocrine disrupting properties

Based on available data, the classification criteria are not met.

12.7. Other adverse effects

Other adverse effects No information available.

PMT or vPvM properties Based on available data, the classification criteria are not met.

Section 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld

containers.

Section 14: Transport information

14.1 UN number or ID number ID8000

Consumer Commodity 14.2 UN proper shipping name

14.3 Transport hazard class(es)

14.4 Packing group Not regulated

14.5 Environmental hazards No

14.6 Special precautions for user

Special Provisions A112 **ERG Code** 9L

IMDG

14.1 UN number or ID number UN1219 14.2 UN proper shipping name Isopropanol

14.3 Transport hazard class(es) 3

14.4 Packing group

Description UN1219, Isopropanol, 3, II, (12°C c.c.), Limited Quantity (LQ)

No information available

14.5 Environmental hazards No

14.6 Special precautions for user

Special Provisions

EmS-No.

14.7 Maritime transport in bulk

according to IMO instruments

RID

UN1219 14.1 UN number or ID number 14.2 UN proper shipping name Isopropanol

14.3 Transport hazard class(es) 14.4 Packing group

Description UN1219, Isopropanol, 3, II, Limited Quantity (LQ)

None F-E, S-D

14.5 Environmental hazards

14.6 Special precautions for user

Special Provisions 601 Classification code F1

<u>ADR</u>

14.1 UN number or ID number UN1219 14.2 UN proper shipping name Isopropanol

PTX394319X - 81844 REARVIEW MIRROR ADHESIVE KIT PART 2

14.3 Transport hazard class(es)14.4 Packing group

Description UN1219, Isopropanol, 3, II, (D/E), Limited Quantity (LQ)

14.5 Environmental hazards No

14.6 Special precautions for user
Special Provisions 601
Classification code F1
Tunnel restriction code (D/E)

ADN

14.1 UN number or ID number UN1219 UN proper shipping name UN1219

14.3 Transport hazard class(es)14.4 Packing group

Description UN1219, Isopropanol, 3, II, Limited Quantity (LQ)

14.5 Environmental hazard No

14.6 Special precautions for user

Special Provisions 601
Classification code F1
Ventilation VE01
Equipment Requirements PP, EX, A

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	
2-PROPANOL - 67-63-0	RG 84	
MINERAL SPIRITS - 8052-41-3	RG 84	

Germany

Water hazard class (WGK) obviously hazardous to water (WGK 2)

Netherlands

Carcinogenic, mutagenic and reproductive toxic effects

Chemical name	Netherlands - List of Carcinogens	Netherlands - List of Mutagens	Netherlands - List of Reproductive Toxins
ORGANO-COPPER COMPOUND	-	-	Development Category 1B

Switzerland

Ordinance on the Incentive Tax on Volatile Organic Compounds (OVOC) SR 814.018 Group I Storage of Hazardous Material SC 10/12 WPO (GSchV) SR 814.201; WPA (GSchG) SR 814.20 Class A

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorizations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

PTX394319X - 81844 REARVIEW MIRROR ADHESIVE KIT PART 2

Chemical name	Restricted substance per REACH	Substance subject to authorization per
	Annex XVII	REACH Annex XIV
2-PROPANOL - 67-63-0	75	-
MINERAL SPIRITS - 8052-41-3	28	-
	29	
	75	

Persistent Organic Pollutants

Not applicable

Dangerous substance category per Seveso Directive (2012/18/EU)

P5a - FLAMMABLE LIQUIDS P5b - FLAMMABLE LIQUIDS P5c - FLAMMABLE LIQUIDS

Named dangerous substances per Seveso Directive (2012/18/FU)

Marinea darigerous substances per ocveso birect	d dangerous substances per octeso birective (2012/10/20)				
Chemical name	Lower-tier requirements (tons)	Upper-tier requirements (tons)			
MINERAL SPIRITS - 8052-41-3	-	25000			

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Biocidal Products Regulation (FU) No 528/2012 (BPR)

Diodical Froducto Rogalation (20) No 020/2012 (21 R)				
	Chemical name	Biocidal Products Regulation (EU) No 528/2012 (BPR)		
	2-PROPANOL - 67-63-0	Product-type 2: Disinfectants and algaecides not intended		
		for direct application to humans or animals Product-type 4:		
		Food and feed area Product-type 1: Human hygiene		

International Inventories

Complies **TSCA** DSL/NDSL Complies Complies **EINECS/ELINCS ENCS** Does not comply **IECSC** Complies Complies **KECI PICCS** Complies **AICS** Complies Complies **NZIoC**

TCSI Contact supplier for inventory compliance status

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing Chemicals Inventory

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances NZIOC - New Zealand Inventory of Chemicals

TCSI - Taiwan Chemical Substance Inventory

15.2. Chemical safety assessment

Chemical Safety Report No information available

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H225 - Highly flammable liquid and vapor

H304 - May be fatal if swallowed and enters airways

H319 - Causes serious eye irritation

H336 - May cause drowsiness or dizziness

H340 - May cause genetic defects

H350 - May cause cancer

H360D - May damage the unborn child

H372 - Causes damage to organs through prolonged or repeated exposure

Legend

SVHC: Substances of Very High Concern for Authorization:
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT: Specific Target Organ Toxicity ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration

LD50: 50% Lethal Dose

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

+ Sensitizers

Classification procedure		
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used	
Acute oral toxicity	Calculation method	
Acute dermal toxicity	Calculation method	
Acute inhalation toxicity - gas	Calculation method	
Acute inhalation toxicity - vapor	Calculation method	
Acute inhalation toxicity - dust/mist	Calculation method	
Skin corrosion/irritation	Calculation method	
Serious eye damage/eye irritation	Calculation method	
Respiratory sensitization	Calculation method	
Skin sensitization	Calculation method	
Mutagenicity	Calculation method	
Carcinogenicity	Calculation method	
Reproductive toxicity	Calculation method	
STOT - single exposure	Calculation method	
STOT - repeated exposure	Calculation method	
Acute aquatic toxicity	Calculation method	
Chronic aquatic toxicity	Calculation method	
Aspiration hazard	Calculation method	
Ozone	Calculation method	

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA)

PTX394319X - 81844 REARVIEW MIRROR ADHESIVE KIT PART 2

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)

European Chemicals Agency (ECHA) (ECHA_API)

Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision Date

09-Oct-2024

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet