



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Date 05-Apr-2024

Version 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code 81849
Product Name 79DA RUST TREATMENT 10.25OZ AE

Unique Formula Identifier (UFI) Code AH3J-80QF-300N-54SA
Other means of identification

Contains FORMIC ACID, 2-BUTOXYETHANOL, Hydrocarbons, C3-4-rich, petroleum distillates, ACETONE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Rust preventative
Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Manufacturer	Only Representative (OR)
ITW Permatex, Inc. 6875 Parkland Blvd. Solon, Ohio 44139 USA Telephone: 1-87-Permatex (866) 732-9502	ITW Permatex, Inc. Bay 150 Shannon Industrial Estate Co. Clare Ireland V14 DF82 353(61)771500 353(61)471285 customerservice.shannon@itwpp.com

For further information, please contact

Contact Point ITW Permatex, Inc.
6875 Parkland Blvd.
Solon, Ohio 44139 USA
Telephone: 1-87-Permatex
(866) 732-9502

E-mail address: mail@permatex.com

Non-Emergency Telephone Number 866-732-9502

1.4. Emergency telephone number

24-hour emergency phone number - §45 - (EC)1272/2008	
Europe	112
Austria	01 406 43 43
Belgium	070 245 245
Denmark	+ 45 8212 1212
Finland	0800 147 111/ 09 471 977
France	+33 (0)1 45 42 59 59

Germany	+49 228 192 40
Ireland	01 809 2166
Italy	0382-24444
Netherlands	+31 (0)88 755 8000
Norway	22 59 13 00
Poland	112
Portugal	+351 800 250 250
Slovenia	112
Spain	+34 91 562 04 20
Sweden	112
Switzerland	145
United Kingdom	111
Bulgaria	+359 2 9154 233
Croatia	+3851 2348 342
Cyprus	1401
Czech Republic	+420 224 919 293/ +420 224 915 402
Estonia	16662/ (+372) 7943 794
Greece	(003) 2107793777
Hungary	+36 80 201 199
Iceland	543 2222
Latvia	+371 67042473
Liechtenstein	01 406 43 43
Lithuania	+370 (85) 2362052
Luxembourg	(+352) 8002 5500
Romania	+40213183606
Slovakia	+421 2 5477 4166
Malta	112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Flammable aerosols	Category 1 - (H223)
Gases under pressure	Liquefied gas - (H280)
Acute toxicity - Oral	Category 4 - (H302)
Acute toxicity - Dermal	Category 4 - (H312)
Acute toxicity - Inhalation (Dusts/Mists)	Category 4 - (H332)
Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 2 - (H319)
Germ cell mutagenicity	Category 1B - (H340)
Carcinogenicity	Category 1A - (H350)
Specific target organ toxicity (single exposure)	Category 3 - (H335,H336)
Category 3 Narcotic effects	

2.2. Label elements

Contains FORMIC ACID, 2-BUTOXYETHANOL, Hydrocarbons, C3-4-rich, petroleum distillates, ACETONE



Signal word

Danger

Hazard statements

H222 - Extremely flammable aerosol

H280 - Contains gas under pressure; may explode if heated
 H302 - Harmful if swallowed
 H312 - Harmful in contact with skin
 H315 - Causes skin irritation
 H319 - Causes serious eye irritation
 H332 - Harmful if inhaled
 H335 - May cause respiratory irritation
 H336 - May cause drowsiness or dizziness
 H340 - May cause genetic defects
 H350 - May cause cancer

Precautionary Statements - EU (§28, 1272/2008)

P201 - Obtain special instructions before use.
 P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.
 P264 - Wash face, hands and any exposed skin thoroughly after handling.
 P280 - Wear protective gloves/protective clothing/eye protection/face protection.
 P312 - Call a POISON CENTER or doctor if you feel unwell.
 P501 - Dispose of contents/ container to an approved waste disposal plant.

2.3. Other hazards

No information available.

Endocrine Disruptor Information**SECTION 3: Composition/information on ingredients****3.1 Substances**

Chemical name	Weight-%	REACH registration No.	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
ACETONE 67-64-1	25 - <50%	Registration no: 01-211947133 0-49-XXXX	(606-001-00-8) 200-662-2	Eye Irrit. 2 (H319) STOT SE 3 (H336) Flam. Liq. 2 (H225) (EUH066)	-	-	-
HYDROCARBONS, C3-4-RICH, PETROLEUM DISTILLATE 68512-91-4	25 - <50%		(649-083-00-0) 270-990-9	Muta. 1B (H340) Carc. 1A (H350) Flam. Gas 1 (H220)	-	-	-
2-BUTOXYETHANOL 111-76-2	25 - <50%		(603-014-00-0) 203-905-0	Acute Tox. 4 (H302) Acute Tox. 3 (H331) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)	-	-	-
FORMIC ACID 64-18-6	2.5 - <5%		(607-001-00-0) 200-579-1	Skin Corr. 1A (H314)	Eye Irrit. 2 :: 2%<=C<10% Skin Corr. 1A ::	-	-

					C >= 90% Skin Corr. 1B :: 10% <= C < 90% Skin Irrit. 2 :: 2% <= C < 10%		
POLYVINYL BUTYRAL TERPOLYMER 27360-07-2	1 - <2.5%		-	-	-	-	-

Full text of H- and EUH-phrases: see section 16Acute Toxicity Estimate

No information available

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapor - mg/L	Inhalation LC50 - 4 hour - gas - ppm
ACETONE 67-64-1	5800	15700	100.2	No data available	No data available
2-BUTOXYETHANOL 111-76-2	1200 + 470	435	No data available	3 + 2.1749 2.3489	No data available
FORMIC ACID 64-18-6	1100	No data available	7.85	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Remove to fresh air.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a physician.
Ingestion	Rinse mouth.
Self-protection of the first aider	See section 8 for more information.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Effects of Exposure No information available.

Note to physicians Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Small Fire In case of fire, use water spray, foam, dry chemical, or CO₂.
Large Fire In case of fire, use water spray, foam, dry chemical, or CO₂.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical No information available.

Hazardous combustion products No information available.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place.

Packaging materials No information available.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other Information

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
ACETONE 67-64-1	TWA: 500 ppm TWA: 1210 mg/m ³	TWA: 500 ppm TWA: 1200 mg/m ³ STEL 2000 ppm STEL 4800 mg/m ³	TWA: 246 ppm TWA: 594 mg/m ³ STEL: 492 ppm STEL: 1187 mg/m ³	STEL: 1400 mg/m ³ TWA: 600 mg/m ³	TWA: 500 ppm TWA: 1210 mg/m ³
2-BUTOXYETHANOL 111-76-2	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ *	TWA: 20 ppm TWA: 98 mg/m ³ STEL 40 ppm STEL 200 mg/m ³ H*	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ D*	STEL: 50 ppm STEL: 246 mg/m ³ TWA: 20 ppm TWA: 98 mg/m ³ K*	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ *
FORMIC ACID 64-18-6	TWA: 5 ppm TWA: 9 mg/m ³	TWA: 5 ppm TWA: 9 mg/m ³ STEL 5 ppm STEL 9 mg/m ³ Ceiling: 5 ppm Ceiling: 9 mg/m ³	TWA: 5 ppm TWA: 9.5 mg/m ³ STEL: 10 ppm STEL: 19 mg/m ³	TWA: 5 ppm TWA: 9.0 mg/m ³	TWA: 5 ppm TWA: 9 mg/m ³
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
ACETONE 67-64-1	* TWA: 500 ppm TWA: 1210 mg/m ³	TWA: 800 mg/m ³ Ceiling: 1500 mg/m ³	TWA: 250 ppm TWA: 600 mg/m ³ STEL: 500 ppm STEL: 1200 mg/m ³	TWA: 500 ppm TWA: 1210 mg/m ³	TWA: 500 ppm TWA: 1200 mg/m ³ STEL: 630 ppm STEL: 1500 mg/m ³
2-BUTOXYETHANOL 111-76-2	* STEL: 50 ppm STEL: 246 mg/m ³ TWA: 20 ppm TWA: 98 mg/m ³	TWA: 100 mg/m ³ Ceiling: 200 mg/m ³ D*	TWA: 20 ppm TWA: 98 mg/m ³ H* STEL: 246 mg/m ³ STEL: 50 ppm	S+ TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ A*	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 250 mg/m ³ iho*
FORMIC ACID 64-18-6	TWA: 5 ppm TWA: 9 mg/m ³	TWA: 9 mg/m ³ Ceiling: 18 mg/m ³	TWA: 5 ppm TWA: 9 mg/m ³ STEL: 10 ppm STEL: 18 mg/m ³	TWA: 5 ppm TWA: 9 mg/m ³	TWA: 3 ppm TWA: 5 mg/m ³ STEL: 10 ppm STEL: 19 mg/m ³
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
ACETONE 67-64-1	TWA: 500 ppm TWA: 1210 mg/m ³ STEL: 1000 ppm STEL: 2420 mg/m ³	TWA: 500 ppm TWA: 1200 mg/m ³	TWA: 500 ppm TWA: 1200 mg/m ³ Peak: 1000 ppm Peak: 2400 mg/m ³	TWA: 1780 mg/m ³ STEL: 3560 mg/m ³	TWA: 500 ppm TWA: 1210 mg/m ³
2-BUTOXYETHANOL 111-76-2	TWA: 10 ppm TWA: 49 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ *	TWA: 10 ppm TWA: 49 mg/m ³ H*	TWA: 10 ppm TWA: 49 mg/m ³ Peak: 20 ppm Peak: 98 mg/m ³ *	TWA: 25 ppm TWA: 120 mg/m ³ *	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ b*
FORMIC ACID 64-18-6	TWA: 5 ppm TWA: 9 mg/m ³	TWA: 5 ppm TWA: 9.5 mg/m ³	TWA: 5 ppm TWA: 9.5 mg/m ³	TWA: 5 ppm TWA: 9 mg/m ³	TWA: 9 mg/m ³ TWA: 5 ppm

			Peak: 10 ppm Peak: 19 mg/m ³		
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
ACETONE 67-64-1	TWA: 500 ppm TWA: 1210 mg/m ³ STEL: 1500 ppm STEL: 3630 mg/m ³	TWA: 500 ppm TWA: 1210 mg/m ³	TWA: 250 ppm TWA: 594 mg/m ³ STEL: 500 ppm STEL: 1187 mg/m ³	TWA: 500 ppm TWA: 1210 mg/m ³	TWA: 500 ppm TWA: 1210 mg/m ³ STEL: 1000 ppm STEL: 2420 mg/m ³
2-BUTOXYETHANOL 111-76-2	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ Sk*	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ cute*	TWA: 20 ppm TWA: 97 mg/m ³	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ Ada*	O* TWA: 10 ppm TWA: 50 mg/m ³ STEL: 20 ppm STEL: 100 mg/m ³
FORMIC ACID 64-18-6	TWA: 5 ppm TWA: 9 mg/m ³ STEL: 15 ppm STEL: 27 mg/m ³	TWA: 5 ppm TWA: 9 mg/m ³	TWA: 5 ppm TWA: 9.4 mg/m ³ STEL: 10 ppm STEL: 18.8 mg/m ³	TWA: 5 ppm TWA: 9 mg/m ³	TWA: 5 ppm TWA: 9 mg/m ³
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
ACETONE 67-64-1	TWA: 500 ppm TWA: 1210 mg/m ³	TWA: 500 ppm TWA: 1210 mg/m ³	TWA: 500 ppm TWA: 1210 mg/m ³ STEL: 1 ppm STEL: 2420 mg/m ³	TWA: 125 ppm TWA: 295 mg/m ³ STEL: 156.25 ppm STEL: 368.75 mg/m ³	STEL: 1800 mg/m ³ TWA: 600 mg/m ³
2-BUTOXYETHANOL 111-76-2	Peau* STEL: 50 ppm STEL: 246 mg/m ³ TWA: 20 ppm TWA: 98 mg/m ³	skin* STEL: 50 ppm STEL: 246 mg/m ³ TWA: 20 ppm TWA: 98 mg/m ³	TWA: 20.4 ppm TWA: 100 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ H*	TWA: 10 ppm TWA: 50 mg/m ³ STEL: 20 ppm STEL: 75 mg/m ³ H*	STEL: 200 mg/m ³ TWA: 98 mg/m ³ skóra*
FORMIC ACID 64-18-6	TWA: 5 ppm TWA: 9 mg/m ³	TWA: 5 ppm TWA: 9 mg/m ³	STEL: 2.7 ppm STEL: 5 mg/m ³	TWA: 5 ppm TWA: 9 mg/m ³ STEL: 10 ppm STEL: 18 mg/m ³	STEL: 15 mg/m ³ TWA: 5 mg/m ³
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
ACETONE 67-64-1	TWA: 500 ppm TWA: 1210 mg/m ³ STEL: 750 ppm	TWA: 500 ppm TWA: 1210 mg/m ³	TWA: 500 ppm TWA: 1210 mg/m ³	TWA: 500 ppm TWA: 1210 mg/m ³ STEL: 2420 mg/m ³ STEL: 1000 ppm	TWA: 500 ppm TWA: 1210 mg/m ³
2-BUTOXYETHANOL 111-76-2	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ Cutânea*	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ P*	TWA: 20 ppm TWA: 98 mg/m ³ K* Ceiling: 246 mg/m ³	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ K*	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 245 mg/m ³ via dérmica*
FORMIC ACID 64-18-6	TWA: 5 ppm TWA: 9 mg/m ³ STEL: 10 ppm	TWA: 5 ppm TWA: 9 mg/m ³	TWA: 5 ppm TWA: 9.0 mg/m ³	TWA: 5 ppm TWA: 9 mg/m ³ STEL: 10 ppm STEL: 18 mg/m ³	TWA: 5 ppm TWA: 9 mg/m ³
Chemical name	Sweden		Switzerland	United Kingdom	
ACETONE 67-64-1	NGV: 250 ppm NGV: 600 mg/m ³ Vägledande KGV: 500 ppm Vägledande KGV: 1200 mg/m ³		TWA: 500 ppm TWA: 1200 mg/m ³ STEL: 1000 ppm STEL: 2400 mg/m ³	TWA: 500 ppm TWA: 1210 mg/m ³ STEL: 1500 ppm STEL: 3620 mg/m ³	
2-BUTOXYETHANOL 111-76-2	NGV: 10 ppm NGV: 50 mg/m ³ Bindande KGV: 50 ppm Bindande KGV: 246 mg/m ³ H*		TWA: 10 ppm TWA: 49 mg/m ³ STEL: 20 ppm STEL: 98 mg/m ³ H*	TWA: 25 ppm TWA: 123 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ Sk*	
FORMIC ACID 64-18-6	NGV: 3 ppm NGV: 5 mg/m ³ Vägledande KGV: 5 ppm Vägledande KGV: 9 mg/m ³		TWA: 5 ppm TWA: 9.5 mg/m ³ STEL: 10 ppm STEL: 19 mg/m ³	TWA: 5 ppm TWA: 9.6 mg/m ³ STEL: 15 ppm STEL: 28.8 mg/m ³	

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific

regulatory bodies.

Chemical name	European Union	Austria	Bulgaria	Croatia	Czech Republic
ACETONE 67-64-1	-	-	80 mg/L - urine (Acetone) - at the end of exposure or end of work shift	20.0 mg/L - blood (Acetone) - at the end of the work shift 20.0 mg/g Creatinine - urine (Acetone) - at the end of the work shift	-
2-BUTOXYETHANOL 111-76-2	-	-	-	-	200 mg/g Creatinine (urine - Butoxyacetic acid end of shift at end of workweek) 0.17 mmol/mmol Creatinine (urine - Butoxyacetic acid end of shift at end of workweek)
Chemical name	Denmark	Finland	France	Germany DFG	Germany TRGS
ACETONE 67-64-1	-	-	- urine (Acetone) - end of shift	50 mg/L (urine - Acetone end of shift) 50 mg/L - BAT (end of exposure or end of shift) urine 2.5 mg/L - BAR (end of exposure or end of shift) urine	50 mg/L (urine - Acetone end of shift)
2-BUTOXYETHANOL 111-76-2	-	-	-	150 mg/g Creatinine (urine - Butoxyacetic acid (after hydrolysis) for long-term exposures: at the end of the shift after several shifts) 150 mg/g Creatinine (urine - Butoxyacetic acid (after hydrolysis) end of shift) 150 mg/g Creatinine - BAT (for long-term exposures: at the end of the shift after several shifts) urine	150 mg/g Creatinine (urine - Butoxyacetic acid (after hydrolysis) for long-term exposures: at the end of the shift after several shifts) 150 mg/g Creatinine (urine - Butoxyacetic acid (after hydrolysis) end of shift)
Chemical name	Hungary	Ireland	Italy MDLPS	Italy AIDII	
ACETONE 67-64-1	-	50 mg/L (urine - Acetone end of shift)	-	25 mg/L - urine (Acetone) - end of shift	
2-BUTOXYETHANOL 111-76-2	-	200 mg/g Creatinine (urine - end of shift)	-	200 mg/g Creatinine - urine (Butoxyacetic acid (with hydrolysis)) - end of shift	
Chemical name	Latvia	Luxembourg	Romania	Slovakia	
ACETONE 67-64-1	-	-	50 mg/L - urine (Acetone) - end of shift	80 mg/L (urine - Acetone end of exposure or work shift)	
Chemical name	Slovenia	Spain	Switzerland	United Kingdom	
ACETONE 67-64-1	80.0 mg/L - urine (Acetone) - at the end of the work shift	50 mg/L (urine - Acetone end of shift)	50 mg/L (urine - Acetone end of shift) 0.86 mmol/L (urine -	-	

			Acetone end of shift)	
2-BUTOXYETHANOL 111-76-2	150 mg/g Creatinine - urine (Butoxyacetic acid (after hydrolysis)) - at the end of the work shift; for long-term exposure: at the end of the work shift after several consecutive workdays	200 mg/g Creatinine (urine - Butoxyacetic acid (with hydrolysis) end of shift)	150 mg/g creatinine (urine - 2-Butoxyacetic acid (after hydrolysis) end of shift, and after several shifts (for long-term exposures))	240 mmol/mol creatinine - urine (Butoxyacetic acid) - post shift

8.2. Exposure controls

Derived No Effect Level (DNEL) - Workers No information available

Chemical name	Oral	Dermal	Inhalation
ACETONE 67-64-1	-	186 mg/kg bw/day [4] [6]	1210 mg/m ³ [4] [6] 2420 mg/m ³ [5] [7]
HYDROCARBONS, C3-4-RICH, PETROLEUM DISTILLATE 68512-91-4	-	23.4 mg/kg bw/day [4] [6]	-
2-BUTOXYETHANOL 111-76-2	-	125 mg/kg bw/day [4] [6] 89 mg/kg bw/day [4] [7]	98 mg/m ³ [4] [6] 1091 mg/m ³ [4] [7] 246 mg/m ³ [5] [7]
FORMIC ACID 64-18-6	-	-	9.5 mg/m ³ [5] [6]

Derived No Effect Level (DNEL) - General Public No information available.

Chemical name	Oral	Dermal	Inhalation
ACETONE 67-64-1	62 mg/kg bw/day [4] [6]	-	200 mg/m ³ [4] [6]
2-BUTOXYETHANOL 111-76-2	6.3 mg/kg bw/day [4] [6] 26.7 mg/kg bw/day [4] [7]	89 mg/kg bw/day [4] [6] 89 mg/kg bw/day [4] [7]	59 mg/m ³ [4] [6] 426 mg/m ³ [4] [7] 147 mg/m ³ [5] [7]
FORMIC ACID 64-18-6	-	-	3 mg/m ³ [5] [6]

Predicted No Effect Concentration (PNEC) No information available.

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
ACETONE 67-64-1	10.6 mg/L	21 mg/L	1.06 mg/L	-	-
2-BUTOXYETHANOL 111-76-2	8.8 mg/L	26.4 mg/L	0.88 mg/L	-	-
FORMIC ACID 64-18-6	2 mg/L	1 mg/L	0.2 mg/L	-	-

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
ACETONE	30.4 mg/kg	3.04 mg/kg	100 mg/L	29.5 mg/kg soil dw	-

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
67-64-1	sediment dw	sediment dw			
2-BUTOXYETHANOL 111-76-2	34.6 mg/kg sediment dw	3.46 mg/kg sediment dw	463 mg/L	2.33 mg/kg soil dw	0.02 g/kg food
FORMIC ACID 64-18-6	13.4 mg/kg sediment dw	1.34 mg/kg sediment dw	7.2 mg/L	1.5 mg/kg soil dw	-

Personal protective equipment

Eye/face protection	No special protective equipment required.
Skin and body protection	No special protective equipment required.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
Thermal hazards	No information available.
Other protective equipment	No information available.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.
Environmental exposure controls	No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid	
Appearance	Aerosol	
Color	Colorless	
Odor	Acidic	
Odor threshold	No information available	
Property	Values	Remarks • Method
Melting point / freezing point	No data available	None known
Boiling point / boiling range	No data available	
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability limit:	12.8%	
Lower flammability limit:	2.6%	
Flash point	-78 °C	Gives a flame projection at full valve opening or flashback at any degree of valve opening
Autoignition temperature	287°C (548.6°F) °C	
Decomposition temperature		None known
pH	No data available	None known
pH (as aqueous solution)	No data available	No information available
Kinematic viscosity	No Data Available	None known
Dynamic viscosity	No data available	None known
Water solubility	No data available	
Solubility(ies)	No Data Available	None known
Partition coefficient	No Data Available	None known
Vapor pressure	No Data Available	
Relative density	0.8	
Bulk density	No data available	
Density	No data available	
Vapor density	No data available	None known

Particle characteristics

Particle Size No information available
Particle Size Distribution No information available
 None known

9.2. Other information

Formula No information available

9.2.1. Information with regard to physical hazard classes
 Not applicable

9.2.2. Other safety characteristics
 No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

Remarks No Data Available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.
Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Hazardous polymerization No information available.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous Decomposition Products Carbon oxides. Aldehydes. Ketones and their derivatives.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**Information on likely routes of exposure****Product Information**

Inhalation Specific test data for the substance or mixture is not available.
Eye contact Specific test data for the substance or mixture is not available.
Skin contact Specific test data for the substance or mixture is not available.

Ingestion Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 1,062.50 mg/kg
 ATEmix (dermal) 1,059.10 mg/kg
 ATEmix (inhalation-dust/mist) 3.81 mg/l

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
ACETONE	= 5800 mg/kg (Rat)	> 15700 mg/kg (Rabbit)	= 50100 mg/m ³ (Rat) 8 h
HYDROCARBONS, C3-4-RICH, PETROLEUM DISTILLATE	-	-	= 658 mg/L (Rat) 4 h
2-BUTOXYETHANOL	= 470 mg/kg (Rat)	= 435 mg/kg (Rabbit)	= 450 ppm (Rat) 4 h = 486 ppm (Rat) 4 h
FORMIC ACID	= 1100 mg/kg (Rat)	-	= 7.85 mg/L (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation No information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Chemical name	European Union
HYDROCARBONS, C3-4-RICH, PETROLEUM DISTILLATE	Muta. 1B

Carcinogenicity No information available.

Chemical name	European Union
HYDROCARBONS, C3-4-RICH, PETROLEUM DISTILLATE	Carc. 1A

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

11.2. Information on other hazards**11.2.1. Endocrine disrupting properties**

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information**12.1. Toxicity**

Ecotoxicity The environmental impact of this product has not been fully investigated.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
ACETONE	-	LC50: 4.74 - 6.33mL/L (96h, Oncorhynchus mykiss) LC50: 6210 - 8120mg/L (96h, Pimephales promelas) LC50: =8300mg/L (96h, Lepomis macrochirus)	-	EC50: 10294 - 17704mg/L (48h, Daphnia magna) EC50: 12600 - 12700mg/L (48h, Daphnia magna)
2-BUTOXYETHANOL	-	LC50: =1490mg/L (96h, Lepomis macrochirus) LC50: =2950mg/L (96h, Lepomis macrochirus)	-	EC50: >1000mg/L (48h, Daphnia magna)
FORMIC ACID	EC50: =25mg/L (96h, Desmodemus subspicatus) EC50: =26.9mg/L (72h, Desmodemus subspicatus)	-	-	EC50: =120mg/L (48h, Daphnia magna) EC50: 138 - 165.6mg/L (48h, Daphnia magna)

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation No information available.

Chemical name	Partition coefficient
ACETONE	-0.24
HYDROCARBONS, C3-4-RICH, PETROLEUM DISTILLATE	2.8
2-BUTOXYETHANOL	0.81
FORMIC ACID	-1.9

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

Chemical name	PBT and vPvB assessment
ACETONE	The substance is not PBT / vPvB
HYDROCARBONS, C3-4-RICH, PETROLEUM DISTILLATE	The substance is not PBT / vPvB
2-BUTOXYETHANOL	The substance is not PBT / vPvB
FORMIC ACID	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

Other Information No information available.

SECTION 14: Transport information

IATA

14.1 UN number or ID number ID 8000

14.2 Proper shipping name Consumer commodity

14.3 Transport hazard class(es) 9

14.4 Packing group Not regulated

14.5 Environmental hazard Not applicable

14.6 Special precautions for user

IMDG

14.1 UN number or ID number 1950

14.2 Proper shipping name Aerosols Limited Quantity (LQ)

14.3 Transport hazard class(es) 2.1

14.4 Packing Group Not regulated

14.5 Environmental hazard Not applicable

14.6 Special precautions for user

14.7 Maritime transport in bulk according to IMO instruments

RID

14.1 UN/ID No 1950

14.2 Proper shipping name Aerosols Limited Quantity (LQ)

14.3 Transport hazard class(es) 2.1

14.4 Packing Group Not regulated

14.5 Environmental hazard Not applicable

14.6 Special precautions for user

ADR

14.1 UN number or ID number 1950

14.2 Proper shipping name Aerosols Limited Quantity (LQ)

14.3 Transport hazard class(es) 2.1

14.4 Packing Group Not regulated

14.5 Environmental hazard Not applicable

14.6 Special precautions for user

Classification code 5F

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Chemical name	French RG number
ACETONE - 67-64-1	RG 84
2-BUTOXYETHANOL - 111-76-2	RG 84

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorizations and/or restrictions on use:

This product does not contain substances subject to authorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorization per REACH Annex XIV
ACETONE - 67-64-1	75.	-
HYDROCARBONS, C3-4-RICH, PETROLEUM DISTILLATE - 68512-91-4	28. 29. 75.	-
2-BUTOXYETHANOL - 111-76-2	75.	-
FORMIC ACID - 64-18-6	75.	-

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Chemical name	Biocidal Products Regulation (EU) No 528/2012 (BPR)
FORMIC ACID - 64-18-6	Product-type 2: Disinfectants and algacides not intended for direct application to humans or animals Product-type 3: Veterinary hygiene Product-type 4: Food and feed area Product-type 5: Drinking water Product-type 6: Preservatives for products during storage

International Inventories

TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Does not comply
ENCS	Does not comply
IECSC	Complies
KECI	Complies
PICCS	Does not comply
AICS	Complies

Legend:

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

15.2. Chemical safety assessment

Chemical Safety Report No information available

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

EUH066 - Repeated exposure may cause skin dryness or cracking

H220 - Extremely flammable gas

H225 - Highly flammable liquid and vapor

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H332 - Harmful if inhaled

H336 - May cause drowsiness or dizziness

H340 - May cause genetic defects

H350 - May cause cancer

Legend

SVHC: Substances of Very High Concern for Authorization:

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Chemicals

vPvB: Very Persistent and very Bioaccumulative (vPvB) Chemicals

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapor	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitization	Calculation method
Skin sensitization	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGl(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)
 Japan GHS Classification
 Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
 NIOSH (National Institute for Occupational Safety and Health)
 National Library of Medicine's ChemID Plus (NLM CIP)
 National Library of Medicine's PubMed database (NLM PUBMED)
 U.S. National Toxicology Program (NTP)
 New Zealand's Chemical Classification and Information Database (CCID)
 Organization for Economic Co-operation and Development Environment, Health, and Safety Publications
 Organization for Economic Co-operation and Development High Production Volume Chemicals Program
 Organization for Economic Co-operation and Development Screening Information Data Set
 World Health Organization

Revision Date 05-Apr-2024

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

Illinois Tool Works Inc. believes the information contained in this data sheet is accurate as of the date compiled. However, Illinois Tool Works Inc. makes no warranty, express or implied, as to the accuracy, reliability or completeness of the information. User is responsible for evaluating whether such information or this product is fit for a particular purpose and suitable for a particular use or application. The information in this data sheet may not be valid if this product is used in combination with other products or in processes for which it was not designed. Illinois Tool Works Inc. disclaims any liability for consequential or incidental damages of any kind, including lost profits, arising from the sale or use of this product. Ensure you have the most current version of this data sheet by contacting us or reviewing our web site.

End of Safety Data Sheet

EU SDS version information - EGHS

UL release:
 GHS Revision 7
 2023 Q1

Specific target organ toxicity (single exposure)	Category 3
Category 3 Target organ effects: Narcotic effects.	

Full text of H-Statements referred to under section 3

EUH066 - Repeated exposure may cause skin dryness or cracking H220 - Extremely flammable gas
 H225 - Highly flammable liquid and vapor H302 - Harmful if swallowed H314 - Causes severe skin burns and eye damage H315 - Causes skin irritation H319 - Causes serious eye irritation H332 - Harmful if inhaled H336 - May cause drowsiness or dizziness H340 - May cause genetic defects H350 - May cause cancer

Chemical name	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)
ACETONE	Eye Irrit. 2 (H319) STOT SE 3 (H336) Flam. Liq. 2 (H225) (EUH066)	
HYDROCARBONS, C3-4-RICH, PETROLEUM DISTILLATE	Muta. 1B (H340) Carc. 1A (H350) Flam. Gas 1 (H220)	
2-BUTOXYETHANOL	Acute Tox. 4 (H302) Acute Tox. 3 (H331) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)	
FORMIC ACID	Skin Corr. 1A (H314)	Eye Irrit. 2 :: 2%≤C<10% Skin Corr. 1A :: C≥90% Skin Corr. 1B :: 10%≤C<90% Skin Irrit. 2 :: 2%≤C<10%

Chemical name	CAS No.	French RG number
ACETONE	67-64-1	RG 84
2-BUTOXYETHANOL	111-76-2	RG 84

VOC content