

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 as amended by Regulation (EU) No. 2020/878, and Regulation (EC) No. 1272/2008

Revision Date 06-Sep-2024

Version 1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code 82195

Product Name ULTRA GREY RIGID HIGH TORQUE RTV 13 OZ

Other means of identification

Unique Formula Identifier (UFI) W4QH-D0A9-000C-WYV1

Mixture. Contains 2-BUTANONE OXIME

1.2. Relevant identified uses of the substance or mixture and uses advised against

Sealant

Recommended Use

Uses advised against

No information available

#### 1.3. Details of the supplier of the safety data sheet

Manufacturer ITW Permatex, Inc.	Only Representative (OR) ITW Permatex, Inc.
6875 Parkland Blvd.	Bay 150
Solon, Ohio 44139 USA	Shannon Industrial Estate
Telephone: 1-87-Permatex	Co. Clare
(866) 732-9502	Ireland
	V14 DF82
	353(61)771500
	353(61)471285
	customerservice.shannon@itwpp.com

For further information, please contact

Contact Point	ITW Permatex, Inc. 6875 Parkland Blvd. Solon, Ohio 44139 USA Telephone: 1-87-Permatex (866) 732-9502		
E-mail address:	mail@permatex.com		
Non-Emergency Telephone Number	866-732-9502		

#### 1.4. Emergency telephone number

24-hour emergency phone number EU Member States information as follows:

24-hour emergency phone number   - §45 - (EC)1272/2008		
Europe	112	
Austria	01 406 43 43	

Belgium	070 245 245
Bulgaria	+359 2 9154 233
Croatia	+3851 2348 342
Cyprus	1401
Czech Republic	+420 224 919 293/ +420 224 915 402
Denmark	+ 45 8212 1212
Estonia	16662/ (+372) 7943 794
Finland	0800 147 111/ 09 471 977
France	+33 (0)1 45 42 59 59
Germany	+49 228 192 40
Greece	(003) 2107793777
Hungary	+36 80 201 199
Iceland	543 2222
Ireland	01 809 2166
Italy	0382-24444
Latvia	+371 67042473
Liechtenstein	01 406 43 43
Lithuania	+370 (85) 2362052
Luxembourg	(+352) 8002 5500
Malta	112
Netherlands	+31 (0)88 755 8000
Norway	22 59 13 00
Poland	112
Portugal	+351 800 250 250
Romania	+40213183606
Slovakia	+421 2 5477 4166
Slovenia	112
Spain	+34 91 562 04 20
Sweden	112
Switzerland	145
United Kingdom	111

## **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP]

#### Carcinogenicity

Category 1B - (H350)

## 2.2. Label elements

Contains 2-BUTANONE OXIME



Signal word Danger

## **Hazard statements**

H350 - May cause cancer. EUH208 - Contains 2-BUTANONE OXIME May produce an allergic reaction.

#### Precautionary Statements - EU (§28, 1272/2008)

P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P308 + P313 - IF exposed or concerned: Get medical advice/attention.

P405 - Store locked up.

P501 - Dispose of contents/ container to an approved waste disposal plant.

55.5 % of the mixture consists of ingredient(s) of unknown acute toxicity.

28.5 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.

25 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

55.5 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).

55.5 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).

33.06 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

#### Unknown aquatic toxicity

Contains 0 % of components with unknown hazards to the aquatic environment.

2.3. Other hazards	
Other hazards	No information available.
PBT & vPvB	The components in this formulation do not meet the criteria for classification as PBT or vPvB.
Endocrine Disruptor Information	This product does not contain any known or suspected endocrine disruptors.

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Chemical name	Weight-%	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	concentration	M-Factor	M-Factor (long-ter m)	Notes
CALCIUM CARBONATE 471-34-1	10-30%	No data available	207-439-9	No data available	-	-	-	-
STEARIC ACID 57-11-4	1-5%	No data available	200-313-4	No data available	-	-	-	-
ALUMINIUM POWDER 7429-90-5	0.1-1%	No data available	231-072-3 (013-002-00-1) (013-001-00-6)		-	-	-	Т
2-BUTANONE OXIME 96-29-7	0.1-1%	No data available	202-496-6 (616-014-00-0)	Acute Tox. 3 (H301) Acute Tox. 4 (H312) Skin Irrit. 2 (H315) Skin Sens. 1 (H317) Eye Dam. 1 (H318) STOT SE 3 (H336) STOT SE 1 (H370) Carc. 1B (H350) STOT RE 2 (H373)		-	-	-

MINERAL OIL 8042-47-5	0.1-1%	No data available	232-455-8	No data available	-	-	-	-
DIMETHYLBIS"(1-OX ONEODECYL)OXY" STANNANE 68928-76-7	0.1-1%	No data available	273-028-6	No data available	-	-	-	-
NAPHTHA, SOLVENT 8052-41-3	<0.1%	No data available	232-489-3 (649-345-00-4)	Asp. Tox. 1 (H304) Muta. 1B (H340) Carc. 1B (H350) STOT RE 1 (H372)	-	-	-	Р

Note P - The harmonized classification as a carcinogen or mutagen applies unless it can be shown that the substance contains less than 0.1 % w/w benzene (Einecs No 200-753-7), in which case a classification in accordance with Title II of this Regulation shall be performed also for those hazard classes. Where the substance is not classified as a carcinogen or mutagen, at least the precautionary statements (P102-)P260-P262-P301 + P310-P331 shall apply.

Note T - This substance may be marketed in a form which does not have the physical hazards as indicated by the classification in the entry in Part 3. If the results of the relevant method or methods in accordance with Part 2 of Annex I of this Regulation show that the specific form of substance marketed does not exhibit this physical property or these physical hazards, the substance shall be classified in accordance with the result or results of this test or these tests. Relevant information, including reference to the relevant test method(s) shall be included in the safety data sheet.

#### Full text of H- and EUH-phrases: see section 16

#### Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg		Inhalation LC50 - 4	Inhalation LC50 - 4	Inhalation LC50 - 4
		mg/kg	hour - dust/mist - mg/L	hour - vapor - mg/L	hour - gas - ppm
CALCIUM CARBONATE 471-34-1	6450	2000	3	No data available	No data available
STEARIC ACID 57-11-4	4600	2000	No data available	No data available	No data available
ALUMINIUM POWDER 7429-90-5	No data available	No data available	0.888	No data available	No data available
2-BUTANONE OXIME 96-29-7	100+ 930	1100 <i>+</i> 1000	No data available	No data available	No data available
MINERAL OIL 8042-47-5	5000	No data available	No data available	No data available	No data available
NAPHTHA, SOLVENT 8052-41-3	No data available	3000	5.5	No data available	No data available

+ This value is the harmonized acute toxicity estimate (ATE) listed in CLP Annex VI, Part 3. This harmonized ATE value must be used when calculating the acute toxicity estimate (ATEmix) for classifying a mixture containing the listed substance

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59).

#### Section 4: First aid measures

#### 4.1. Description of first aid measures

General adviceIF exposed or concerned: Get medical advice/attention.InhalationRemove to fresh air.

Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.			
Skin contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a physician.			
Ingestion	Rinse mouth.			
4.2. Most important symptoms and effects, both acute and delayed				
Symptoms	No information available.			
Effects of Exposure	May cause cancer.			
4.3. Indication of any immediate medical attention and special treatment needed				
Note to physicians	Treat symptomatically.			

## Section 5: Firefighting measures

5.1.	Extin	guishing	media

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Small Fire Large Fire	In case of fire, use water spray, foam, dry chemical, or CO2. In case of fire, use water spray, foam, dry chemical, or CO2.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
5.2. Special hazards arising from the	ne substance or mixture
Specific hazards arising from the chemical	No information available.
Hazardous combustion products	No information available
5.3. Advice for firefighters	
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

### Section 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation.
Other information	Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Use personal protection recommended in Section 8.
6.2. Environmental precautions	
Environmental precautions	See Section 12 for additional Ecological Information.

#### 6.3. Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
6.4. Reference to other sections	
Reference to other sections	See section 8 for more information. See section 13 for more information.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing.
General hygiene considerations	Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.
7.2. Conditions for safe storage, inc	cluding any incompatibilities
Storage Conditions	Keep container tightly closed in a dry and well-ventilated place.
Storage class (TRGS 510)	Storage class 6.1C.
7.3. Specific end use(s)	
<b>Specific use(s)</b> Automotive Sealant.	

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### Exposure Limits

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
CALCIUM CARBONATE	-	-	-	-	TWA: 10 mg/m <sup>3</sup>
471-34-1					TWA: 4 mg/m <sup>3</sup>
ALUMINIUM POWDER	-	TWA: 10 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	TWA: 10.0 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
7429-90-5		STEL 20 mg/m <sup>3</sup>		TWA: 1.5 mg/m <sup>3</sup>	TWA: 4 mg/m <sup>3</sup>
2-BUTANONE OXIME	-	Sh+	-	-	-
96-29-7					
DIMETHYLBIS"(1-OXONE	-	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>
ODECYL)OXY"STANNAN		STEL 0.2 mg/m <sup>3</sup>	STEL: 0.2 mg/m <sup>3</sup>	-	STEL: 0.2 mg/m <sup>3</sup>
E		Sk*	Sk*		-
68928-76-7					
NAPHTHA, SOLVENT	-	-	TWA: 100 ppm	-	-

8052-41-3			TWA: 533 mg/m <sup>3</sup>		
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
ALUMINIUM POWDER 7429-90-5	-	TWA: 10.0 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> TWA: 2 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup> STEL: 4 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup>	TWA: 1.5 mg/m <sup>3</sup>
DIMETHYLBIS"(1-OXONE ODECYL)OXY"STANNAN E 68928-76-7	-	TWA: 0.1 mg/m <sup>3</sup> Sk* Ceiling: 0.2 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup> STEL: 0.2 mg/m <sup>3</sup> except Tri-n-butyltin compounds Sk*	TWA: 0.1 mg/m <sup>3</sup> STEL: 0.2 mg/m <sup>3</sup> Sk*	TWA: 0.1 mg/m <sup>3</sup> STEL: 0.3 mg/m <sup>3</sup> Sk*
NAPHTHA, SOLVENT 8052-41-3	-	TWA: 200 mg/m <sup>3</sup> Ceiling: 1000 mg/m <sup>3</sup>	TWA: 25 ppm TWA: 145 mg/m <sup>3</sup> STEL: 50 ppm =<20% Aromatic compounds STEL: 290 mg/m <sup>3</sup> =<20% Aromatic compounds	TWA: 50 ppm TWA: 300 mg/m <sup>3</sup> STEL: 100 ppm STEL: 600 mg/m <sup>3</sup>	-
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
CALCIUM CARBONATE 471-34-1 ALUMINIUM POWDER	TWA: 10 mg/m <sup>3</sup>	- TWA: 1.25 mg/m <sup>3</sup>	- TWA: 4 mg/m <sup>3</sup>	- TWA: 10 mg/m <sup>3</sup>	- TWA: 1 mg/m <sup>3</sup>
7429-90-5 2-BUTANONE OXIME 96-29-7	TWA: 5 mg/m <sup>3</sup> -	TWA: 10 mg/m <sup>3</sup> TWA: 0.3 ppm TWA: 1 mg/m <sup>3</sup> Sk* Sh+	TWA: 1.5 mg/m <sup>3</sup> Sk* skin sensitizer	TWA: 5 mg/m <sup>3</sup> -	-
MINERAL OIL 8042-47-5	-	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> Peak: 20 mg/m <sup>3</sup>	-	TWA: 5 mg/m <sup>3</sup>
DIMETHYLBIS"(1-OXONE ODECYL)OXY"STANNAN E 68928-76-7	TWA: 0.1 mg/m <sup>3</sup> STEL: 0.2 mg/m <sup>3</sup>	TWA: 0.0018 ppm TWA: 0.009 mg/m <sup>3</sup>	TWA: 0.004 ppm TWA: 0.02 mg/m <sup>3</sup> Peak: 0.004 ppm Peak: 0.02 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup> STEL: 0.2 mg/m <sup>3</sup> Sk <sup>*</sup>	TWA: 0.02 mg/m <sup>3</sup> Sk*
NAPHTHA, SOLVENT 8052-41-3	-	-	-	TWA: 100 ppm TWA: 575 mg/m <sup>3</sup> STEL: 125 ppm STEL: 720 mg/m <sup>3</sup>	-
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
CALCIUM CARBONATE 471-34-1	-	-	-	TWA: 6 mg/m <sup>3</sup>	-
STEARIC ACID 57-11-4	-	-	TWA: 10 mg/m <sup>3</sup> TWA: 3 mg/m <sup>3</sup>	-	-
ALUMINIUM POWDER 7429-90-5	TWA: 1 mg/m <sup>3</sup> STEL: 3 mg/m <sup>3</sup>	-	TWA: 1 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> TWA: 2 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>
2-BUTANONE OXIME 96-29-7	TWA: 3 ppm TWA: 10 mg/m <sup>3</sup> STEL: 10 ppm STEL: 33 mg/m <sup>3</sup> Sens+	-	-	-	-
MINERAL OIL 8042-47-5	-	-	-	TWA: 5 mg/m <sup>3</sup>	-
DIMETHYLBIS"(1-OXONE ODECYL)OXY"STANNAN E 68928-76-7	TWA: 0.1 mg/m <sup>3</sup> STEL: 0.2 mg/m <sup>3</sup>	-	TWA: 0.1 mg/m <sup>3</sup> STEL: 0.2 mg/m <sup>3</sup> Sk*	-	TWA: 0.1 mg/m <sup>3</sup> STEL: 0.2 mg/m <sup>3</sup> Sk*
NAPHTHA, SOLVENT	TWA: 100 ppm	-	TWA: 100 ppm	-	TWA: 50 ppm

8052-41-3	TWA: 573	mg/m <sup>3</sup>		TWA: 573 mg/m <sup>3</sup>			TWA: 300 mg/m <sup>3</sup>	
		C C					STEL: 600 mg/m <sup>3</sup>	
							STEL: 100 ppm	
Chemical name	Luxemb	ourg	Malta	Netherlands	Norv	vay	Poland	
CALCIUM CARBONATE 471-34-1	-		-	-	-		TWA: 10 mg/m <sup>3</sup>	
ALUMINIUM POWDER 7429-90-5	-		-	-	TWA: 5 STEL: 10		TWA: 2.5 mg/m <sup>3</sup> TWA: 1.2 mg/m <sup>3</sup>	
DIMETHYLBIS"(1-OXONE	-		-	-	TWA: 0.′		-	
ODECYL)OXY"STANNAN					STEL: 0.			
E					Sk	*		
68928-76-7							T\A/A: 200 m m/m 2	
NAPHTHA, SOLVENT 8052-41-3	-		-	-	-		TWA: 300 mg/m <sup>3</sup> STEL: 900 mg/m <sup>3</sup>	
Chemical name	Portu	aal	Romania	Slovakia	Slovenia		Spain	
ALUMINIUM POWDER	TWA: 1		TWA: 3 mg/m <sup>3</sup>	TWA: 4 mg/m <sup>3</sup>	-		TWA: 1 mg/m <sup>3</sup>	
7429-90-5		0	TWA: 1 mg/m <sup>3</sup>	TWA: 1.5 mg/m <sup>3</sup>			J J	
			STEL: 10 mg/m <sup>3</sup>	C C				
			STEL: 3 mg/m <sup>3</sup>		$T_{\Lambda} = 1 m_{\pi} m_{\pi}^{3}$			
2-BUTANONE OXIME	-		-	-	TWA: 1 mg/m <sup>3</sup>		-	
96-29-7					TWA: 0			
					STEL: 2 STEL: 8			
					STEL. 0	•		
MINERAL OIL	_		_	_	TWA: 5		_	
8042-47-5					STEL: 20			
DIMETHYLBIS"(1-OXONE	TWA: 0.1	mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.00		TWA: 0.1 mg/m <sup>3</sup>	
ODECYL)OXY"STANNAN	STEL: 0.2	mg/m <sup>3</sup>	STEL: 0.15 mg/m <sup>3</sup>	Sk*	TWA: 0.0		STEL: 0.2 mg/m <sup>3</sup>	
E				Ceiling: 0.2 mg/m <sup>3</sup>	STEL: 0.0		Sk*	
68928-76-7					STEL: 0.0	09 mg/m <sup>3</sup>		
NAPHTHA, SOLVENT	TWA: 10	0 ppm -		-	-		-	
8052-41-3			Oweden	Cuvit- and an	al	ا ا	ite d King ada na	
Chemical name			Sweden	Switzerlar		Un	ited Kingdom	
CALCIUM CARBON 471-34-1	AIE		-	TWA: 3 mg/ TWA: 10 mg			-	
ALUMINIUM POWE		1	NGV: 5 mg/m <sup>3</sup>		WA: 3 mg/m <sup>3</sup>		VA: 10 mg/m <sup>3</sup>	
7429-90-5			NGV: 2 mg/m <sup>3</sup>	TWA: 3 mg/m <sup>3</sup>			NA: 4 mg/m <sup>3</sup>	
1 120 00 0			101. 2 mg/m				STEL: 30 mg/m <sup>3</sup>	
						STEL: 12 mg/m <sup>3</sup>		
MINERAL OIL		-		TWA: 5 mg/m <sup>3</sup>			-	
8042-47-5				- 3				
DIMETHYLBIS"(1-OXONE)				TWA: 0.1 mg/m <sup>3</sup>		TWA: 0.1 mg/m <sup>3</sup>		
XY"STANNANE		Sk*		STEL: 0.2 mg/m <sup>3</sup>		STEL: 0.2 mg/m <sup>3</sup>		
68928-76-7	NIT			Sk*			Sk*	
NAPHTHA, SOLVE 8052-41-3	INT	NGV: 300 mg/m <sup>3</sup> NGV: 50 ppm		-			-	
0002-41-0			GV: 175 mg/m <sup>3</sup>					
			NGV: 30 ppm					
			ande KGV: 100 ppm					
			nde KGV: 600 mg/m <sup>3</sup>	3				
			ande KGV: 60 ppm					
		Vägleda	nde KGV: 350 mg/m <sup>3</sup>	3				
			Sk*					

## Biological occupational exposure limits

	Chemical name	European Union	Austria	Bulgaria	Croatia	Czech Republic
--	---------------	----------------	---------	----------	---------	----------------

ALUMINIUM POWDER 7429-90-5	-	urine (A after er day, at t work wo the	Creatinine - luminum) - nd of work he end of a eek/end of e shift ote 1)	-	(/	200 μg/L - urine Aluminum) - at t nd of the work sl	he
Chemical name	Denmark	Fi	nland	Franc	e	Germany DFG	Germany TRGS
ALUMINIUM POWDER 7429-90-5	-		-	-	( er 50 E er 11 E er	50 μg/g Creatinir (urine - Aluminu for long-term exposures: at th nd of the shift af several shifts) 0 μg/g Creatinin BAT (for long-ter exposures: at th nd of the shift af everal shifts) uri 5 μg/g Creatinin BAR (for long-ter exposures: at th nd of the shift af	he 50 μg/g Creatinine m (urine - Aluminum for long-term e exposures: at the ter end of the shift after several shifts) he - rm he fter rm he fter ine he fter ine
Chemical name	Latvia		Luxor	nbourg		everal shifts) uri omania	Slovakia
ALUMINIUM POWDER 7429-90-5	-			-	200 µ	ug/L - urine 6	60 μg/g creatinine (urine - Aluminum not critical)
Chemical name	Sloven		Sp	bain		ritzerland	United Kingdom
ALUMINIUM POWDER 7429-90-5	50 μg/L - (Aluminum long-term exp the end of the after sev consecutive w	) - for osure: at work shift eral		-	- Aluminu shifts (f exp 0.21 µ creatir Aluminun shifts (f	reatinine (urine im after several for long-term posures)) µmol/mmol nine (urine - m after several for long-term posures))	-

Note 1: Details about BEL values can be found in Annex 2 of the Austrian Ordinance on Health Monitoring in the Workplace.

#### Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
CALCIUM CARBONATE 471-34-1	-	-	6.36 mg/m <sup>3</sup> [5] [6]
VINYL OXIMINOSILANE 2224-33-1	-	0.15 mg/kg bw/day [4] [6]	1.06 mg/m³ [4] [6]
STEARIC ACID 57-11-4	-	10 mg/kg bw/day [4] [6]	17.632 mg/m <sup>3</sup> [4] [6]
OXIMINOSILANE 34206-40-1	-	0.134 mg/kg bw/day [4] [6]	0.942 mg/m³ [4] [6]
2-BUTANONE OXIME 96-29-7	-	1.3 mg/kg bw/day [4] [6] 2.5 mg/kg bw/day [4] [7]	9 mg/m³ [4] [6] 3.33 mg/m³ [5] [6]
MINERAL OIL 8042-47-5	-	217.05 mg/kg bw/day [4] [6]	164.56 mg/m³ [4] [6]
NAPHTHA, SOLVENT 8052-41-3	_	80 mg/kg bw/day [4] [6] 30 mg/kg bw/day [4] [7]	44 mg/m <sup>3</sup> [4] [6] 55 mg/m <sup>3</sup> [4] [7]

## 82195 - ULTRA GREY RIGID HIGH TORQUE RTV 13 OZ

Chemical name	Oral	Dermal	Inhalation
		7.56 mg/cm2 [5] [6]	44 mg/m³ [5] [6]
			55 mg/m³ [5] [7]

Notes

Notes	
[4]	Systemic health effects.
[5]	Local health effects.
[6]	Long term.
[7]	Short term.

Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
CALCIUM CARBONATE 471-34-1	6.1 mg/kg bw/day [4] [6] 6.1 mg/kg bw/day [4] [7]	-	1.06 mg/m³ [5] [6]
VINYL OXIMINOSILANE 2224-33-1	0.075 mg/kg bw/day [4] [6]	-	0.26 mg/m <sup>3</sup> [4] [6]
STEARIC ACID 57-11-4	2.5 mg/kg bw/day [4] [6]	-	4.348 mg/m <sup>3</sup> [4] [6]
OXIMINOSILANE 34206-40-1	0.067 mg/kg bw/day [4] [6]	-	0.232 mg/m³ [4] [6]
2-BUTANONE OXIME 96-29-7	-	1.5 mg/kg bw/day [4] [6] 1.5 mg/kg bw/day [4] [7]	2.7 mg/m <sup>3</sup> [4] [6] 2 mg/m <sup>3</sup> [5] [6]
MINERAL OIL 8042-47-5	25 mg/kg bw/day [4] [6]	-	34.78 mg/m <sup>3</sup> [4] [6]
NAPHTHA, SOLVENT 8052-41-3	10.56 mg/kg bw/day [4] [6] 50 mg/kg bw/day [4] [7]	60 mg/kg bw/day [4] [6] 60 mg/kg bw/day [4] [7] 3.78 mg/cm2 [5] [6]	22 mg/m <sup>3</sup> [4] [6] 55 mg/m <sup>3</sup> [4] [7] 22 mg/m <sup>3</sup> [5] [6] 55 mg/m <sup>3</sup> [5] [7]

#### Notes

[4]	Systemic health effects.
[5]	Local health effects.
[6]	Long term.
[7]	Short term.

## Predicted No Effect Concentration (PNEC)

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
VINYL OXIMINOSILANE 2224-33-1	0.01919 mg/L	-	0.001919 mg/L	-	-
SUBSTITUTED UREA 23843-64-3	0.1 mg/L	1 mg/L	0.01 mg/L	0.1 mg/L	-
OXIMINOSILANE 34206-40-1	0.0171 mg/L	-	0.00171 mg/L	-	-
2-BUTANONE OXIME 96-29-7	0.256 mg/L	0.118 mg/L	-	-	-
NAPHTHA, SOLVENT 8052-41-3	0.14 mg/L	0.014 mg/L	0.35 mg/L	-	10 mg/m³

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
CALCIUM CARBONATE 471-34-1	-	-	100 mg/L	-	-
VINYL OXIMINOSILANE 2224-33-1	1136.562 mg/kg sediment dw	113.656 mg/kg sediment dw	4.06 mg/L	133.8 mg/kg soil dw	3.333 mg/kg food
SUBSTITUTED UREA 23843-64-3	0.39 mg/kg sediment dw	0.039 mg/kg sediment dw	28.4 mg/L	0.0194 mg/kg soil dw	-
ALUMINIUM POWDER 7429-90-5	-	-	20 mg/L	-	-
OXIMINOSILANE 34206-40-1	9835.346 mg/kg sediment dw	983.535 mg/kg sediment dw	4.825 mg/L	1157.93 mg/kg soil dw	2.97 mg/kg food
2-BUTANONE OXIME 96-29-7	-	-	177 mg/L	-	-
NAPHTHA, SOLVENT 8052-41-3	1.14 mg/kg sediment dw	0.14 mg/kg sediment dw	-	-	-

#### 8.2. Exposure controls

Engineering controls	No information available.	
Personal protective equipment		
Eye/face protection	Appropriate eye/face protection should be selected and used according to the chemical nature, hazards and use of this product and safety requirements of the local jurisdiction.	
Hand protection	Wear suitable gloves.	
Skin and body protection	Wear suitable protective clothing.	
Respiratory protection	Appropriate respiratory protection should be selected and used according to the chemical nature, hazards and use of this product and safety requirements of the local jurisdiction. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.	
Thermal hazards	No information available.	
Environmental exposure controls	No information available.	

## Section 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state Appearance Color Odor Odor threshold Paste / Gel Liquid Gray Gray Mild. No information available

<u>Property</u> Melting point / freezing point Boiling point / boiling range Flammability (solid, gas) <u>Values</u> No data available No data available No data available

#### **<u>Remarks</u>** • <u>Method</u> Estimated Polymerization Flammable in the presence of the following materials or conditions: open flames, sparks and static discharge.

Flammability Limit in Air Upper flammability limit: Lower flammability limit: Flash point Autoignition temperature Decomposition temperature	No data available No data available > 93 °C No data available	None known Tag Closed Cup Estimated Remarks: Self-Accelerating decomposition temperature (SADT): 50 °C SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.
рH	No data available	
pH (as aqueous solution)	No data available	None known
Kinematic viscosity	No Data Available	Kinematic viscosity at 100 degrees C
Dynamic viscosity	No data available	Remarks: Self-Accelerating decomposition temperature (SADT): 50 °C SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.
Water solubility	No data available None known	
Solubility(ies)	No Data Available	None known
Partition coefficient	No Data Available	None known
Vapor pressure	<5 mm Hg @ 70°F	
Relative density	1.47	
Bulk density	자료 없음	
Density	No data available	
Vapor density	>1	Air = 1
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	
9.2. Other information VOC content	<2%	
9.2.1. Information with regard to pl	nysical hazard classes	

9.2.1. Information with regard to physical hazard classes Not applicable

9.2.2. Other safety characteristics No information available < 1 Butyl acetate = 1

## Section 10: Stability and reactivity

#### 10.1. Reactivity

Reactivity

No information available.

10.2. Chemical stability

Stability

Stable under normal conditions.

Explosion data Sensitivity to mechanical impact None. Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions** None under normal processing.

Hazardous polymerization No information available.

#### 10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous Decomposition Products None known based on information supplied.

#### Section 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Information on likely routes of exposure

Inhalation	Specific test data for the substance or mixture is not available.	
Eye contact	Specific test data for the substance or mixture is not available.	
Skin contact	Specific test data for the substance or mixture is not available.	
Ingestion	Specific test data for the substance or mixture is not available.	
Symptoms related to the physical, c	hemical and toxicological characteristics	
Symptoms	No information available.	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document:

ATEmix (oral) 11,970.10 mg/kg

ATEmix (dermal) 4,922.70 mg/kg

ATEmix (inhalation-gas) 99,999.00 ppm

ATEmix (inhalation-vapor) 99,999.00 mg/l

ATEmix (inhalation-dust/mist) 8.95 mg/l

28.5 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.

25 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

55.5 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).

55.5 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).

33.06 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
CALCIUM CARBONATE	= 6450 mg/kg (Rat)	> 2000 mg/kg (Rat)	>3 mg/L (Rat)4 h
STEARIC ACID	= 4600 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-
ALUMINIUM POWDER	-	-	> 0.888 mg/L (Rat)4 h
2-BUTANONE OXIME	= 930 mg/kg (Rat)	1000 - 1800 mg/kg (Rabbit)	> 4.83 mg/L (Rat)4 h
MINERAL OIL	> 5000 mg/kg (Rat)	-	-

NAPHTHA, SOLVENT	-	> 3000 mg/kg (Rabbit)	> 5.5 mg/L (Rat)4 h
Skin corrosion/irritation	Based on available data, the classification criteria are not met.		
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.		
Respiratory or skin sensitization	Based on available data, the classification criteria are not met.		
Germ cell mutagenicity	Based on available data, the classification criteria are not met.		
The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as mutagenic.			

Chemical name	European Union
NAPHTHA, SOLVENT	Muta. 1B
	•

Carcinogenicity

Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.				
Chemical	name	European Union		
2-BUTANONE OXIME		Carc. 1B		
NAPHTHA, S	SOLVENT	Carc. 1B		
Reproductive toxicity	Based on available data, the class	sification criteria are not met.		
STOT - single exposure	Based on available data, the class	sification criteria are not met.		
STOT - repeated exposure	Based on available data, the class	sification criteria are not met.		
Aspiration hazard	Based on available data, the classification criteria are not met.			
11.2. Information on other hazards				
11.2.1. Endocrine disrupting properties				
Endocrine disrupting properties	Based on available data, the class	sification criteria are not met.		
11.2.2. Other information				
Other adverse effects	No information available.			
Section 12: Ecological info	Section 12: Ecological information			
12.1. Toxicity				

#### Ecotoxicity

#### Unknown aquatic toxicity

Contains 0 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
2-BUTANONE OXIME	EC50: =83mg/L (72h,	LC50: 777 - 914mg/L	-	EC50: =750mg/L (48h,
	Desmodesmus	(96h, Pimephales		Daphnia magna)
	subspicatus)	promelas)		
	. ,	LC50: =760mg/L (96h,		
		Poecilia reticulata)		
MINERAL OIL	-	LC50: >10000mg/L	-	-
		(96h, Lepomis		
		macrochirus)		

#### 12.2. Persistence and degradability

Persistence and degradability No information available.

#### 12.3. Bioaccumulative potential

#### Bioaccumulation

Chemical name	Partition coefficient
2-BUTANONE OXIME	0.65
MINERAL OIL	6
NAPHTHA, SOLVENT	6.4

#### 12.4. Mobility in soil

Mobility in soil

No information available.

#### 12.5. Results of PBT and vPvB assessment

**PBT and vPvB assessment** Based on available data, the classification criteria are not met.

Chemical name	PBT and vPvB assessment
CALCIUM CARBONATE	The substance is not PBT / vPvB
STEARIC ACID	The substance is not PBT / vPvB
ALUMINIUM POWDER	The substance is not PBT / vPvB
2-BUTANONE OXIME	The substance is not PBT / vPvB
MINERAL OIL	The substance is not PBT / vPvB
NAPHTHA, SOLVENT	The substance is not PBT / vPvB

#### 12.6. Endocrine disrupting properties

Endocrine disrupting properties Based on available data, the classification criteria are not met.

#### 12.7. Other adverse effects

Other adverse effects	No information available.
Other adverse effects	ino information available.

PMT or vPvM properties Based on available data, the classification criteria are not met.

## Section 13: Disposal considerations

#### 13.1. Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.

## Section 14: Transport information

#### <u>IATA</u>

	—	
14.1	UN number or ID number	Not regulated
14.2	UN proper shipping name	Not regulated
14.3		Not regulated
14.4	Packing group	Not regulated
14.5	Environmental hazards	Not applicable
14.6	Special precautions for user	
S	pecial Provisions	None
IMDO		
-		Not regulated
14.1	UN number or ID number	Not regulated
14.2		Not regulated
14.3		Not regulated
14.4	Packing group	Not regulated
14.5		Not applicable
14.6		. tot applicable
-		None
	pecial Provisions	
14.7		No information available
acco	rding to IMO instruments	
RID		
14.1	UN number or ID number	Not regulated
14.2		Not regulated
		Not regulated
14.3	Transport hazard class(es)	Not regulated
14.4	Packing group	Not regulated
14.5	Environmental hazards	Not applicable
14.6	Special precautions for user	
	pecial Provisions	None
-		
ADR		
	=	Not regulated
14.1	UN number or ID number	Not regulated
14.2		Not regulated
14.3	Transport hazard class(es)	Not regulated
14.4	Packing group	Not regulated
14.5	Environmental hazards	Not applicable
14.6	Special precautions for user	
-	special Provisions	None
J		None
ADN	-	<b>N I I I I I I I I I I</b>
14.1	UN number or ID number	Not regulated
14.2	UN proper shipping name	Not regulated
14.3	Transport hazard class(es)	Not regulated
14.4	Packing group	Not regulated
14.5	Environmental hazard	Not applicable
14.6	Special precautions for user	
14.0	opecial precautions for user	

Special Provisions

None

#### Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

France

#### Occupational Illnesses (R-463-3, France)

Chemical name	French RG number
ALUMINIUM POWDER - 7429-90-5	RG 32 RG 16,RG 16bis
MINERAL OIL - 8042-47-5	RG 36bis
NAPHTHA, SOLVENT - 8052-41-3	RG 84

#### Germany

Water hazard class (WGK)

strongly hazardous to water (WGK 3)

#### Netherlands

Carcinogenic, mutagenic and reproductive toxic effects

Chemical name	Netherlands - List of Carcinogens	Netherlands - List of Mutagens	Netherlands - List of Reproductive Toxins
2-BUTANONE OXIME	Present	-	-

## Ordinance on the Incentive Tax on Volatile Organic Compounds (OVOC) SR 814.018 Not applicable WPO (GSchV) SR 814.201; WPA (GSchG) SR 814.20 Class A

#### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

#### Authorizations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH	Substance subject to authorization per	
	Annex XVII	REACH Annex XIV	
CALCIUM CARBONATE - 471-34-1	75	-	
ALUMINIUM POWDER - 7429-90-5	75	-	
2-BUTANONE OXIME - 96-29-7	75	-	
	28		
NAPHTHA, SOLVENT - 8052-41-3	28	-	
	29		
	75		

#### **Persistent Organic Pollutants**

Not applicable

#### Named dangerous substances per Seveso Directive (2012/18/EU)

Chemical name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
NAPHTHA, SOLVENT - 8052-41-3	-	25000

#### Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

#### EU - Plant Protection Products (1107/2009/EC)

Chemical name	EU - Plant Protection Products (1107/2009/EC)
CALCIUM CARBONATE - 471-34-1	Plant protection agent
MINERAL OIL - 8042-47-5	Plant protection agent

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Does not comply
ENCS	Does not comply
IECSC	Complies
KECI	Complies
PICCS	Complies
AICS	Complies
NZIOC	Complies
TCSI	Contact supplier for inventory compliance status

Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing Chemicals Inventory

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIOC - New Zealand Inventory of Chemicals

TCSI - Taiwan Chemical Substance Inventory

#### 15.2. Chemical safety assessment

**Chemical Safety Report** 

No information available

### **SECTION 16: Other information**

Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H228 - Flammable solid

- H261 In contact with water releases flammable gas
- H301 Toxic if swallowed
- H304 May be fatal if swallowed and enters airways
- H312 Harmful in contact with skin
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H336 May cause drowsiness or dizziness
- H340 May cause genetic defects
- H350 May cause cancer
- H370 Causes damage to organs

- H372 Causes damage to organs through prolonged or repeated exposure
- H373 May cause damage to organs through prolonged or repeated exposure

#### Legend

SVHC: Substances of Very High Concern for Authorization: PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances STOT: Specific Target Organ Toxicity ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration LD50: 50% Lethal Dose

#### Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA Ceiling

+

TWA (time-weighted average) Maximum limit value Sensitizers STEL

STEL (Short Term Exposure Limit) Skin designation

Classification procedure		
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used	
Acute oral toxicity	Calculation method	
Acute dermal toxicity	Calculation method	
Acute inhalation toxicity - gas	Calculation method	
Acute inhalation toxicity - vapor	Calculation method	
Acute inhalation toxicity - dust/mist	Calculation method	
Skin corrosion/irritation	Calculation method	
Serious eye damage/eye irritation	Calculation method	
Respiratory sensitization	Calculation method	
Skin sensitization	Calculation method	
Mutagenicity	Calculation method	
Carcinogenicity	Calculation method	
Reproductive toxicity	Calculation method	
STOT - single exposure	Calculation method	
STOT - repeated exposure	Calculation method	
Acute aquatic toxicity	Calculation method	
Chronic aquatic toxicity	Calculation method	
Aspiration hazard	Calculation method	
Ozone	Calculation method	

#### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA\_RAC) European Chemicals Agency (ECHA) (ECHA\_API) Environmental Protection Agency Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) National Institute of Technology and Evaluation (NITE) Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) U.S. National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization

#### Revision Date 06-Sep-2024

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**